

Maloobchodní ceník - kuchyně SENSO - ROYAL

Ceník je platný od 1.7.2015.

Ceny jsou uvedeny v Kč s DPH 21 %.



SENSO - ROYAL - BĚŽNÉ MO CENY						
dvířko: Strategio, Imperor, Troniusz						
				Strategio	Imperor	Troniusz
skříňka	sklo	rozpis	počet	kaštan světlý	všechny barvy	kaštan
D_30/82_L		Celkem		4 569	4 134	4 431
		F 713/296 (-L)	1	2 991	2 554	2 851
		K D_30/82	1	1 578	1 578	1 578
D_40/82_L		Celkem		5 075	4 505	4 986
		F 713/396 (-L)	1	3 385	2 814	3 295
		K D_40/82	1	1 689	1 689	1 689
D_45/82_L		Celkem		5 366	4 803	5 302
		F 713/446 (-L)	1	3 585	3 023	3 520
		K D_45/82	1	1 778	1 778	1 778
D_45/143_L		Celkem		8 578	8 085	8 811
		F 1327/446 (-L)	1	5 272	4 778	5 505
		K D_45/143	1	3 306	3 306	3 306
D_45/143_LH		Celkem		13 678	14 185	14 846
		F 1327/446-H (-LH)	1	10 372	10 877	11 538
		K D_45/143	1	3 306	3 306	3 306
D_45/143_LV	ATE	Celkem				11 126
		F 1327/446_LV	1			7 818
		K D_45/143	1			3 306
	DI	Celkem			10 148	
		F 1327/446_LV	1		6 840	
		K D_45/143	1		3 306	
	ELI	Celkem			10 402	
		F 1327/446_LV	1		7 094	
		K D_45/143	1		3 306	
	FIO	Celkem		11 326		
		F 1327/446_LV	1	8 020		
		K D_45/143	1	3 306		
D_45/207_L/L		Celkem		13 745	12 705	13 882
		F 1247/446 (-L)	1	5 052	4 575	5 254
		F 713/446 (-L)	1	3 585	3 023	3 520
		K D_45/207	1	5 106	5 106	5 106
D_60/82_L		Celkem		6 271	5 515	6 286
		F 713/596 (-L)	1	4 178	3 423	4 194
		K D_60/82	1	2 091	2 091	2 091
D_60/82_L/P		Celkem		8 072	7 203	7 795
		F 713/296 (-L)	1	2 991	2 554	2 851
		F 713/296 (-P)	1	2 991	2 554	2 851
		K D_60/82	1	2 091	2 091	2 091
D_80/82_L/P		Celkem		9 175	8 032	8 992
		F 713/396 (-L)	1	3 385	2 814	3 295
		F 713/396 (-P)	1	3 385	2 814	3 295
		K D_80/82	1	2 403	2 403	2 403
D_90/82_L/P		Celkem		9 746	8 622	9 615
		F 713/446 (-L)	1	3 585	3 023	3 520
		F 713/446 (-P)	1	3 585	3 023	3 520
		K D_90/82	1	2 574	2 574	2 574
D1SM/4_30/82_L/S		Celkem		5 675	5 340	5 762
		F 176/296_SM	1	868	955	1 155
		F 534/296 (-L)	1	2 602	2 177	2 402
		K D1SM/4_30/82	1	1 585	1 585	1 585
		S SM_140/296/500	1	171	171	171
		S SM_320M5000	1	449	449	449
D1SM/4_45/82_L/S		Celkem		6 629	6 389	6 849
		F 176/446_SM	1	1 065	1 158	1 368
		F 534/446 (-L)	1	3 060	2 726	2 975
		K D1SM/4-45/82	1	1 795	1 795	1 795
		S SM_176/446/450	1	260	260	260
		S SM_320M5000	1	449	449	449
D1SM/4_60/82_L/S		Celkem		7 720	7 320	7 988
		F 176/596_SM	1	1 280	1 377	1 595
		F 534/596 (-L)	1	3 537	3 038	3 489
		K D1SM/4-60/82	1	2 091	2 091	2 091

		S	SM_176/596/450	1	360	360	360
		S	SM_320M5000	1	449	449	449
D1SM/4_60/82_L/P/S		Celkem			9 388	8 637	9 300
		F	176/596_SM	1	1 280	1 377	1 595
		F	534/296 (-L)	1	2 602	2 177	2 402
		F	534/296 (-P)	1	2 602	2 177	2 402
		K	D1SM/4-60/82	1	2 091	2 091	2 091
		S	SM_176/596/450	1	360	360	360
		S	SM_320M5000	1	449	449	449
D1ST/4_30/82_L/S		Celkem			7 115	6 780	7 202
		F	176/296-ST	1	868	955	1 155
		F	534/296 (-L)	1	2 600	2 177	2 400
		K	D1ST/4_30/82	1	1 585	1 585	1 585
		S	DST_30_N	1	2 060	2 060	2 060
D1ST/4_45/82_L/S		Celkem			8 063	7 825	8 285
		F	176/446_ST	1	1 065	1 160	1 369
		F	534/446 (-L)	1	3 060	2 725	2 977
		K	D1ST/4_45/82	1	1 795	1 795	1 795
		S	DST_45_N	1	2 143	2 143	2 143
D1ST/4_60/82_L/S		Celkem			9 163	8 763	9 432
		F	176/596_ST	1	1 280	1 377	1 595
		F	534/596 (-L)	1	3 535	3 040	3 489
		K	D1ST/4_60/82	1	2 091	2 091	2 091
		S	DST_60_N	1	2 252	2 252	2 252
D1ST/4_60/82_L/P/S		Celkem			10 829	10 078	10 743
		F	176/596_ST	1	1 280	1 377	1 595
		F	534/296 (-L)	1	2 600	2 177	2 400
		F	534/296 (-P)	1	2 600	2 177	2 400
		K	D1ST/4_60/82	1	2 091	2 091	2 091
		S	DST_60_N	1	2 252	2 252	2 252
D1SI/4_30/82_L/S		Celkem			7 115	6 780	7 202
		F	176/296_ST	1	868	955	1 155
		F	534/296_L	1	2 600	2 177	2 400
		K	D1ST/4_30/82	1	1 585	1 585	1 585
		S	DSI_30_N	1	2 060	2 060	2 060
D1SI/4_45/82_L/S		Celkem			8 063	7 825	8 285
		F	176/446_ST	1	1 065	1 160	1 369
		F	534/446_L	1	3 060	2 725	2 977
		K	D1ST/4_45/82	1	1 795	1 795	1 795
		S	DSI_45_N	1	2 143	2 143	2 143
D1SI/4_60/82_L/S		Celkem			9 163	8 763	9 432
		F	176/596_ST	1	1 280	1 377	1 595
		F	534/596_L	1	3 535	3 040	3 489
		K	D1ST/4_60/82	1	2 091	2 091	2 091
		S	DSI_60_N	1	2 252	2 252	2 252
D1SI/4_60/82_L/P/S		Celkem			10 829	10 078	10 743
		F	176/596_ST	1	1 280	1 377	1 595
		F	534/296_L	1	2 600	2 177	2 400
		F	534/296_P	1	2 600	2 177	2 400
		K	D1ST/4_60/82	1	2 091	2 091	2 091
		S	DSI_60_N	1	2 252	2 252	2 252
DB/4_90/82_L/P/B		Celkem				10 518	
		F	176/896_E	1		2 097	
		F	633/446_LE	1		2 898	
		F	633/446_PE	1		2 898	
		K	DB/4_90/82	1		2 625	
DBK/4_90/82_L/P/B		Celkem				9 972	
		F	176/896_E	1		2 097	
		F	633/446_LE	1		2 898	
		F	633/446_PE	1		2 898	
		K	DBK/4_90/82	1		2 078	
DBSM/4_90/82_SH/B		Celkem			11 369	12 022	12 648
		F	176/896_E	1	1 854	2 097	2 075
		F	355/896_SMH	1	5 783	6 194	6 840
		K	DBSMST/4_90/82	1	2 449	2 449	2 449
		S	SMR_284/896/500	1	674	674	674
		S	SMR_320M5000	1	606	606	606
DBSM/4_90/82_SV/B	ATE	Celkem					12 508
		F	176/896_E	1			2 075
		F	355/896_SMV	1			6 700
		K	DBSMST/4_90/82	1			2 449
		S	SMR_284/896/500	1			674

	S	SMR_320M5000	1			606
DI	Celkem				10 938	
	F	176/896_E	1		2 097	
	F	355/896_SMV	1		5 109	
	K	DBSMST/4_90/82	1		2 449	
	S	SMR_284/896/500	1		674	
	S	SMR_320M5000	1		606	
ELI	Celkem				11 128	
	F	176/896_E	1		2 097	
	F	355/896_SMV	1		5 298	
	K	DBSMST/4_90/82	1		2 449	
	S	SMR_284/896/500	1		674	
	S	SMR_320M5000	1		606	
FIO	Celkem			11 080		
	F	176/896_E	1	1 854		
	F	355/896_SMV	1	5 492		
	K	DBSMST/4_90/82	1	2 449		
	S	SMR_284/896/500	1	674		
	S	SMR_320M5000	1	606		
DBST/4_90/82_SH/B	Celkem			13 609	14 263	14 889
	F	176/896_E	1	1 852	2 097	2 075
	F	355/896_STH	1	5 783	6 194	6 840
	K	DBSMST/4_90/82	1	2 449	2 449	2 449
	S	DST_90_W	1	3 522	3 522	3 522
DBST/4_90/82_SV/B	ATE	Celkem				14 748
		F	176/896_E	1		2 075
		F	355/896_STV	1		6 700
		K	DBSMST/4_90/82	1		2 449
		S	DST_90_W	1		3 522
	DI	Celkem			13 180	
		F	176/896_E	1		2 097
		F	355/896_STV	1		5 111
		K	DBSMST/4_90/82	1		2 449
		S	DST_90_W	1		3 522
	ELI	Celkem			13 368	
		F	176/896_E	1		2 097
		F	355/896_STV	1		5 300
		K	DBSMST/4_90/82	1		2 449
		S	DST_90_W	1		3 522
	FIO	Celkem			13 318	
		F	176/896_E	1	1 852	
		F	355/896_STV	1	5 492	
		K	DBSMST/4_90/82	1	2 449	
		S	DST_90_W	1	3 522	
DBSI/4_90/82_SH/B	Celkem			13 943	14 597	15 223
	F	176/896_E	1	1 852	2 097	2 075
	F	355/896_SIH	1	5 783	6 194	6 840
	K	DBSMST/4_90/82	1	2 449	2 449	2 449
	S	DSI_90_W	1	3 380	3 380	3 380
	S	BOXCOVER_DSI_W	1	475	475	475
DBSI/4_90/82_SV/B	ATE	Celkem				15 082
		F	176/896_E	1		2 075
		F	355/896_SIV	1		6 700
		K	DBSMST/4_90/82	1		2 449
		S	DSI_90_W	1		3 380
		S	BOXCOVER_DSI_W	1		475
	DI	Celkem			13 514	
		F	176/896_E	1		2 097
		F	355/896_SIV	1		5 111
		K	DBSMST/4_90/82	1		2 449
		S	DSI_90_W	1		3 380
		S	BOXCOVER_DSI_W	1		475
	ELI	Celkem			13 702	
		F	176/896_E	1		2 097
		F	355/896_SIV	1		5 300
		K	DBSMST/4_90/82	1		2 449
		S	DSI_90_W	1		3 380
		S	BOXCOVER_DSI_W	1		475
	FIO	Celkem			13 652	
		F	176/896_E	1	1 852	
		F	355/896_SIV	1	5 492	
		K	DBSMST/4_90/82	1	2 449	

	S	DSI_90_W	1	3 380		
	S	BOXCOVER_DSI_W	1	475		
DC_30/207_C/C	Celkem			10 503	9 648	10 445
	F	1247/296_CC	1	4 085	3 665	4 165
	F	713/296_CC	1	2 991	2 554	2 851
	K	DC_30/207	1	3 426	3 426	3 426
DC_30/82_C	Celkem			4 346	3 911	4 208
	F	713/296_C	1	2 991	2 554	2 851
	K	DC_30/82	1	1 355	1 355	1 355
DCX_15/82_C	Celkem			2 457	2 528	2 552
	F	713/146_CX	1	1 294	1 365	1 389
	K	DCX_15/82	1	1 163	1 163	1 163
DI_5/82_B	Celkem				1 829	
	F	713/50_I	1		715	
	K	DI_5/82	1		1 114	
DK_45/82_L	Celkem			5 137	4 575	5 072
	F	713/446 (-L)	1	3 585	3 023	3 520
	K	DK_45/82	1	1 552	1 552	1 552
DK_60/82_L	Celkem			5 932	5 177	5 946
	F	713/596 (-L)	1	4 178	3 423	4 194
	K	DK_60/82	1	1 752	1 752	1 752
DK_60/82_L/P	Celkem			7 732	6 862	7 457
	F	713/296 (-L)	1	2 991	2 554	2 851
	F	713/296 (-P)	1	2 991	2 554	2 851
	K	DK_60/82	1	1 752	1 752	1 752
DK_80/82_L/P	Celkem			8 685	7 540	8 500
	F	713/396 (-L)	1	3 385	2 814	3 295
	F	713/396 (-P)	1	3 385	2 814	3 295
	K	DK_80/82	1	1 911	1 911	1 911
DK_90/82_L/P	Celkem			9 206	8 082	9 078
	F	713/446 (-L)	1	3 585	3 023	3 520
	F	713/446 (-P)	1	3 585	3 023	3 520
	K	DK_90/82	1	2 035	2 035	2 035
DKK/4_45/82_M	Celkem			5 094	4 531	5 029
	F	713/446_M	1	3 585	3 023	3 520
	K	DKSM/5_45/82	1	1 509	1 509	1 509
DKK/4_45/82_M/B	Celkem			5 634	5 395	5 852
	F	176/446_B	1	1 065	1 158	1 368
	F	534/446_M	1	3 060	2 726	2 975
	K	DKSM/5_45/82	1	1 509	1 509	1 509
DKK/4_60/82_M	Celkem			5 802	5 046	5 818
	F	713/596_M	1	4 178	3 423	4 194
	K	DKSM/5_60/82	1	1 625	1 625	1 625
DKK/4_60/82_M/B	Celkem			6 440	6 040	6 711
	F	176/596_B	1	1 280	1 377	1 595
	F	534/596_M	1	3 537	3 038	3 489
	K	DKSM/5_60/82	1	1 625	1 625	1 625
DKSM/4_45/82_S/B	Celkem			6 565	6 323	6 783
	F	176/446-B	1	1 065	1 158	1 368
	F	534/446-SM	1	3 060	2 726	2 975
	K	DKSM/5_45/82	1	1 509	1 509	1 509
	S	SMR_284/896/500	1	322	322	322
	S	SMR_320M5000	1	606	606	606
DKSM/4_60/82_S/B	Celkem			7 483	7 083	7 752
	F	176/446-B	1	1 280	1 377	1 595
	F	534/446-SM	1	3 537	3 038	3 489
	K	DKSM/5_60/82	1	1 625	1 625	1 625
	S	SMR_284/896/500	1	434	434	434
	S	SMR_320M5000	1	606	606	606
DKST/4_45/82_S/B	Celkem			8 588	8 349	8 808
	F	176/446-B	1	1 065	1 160	1 369
	F	534/446-ST	1	3 060	2 725	2 977
	K	DKST_45/82	1	1 509	1 509	1 509
	S	DST_45_W	1	2 952	2 952	2 952
DKST/4_60/82_S/B	Celkem			9 468	9 068	9 737
	F	176/596-B	1	1 280	1 377	1 595
	F	534/596-ST	1	3 535	3 040	3 489
	K	DKST_60/82	1	1 625	1 625	1 625
	S	DST_60_W	1	3 026	3 026	3 026
DKSI/4_45/82_S/B	Celkem			8 969	8 731	9 189
	F	176/446-B	1	1 065	1 160	1 369
	F	534/446-SI	1	3 060	2 725	2 977

		K	DKST_45/82	1	1 509	1 509	1 509
		S	DSI_45_W	1	2 858	2 858	2 858
		S	BOXCOVER_DSI_W	1	475	475	475
DKSI/4_60/82_S/B		Celkem			9 862	9 462	10 129
		F	176/596-B	1	1 280	1 377	1 595
		F	534/596-SI	1	3 535	3 040	3 489
		K	DKST_60/82	1	1 625	1 625	1 625
		S	DSI_60_W	1	2 945	2 945	2 945
		S	BOXCOVER_DSI_W	1	475	475	475
DL_60/143_L		Celkem			9 589	8 992	9 908
		F	1327/596 (-L)	1	6 346	5 749	6 666
		K	DL-60/143	1	3 242	3 242	3 242
DL_60/207_L/L		Celkem			14 908	13 131	15 126
		F	1247/596 (-L)	1	6 058	5 035	6 260
		F	713/596 (-L)	1	4 178	3 423	4 194
		K	DL_60/207	1	4 671	4 671	4 671
DLO_60/230_L/L/O		Celkem			18 080	16 234	18 175
		F	1081/596 (-L)	1	5 475	4 668	5 615
		F	393/596_O	1	3 043	2 760	2 983
		F	713/596 (-L)	1	4 178	3 423	4 194
		K	DLO_60/230	1	4 912	4 912	4 912
		K	ROZW_MAXI_A1	1	468	468	468
DL/NT160_60/207_L/L		Celkem			15 182	13 405	15 398
		F	1247/596 (-L)	1	6 058	5 035	6 260
		F	713/596_NT (-LNT)	1	4 178	3 423	4 194
		K	DL/NT160_60/207	1	4 945	4 945	4 945
DL/NT180_60/207_L/L		Celkem			15 182	13 405	15 398
		F	1247/596_NT (-LNT)	1	6 058	5 035	6 260
		F	713/596_NT (-LNT)	1	4 178	3 423	4 194
		K	DL/NT180_60/207	1	4 945	4 945	4 945
DNW_90/82_L/L		Celkem			9 940	9 203	9 752
		F	713/312-LN	1		5 085	
		F	713/313-N	1			5 634
		F	713/317_N	1	5 822		
		K	DNW_90/82	1	4 118	4 118	4 118
DNW_105/82_L		Celkem			6 646	6 083	6 582
		F	713/446 (-L)	1	3 585	3 023	3 520
		K	DNW_105/82	1	3 060	3 060	3 060
DNW_120/82_L		Celkem			7 468	6 712	7 483
		F	713/596 (-L)	1	4 178	3 423	4 194
		K	DNW_120/82	1	3 288	3 288	3 288
DNWL_105/143_L/B		Celkem			13 978	13 089	14 152
		F	1327/446 (-L)	1	5 272	4 778	5 505
		F	566/596-B	1	3 685	3 289	3 628
		K	DNWL-105/143	1	5 020	5 020	5 020
DNWU_90/82_L		Celkem			7 609	7 088	7 551
		F	713/456 (-L)	1	3 623	3 098	3 562
		K	DNWU_90/82	1	3 988	3 988	3 988
DNWUST/4_90/82_2S		Celkem			17 357	16 765	17 035
		F	355/446-ST	2	5 162	4 571	4 840
		K	DNWUST/4-90/82	1	2 049	2 049	2 049
		S	DST_45_WU	2	10 145	10 145	10 145
DNWUST/4_90/82_2SH		Celkem			18 969	19 089	20 034
		F	355/446-STH	2	6 775	6 895	7 840
		K	DNWUST/4-90/82	1	2 049	2 049	2 049
		S	DST_45_WU	2	10 145	10 145	10 145
DNWUST/4_90/82_2SV	ATE	Celkem					20 806
		F	355/446-STV	2			8 612
		K	DNWUST/4-90/82	1			2 049
		S	DST_45_WU	2			10 145
	DI	Celkem				19 608	
		F	355/446-STV	2		7 414	
		K	DNWUST/4-90/82	1		2 049	
		S	DST_45_WU	2		10 145	
	ELI	Celkem				19 608	
		F	355/446-STV	2		7 414	
		K	DNWUST/4-90/82	1		2 049	
		S	DST_45_WU	2		10 145	
	FIO	Celkem			20 675		
		F	355/446-STV	2	8 480		
		K	DNWUST/4-90/82	1	2 049		
		S	DST_45_WU	2	10 145		

DNWUST/4_90/82_S/2S	Celkem			20 832	20 726	21 278	
	F	176/446_ST	2	2 131	2 318	2 737	
	F	355/446-ST	1	2 580	2 286	2 420	
	K	DNWUST/4-90/82	1	2 049	2 049	2 049	
	S	DST_45_NU	2	8 997	8 997	8 997	
	S	DST_45_WU	1	5 071	5 071	5 071	
DNWUST/4_90/82_SH/2S	Celkem			21 640	21 888	22 778	
	F	176/446_ST	2	2 131	2 318	2 737	
	F	355/446-STH	1	3 388	3 448	3 920	
	K	DNWUST/4-90/82	1	2 049	2 049	2 049	
	S	DST_45_NU	2	8 997	8 997	8 997	
	S	DST_45_WU	1	5 071	5 071	5 071	
DNWUST/4_90/82_SV/2S	ATE	Celkem					23 165
		F	176/446_ST	2			2 737
		F	355/446-STV	1			4 306
		K	DNWUST/4-90/82	1			2 049
		S	DST_45_NU	2			8 997
		S	DST_45_WU	1			5 071
	DI	Celkem				22 146	
		F	176/446_ST	2		2 318	
		F	355/446-STV	1		3 706	
		K	DNWUST/4-90/82	1		2 049	
		S	DST_45_NU	2		8 997	
		S	DST_45_WU	1		5 071	
	ELI	Celkem				22 146	
		F	176/446_ST	2		2 318	
		F	355/446-STV	1		3 706	
		K	DNWUST/4-90/82	1		2 049	
		S	DST_45_NU	2		8 997	
		S	DST_45_WU	1		5 071	
	FIO	Celkem			22 491		
		F	176/446_ST	2	2 131		
		F	355/446-STV	1	4 240		
		K	DNWUST/4-90/82	1	2 049		
		S	DST_45_NU	2	8 997		
		S	DST_45_WU	1	5 071		
DNWUSI/4_90/82_2S	Celkem			18 308	17 717	17 986	
	F	355/446-SI	2	5 162	4 571	4 840	
	K	DNWUST/4-90/82	1	2 049	2 049	2 049	
	S	DSI_45_W650U	2	10 145	10 145	10 145	
	S	BOXCOVER_DSI_W	2	951	951	951	
DNWUSI/4_90/82_2SH	Celkem			19 922	20 042	20 986	
	F	355/446-SIH	2	6 775	6 895	7 840	
	K	DNWUST/4-90/82	1	2 049	2 049	2 049	
	S	DSI_45_W650U	2	10 145	10 145	10 145	
	S	BOXCOVER_DSI_W	2	951	951	951	
DNWUSI/4_90/82_2SV	ATE	Celkem					21 758
		F	355/446-SIV	2			8 612
		K	DNWUST/4-90/82	1			2 049
		S	DSI_45_W650U	2			10 145
		S	BOXCOVER_DSI_W	2			951
	DI	Celkem				20 560	
		F	355/446-SIV	2		7 414	
		K	DNWUST/4-90/82	1		2 049	
		S	DSI_45_W650U	2		10 145	
		S	BOXCOVER_DSI_W	2		951	
	ELI	Celkem				20 560	
		F	355/446-SIV	2		7 414	
		K	DNWUST/4-90/82	1		2 049	
		S	DSI_45_W650U	2		10 145	
		S	BOXCOVER_DSI_W	2		951	
	FIO	Celkem			21 625		
		F	355/446-SIV	2	8 480		
		K	DNWUST/4-90/82	1	2 049		
S		DSI_45_W650U	2	10 145			
S		BOXCOVER_DSI_W	2	951			
DNWUSI/4_90/82_S/2S	Celkem			21 309	21 202	21 755	
	F	176/446_ST	2	2 131	2 318	2 737	
	F	355/446-SI	1	2 580	2 286	2 420	
	K	DNWUST/4-90/82	1	2 049	2 049	2 049	
	S	DSI_45_N650	2	8 997	8 997	8 997	
	S	DSI_45_W650U	1	5 071	5 071	5 071	

		S	BOXCOVER_DSI_W	1	475	475	475
DNWUSI/4_90/82_SH/2S		Celkem			22 114	22 365	23 254
		F	176/446_ST	2	2 131	2 318	2 737
		F	355/446-SIH	1	3 388	3 448	3 920
		K	DNWUST/4-90/82	1	2 049	2 049	2 049
		S	DSI_45_N650	2	8 997	8 997	8 997
		S	DSI_45_W650U	1	5 071	5 071	5 071
		S	BOXCOVER_DSI_W	1	475	475	475
DNWUSI/4_90/82_SV/2S	ATE	Celkem					23 640
		F	176/446_ST	2			2 737
		F	355/446-SIV	1			4 306
		K	DNWUST/4-90/82	1			2 049
		S	DSI_45_N650	2			8 997
		S	DSI_45_W650U	1			5 071
		S	BOXCOVER_DSI_W	1			475
	DI	Celkem				22 623	
		F	176/446_ST	2		2 318	
		F	355/446-SIV	1		3 706	
		K	DNWUST/4-90/82	1		2 049	
		S	DSI_45_N650	2		8 997	
		S	DSI_45_W650U	1		5 071	
		S	BOXCOVER_DSI_W	1		475	
	ELI	Celkem				22 623	
		F	176/446_ST	2		2 318	
		F	355/446-SIV	1		3 706	
		K	DNWUST/4-90/82	1		2 049	
		S	DSI_45_N650	2		8 997	
		S	DSI_45_W650U	1		5 071	
		S	BOXCOVER_DSI_W	1		475	
	FIO	Celkem			22 966		
		F	176/446_ST	2	2 131		
		F	355/446-SIV	1	4 240		
		K	DNWUST/4-90/82	1	2 049		
		S	DSI_45_N650	2	8 997		
		S	DSI_45_W650U	1	5 071		
		S	BOXCOVER_DSI_W	1	475		
DNZRF_30/82_L/LR		Celkem				12 866	16 337
		F	713/260 (-L)	1		2 512	2 714
		F	713/300_R (-LR)	1		8 165	11 437
		K	DNZRF_30/82	1		2 185	2 185
DNZU2F_30/82_L/LU		Celkem					
		F	713/296_446-U	1			
		K	DNZU2F_30/82	1			
DO_45/230_L/L/O		Celkem			16 685	15 325	16 606
		F	1081/446 (-L)	1	4 602	4 105	4 729
		F	393/446_O	1	2 677	2 377	2 534
		F	713/446 (-L)	1	3 585	3 023	3 520
		K	DO_45/230	1	5 349	5 349	5 349
		K	ROZW_MAXI_A1	1	468	468	468
DP_60/82_K		Celkem			2 995	3 006	3 055
		F	110/596_K	1	1 008	1 020	1 069
		K	DP_60/82	1	1 986	1 986	1 986
DPSM_60/82_S		Celkem			3 938	3 951	4 000
		F	110/596_SM	1	1 008	1 020	1 069
		K	DPSX_60/82	1	1 891	1 891	1 891
		S	SM_110/596/500	1	363	363	363
		S	SM-320N4500	1	674	674	674
DPST_60/82_S		Celkem			5 492	5 505	5 554
		F	110/596_ST	1	1 008	1 020	1 069
		K	DPS_60/82	1	1 891	1 891	1 891
		S	DPST_60_P	1	2 592	2 592	2 592
DPSI_60/82_S		Celkem			5 492	5 505	5 554
		F	110/596_ST	1	1 008	1 020	1 069
		K	DPS_60/82	1	1 891	1 891	1 891
		S	DPSI_60_P	1	2 592	2 592	2 592
DP_60/143_L		Celkem			7 843	7 088	7 858
		F	713/596 (-L)	1	4 178	3 423	4 194
		K	DP-60/143	1	3 663	3 663	3 663
DP_60/207_L/L		Celkem			13 391	12 217	13 385
		F	643/596 (-L)	1	3 958	3 540	3 937
		F	713/596 (-L)	1	4 178	3 423	4 194
		K	DP_60/207	1	5 252	5 252	5 252

DPP37O_60/207_L/O		Celkem		11 949	11 271	11 832
		F 393/596_O	1	3 043	2 760	2 983
		F 570/596 (-L)	1	3 711	3 317	3 654
		K DPP37_45O_60/207	1	4 725	4 725	4 725
		K ROZW_MAXI_A1	1	468	468	468
DSM/4_30/82_2S		Celkem		7 489	6 837	6 994
		F 355/296-SM	2	4 488	3 837	3 992
		K DSM/4-30/82	1	1 372	1 372	1 372
		S SMR_284/296/500	2	412	412	412
		S SMR_320M5000	2	1 214	1 214	1 214
DSM/4_30/82_4S		Celkem		7 329	7 680	8 477
		F 176/296-SM	4	3 474	3 825	4 622
		K DSM/4-30/82	1	1 372	1 372	1 372
		S SMR_284/296/500	4	686	686	686
		S SMR_320M5000	4	1 795	1 795	1 795
DSM/4_30/82_S/2S		Celkem		7 409	7 258	7 734
		F 176/296-SM	2	1 735	1 912	2 311
		F 355/296-SM	1	2 245	1 918	1 995
		K DSM/4-30/82	1	1 372	1 372	1 372
		S SM_140/296/500	2	343	343	343
		S SM_320M5000	2	897	897	897
		S SMR_284/296/500	1	206	206	206
		S SMR_320M5000	1	606	606	606
DSM/4_30/82_S/S		Celkem		7 251	6 915	7 335
		F 176/296-SM	1	868	955	1 155
		F 534/296-SM	1	2 602	2 177	2 402
		K DSM/4-30/82	1	1 372	1 372	1 372
		S SM_140/296/500	2	343	343	343
		S SM_320M5000	2	897	897	897
		S SMR_284/296/500	1	206	206	206
		S SMR_320M5000	1	606	606	606
		S SMW_86/296/500	1	354	354	354
DSM/4_45/82_2S		Celkem		8 526	7 932	8 202
		F 355/446-SM	2	5 165	4 571	4 840
		K DSM/4-45/82	1	1 502	1 502	1 502
		S SMR_284/446/500	2	643	643	643
		S SMR_320M5000	2	1 214	1 214	1 214
DSM/4_45/82_2SH		Celkem		10 138	10 260	11 203
		F 355/446-SMH	2	6 777	6 898	7 843
		K DSM/4-45/82	1	1 502	1 502	1 502
		S SMR_284/446/500	2	643	643	643
		S SMR_320M5000	2	1 214	1 214	1 214
DSM/4_45/82_2SV	ATE	Celkem				11 974
		F 355/446-SMV	2			8 612
		K DSM/4-45/82	1			1 502
		S SMR_284/446/500	2			643
		S SMR_320M5000	2			1 214
	DI	Celkem			10 775	
		F 355/446-SMV	2		7 414	
		K DSM/4-45/82	1		1 502	
		S SMR_284/446/500	2		643	
		S SMR_320M5000	2		1 214	
	ELI	Celkem			10 775	
		F 355/446-SMV	2		7 414	
		K DSM/4-45/82	1		1 502	
		S SMR_284/446/500	2		643	
		S SMR_320M5000	2		1 214	
	FIO	Celkem		11 840		
		F 355/446-SMV	2	8 478		
		K DSM/4-45/82	1	1 502		
		S SMR_284/446/500	2	643		
		S SMR_320M5000	2	1 214		
DSM/4_45/82_4S		Celkem		8 600	8 974	9 811
		F 176/446-SM	4	4 263	4 637	5 472
		K DSM/4-45/82	1	1 502	1 502	1 502
		S SM_140/446/500	4	1 038	1 038	1 038
		S SM_320M5000	4	1 795	1 795	1 795
DSM/4_45/82_S/2S		Celkem		8 563	8 454	9 005
		F 176/446-SM	2	2 131	2 318	2 735
		F 355/446-SM	1	2 582	2 286	2 418
		K DSM/4-45/82	1	1 502	1 502	1 502
		S SM_140/446/500	2	518	518	518

		S	SM_320M5000	2	897	897	897
		S	SMR_284/446/500	1	322	322	322
		S	SMR_320M5000	1	606	606	606
DSM/4_45/82_SH/2S		Celkem			9 369	9 615	10 506
		F	176/446-SM	2	2 131	2 318	2 735
		F	355/446-SMH	1	3 389	3 448	3 920
		K	DSM/4-45/82	1	1 502	1 502	1 502
		S	SM_140/446/500	2	518	518	518
		S	SM_320M5000	2	897	897	897
		S	SMR_284/446/500	1	322	322	322
		S	SMR_320M5000	1	606	606	606
DSM/4_45/82_SV/2S	ATE	Celkem					10 892
		F	176/446-SM	2			2 735
		F	355/446-SMV	1			4 306
		K	DSM/4-45/82	1			1 502
		S	SM_140/446/500	2			518
		S	SM_320M5000	2			897
		S	SMR_284/446/500	1			322
		S	SMR_320M5000	1			606
	DI	Celkem				9 874	
		F	176/446-SM	2		2 318	
		F	355/446-SMV	1		3 706	
		K	DSM/4-45/82	1		1 502	
		S	SM_140/446/500	2		518	
		S	SM_320M5000	2		897	
		S	SMR_284/446/500	1		322	
		S	SMR_320M5000	1		606	
	ELI	Celkem				9 874	
		F	176/446-SM	2		2 318	
		F	355/446-SMV	1		3 706	
		K	DSM/4-45/82	1		1 502	
		S	SM_140/446/500	2		518	
		S	SM_320M5000	2		897	
		S	SMR_284/446/500	1		322	
		S	SMR_320M5000	1		606	
	FIO	Celkem			10 220		
		F	176/446-SM	2	2 131		
		F	355/446-SMV	1	4 240		
		K	DSM/4-45/82	1	1 502		
		S	SM_140/446/500	2	518		
		S	SM_320M5000	2	897		
		S	SMR_284/446/500	1	322		
		S	SMR_320M5000	1	606		
DSM/4_45/143_2S/2SH		Celkem			17 388	16 865	18 055
		F	355/446-SM	2	5 165	4 571	4 840
		F	304/446-SMH	2	6 042	6 112	7 035
		K	DSM/4-45/143	1	2 462	2 462	2 462
		S	SMR_284/446/500	4	1 288	1 288	1 288
		S	SMR_320M5000	4	2 428	2 428	2 428
DSM/4_45/143_2S/2SV	ATE	Celkem					19 995
		F	304/446-SM	2			4 840
		F	355/446-SMV	2			8 974
		K	DSM/4-45/143	1			2 462
		S	SMR_284/446/500	4			1 288
		S	SMR_320M5000	4			2 428
	DI	Celkem				18 162	
		F	304/446-SM	2		4 571	
		F	355/446-SMV	2		7 409	
		K	DSM/4-45/143	1		2 462	
		S	SMR_284/446/500	4		1 288	
		S	SMR_320M5000	4		2 428	
	ELI	Celkem				18 540	
		F	304/446-SM	2		4 571	
		F	355/446-SMV	2		7 788	
		K	DSM/4-45/143	1		2 462	
		S	SMR_284/446/500	4		1 288	
		S	SMR_320M5000	4		2 428	
	FIO	Celkem			18 918		
		F	304/446-SM	2	5 165		
		F	355/446-SMV	2	7 574		
		K	DSM/4-45/143	1	2 462		
		S	SMR_284/446/500	4	1 288		

		S	SMR_320M5000	4	2 428		
DSM/4_45/143_2SH/2SH		Celkem			19 002	19 192	21 057
		F	304/446-SMH	2	6 042	6 112	7 035
		F	355/446-SMH	2	6 777	6 898	7 843
		K	DSM/4-45/143	1	2 462	2 462	2 462
		S	SMR_284/446/500	4	1 288	1 288	1 288
		S	SMR_320M5000	4	2 428	2 428	2 428
DSM/4_45/143_2SV/2SV	ATE	Celkem					23 766
		F	304/446-SMV	2			8 974
		F	355/446-SMV	2			8 612
		K	DSM/4-45/143	1			2 462
		S	SMR_284/446/500	4			1 288
		S	SMR_320M5000	4			2 428
	DI	Celkem				21 003	
		F	304/446-SMV	2		7 409	
		F	355/446-SMV	2		7 414	
		K	DSM/4-45/143	1		2 462	
		S	SMR_284/446/500	4		1 288	
		S	SMR_320M5000	4		2 428	
	ELI	Celkem				21 382	
		F	304/446-SMV	2		7 788	
		F	355/446-SMV	2		7 414	
		K	DSM/4-45/143	1		2 462	
		S	SMR_284/446/500	4		1 288	
		S	SMR_320M5000	4		2 428	
	FIO	Celkem			22 232		
		F	304/446-SMV	2	7 574		
		F	355/446-SMV	2	8 478		
		K	DSM/4-45/143	1	2 462		
		S	SMR_284/446/500	4	1 288		
		S	SMR_320M5000	4	2 428		
DSM/4_60/82_2S		Celkem			9 532	8 831	9 298
		F	355/596-SM	2	5 840	5 137	5 606
		K	DSM/4-60/82	1	1 608	1 608	1 608
		S	SMR_284/596/500	2	871	871	871
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/4_60/82_2SH		Celkem			12 051	12 389	13 480
		F	355/596-SMH	2	8 358	8 697	9 788
		K	DSM/4-60/82	1	1 608	1 608	1 608
		S	SMR_284/596/500	2	871	871	871
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/4_60/82_2SV	ATE	Celkem					13 943
		F	355/596-SMV	2			10 251
		K	DSM/4-60/82	1			1 608
		S	SMR_284/596/500	2			871
		S	SMR_320M5000	2			1 214
	DI	Celkem				11 880	
		F	355/596-SMV	2		8 186	
		K	DSM/4-60/82	1		1 608	
		S	SMR_284/596/500	2		871	
		S	SMR_320M5000	2		1 214	
	ELI	Celkem				12 262	
		F	355/596-SMV	2		8 569	
		K	DSM/4-60/82	1		1 608	
		S	SMR_284/596/500	2		871	
		S	SMR_320M5000	2		1 214	
	FIO	Celkem			12 546		
		F	355/596-SMV	2	8 854		
		K	DSM/4-60/82	1	1 608		
		S	SMR_284/596/500	2	871		
		S	SMR_320M5000	2	1 214		
DSM/4_60/82_4S		Celkem			9 969	10 360	11 234
		F	176/596_SM	4	5 122	5 512	6 386
		K	DSM/4-60/82	1	1 608	1 608	1 608
		S	SM_140/596/500	4	1 443	1 443	1 443
		S	SM_320M5000	4	1 795	1 795	1 795
DSM/4_60/82_S/2S		Celkem			9 751	9 595	10 266
		F	176/596_SM	2	2 560	2 755	3 192
		F	355/596-SM	1	2 920	2 569	2 803
		K	DSM/4-60/82	1	1 608	1 608	1 608
		S	SM_140/596/500	2	722	722	722
		S	SM_320M5000	2	897	897	897

		S	SMR_284/596/500	1	434	434	434
		S	SMR_320M5000	1	606	606	606
DSM/4_60/82_SH/2S		Celkem			11 011	11 375	12 357
		F	176/596_SM	2	2 560	2 755	3 192
		F	355/596-SMH	1	4 178	4 348	4 894
		K	DSM/4-60/82	1	1 608	1 608	1 608
		S	SM_140/596/500	2	722	722	722
		S	SM_320M5000	2	897	897	897
		S	SMR_284/596/500	1	434	434	434
		S	SMR_320M5000	1	606	606	606
DSM/4_60/82_SV/2S	ATE	Celkem					12 589
		F	176/596_SM	2			3 192
		F	355/596-SMV	1			5 125
		K	DSM/4-60/82	1			1 608
		S	SM_140/596/500	2			722
		S	SM_320M5000	2			897
		S	SMR_284/596/500	1			434
		S	SMR_320M5000	1			606
	DI	Celkem				11 120	
		F	176/596_SM	2		2 755	
		F	355/596-SMV	1		4 094	
		K	DSM/4-60/82	1		1 608	
		S	SM_140/596/500	2		722	
		S	SM_320M5000	2		897	
		S	SMR_284/596/500	1		434	
		S	SMR_320M5000	1		606	
	ELI	Celkem				11 312	
		F	176/596_SM	2		2 755	
		F	355/596-SMV	1		4 285	
		K	DSM/4-60/82	1		1 608	
		S	SM_140/596/500	2		722	
		S	SM_320M5000	2		897	
		S	SMR_284/596/500	1		434	
		S	SMR_320M5000	1		606	
	FIO	Celkem			11 258		
		F	176/596_SM	2	2 560		
		F	355/596-SMV	1	4 426		
		K	DSM/4-60/82	1	1 608		
		S	SM_140/596/500	2	722		
		S	SM_320M5000	2	897		
		S	SMR_284/596/500	1	434		
		S	SMR_320M5000	1	606		
DSM/4_90/82_2S		Celkem			11 820	11 348	11 843
		F	355/896-SM	2	7 323	6 851	7 346
		K	DSM/4-90/82	1	1 932	1 932	1 932
		S	SMR_284/896/500	2	1 351	1 351	1 351
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/4_90/82_2SH		Celkem			16 065	16 883	18 182
		F	355/896-SMH	2	11 566	12 386	13 682
		K	DSM/4-90/82	1	1 932	1 932	1 932
		S	SMR_284/896/500	2	1 351	1 351	1 351
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/4_90/82_2SV	ATE	Celkem					17 900
		F	355/896_SMV	2			13 402
		K	DSM/4-90/82	1			1 932
		S	SMR_284/896/500	2			1 351
		S	SMR_320M5000	2			1 214
	DI	Celkem				14 717	
		F	355/896_SMV	2		10 220	
		K	DSM/4-90/82	1		1 932	
		S	SMR_284/896/500	2		1 351	
		S	SMR_320M5000	2		1 214	
	ELI	Celkem				15 095	
		F	355/896_SMV	2		10 598	
		K	DSM/4-90/82	1		1 932	
		S	SMR_284/896/500	2		1 351	
		S	SMR_320M5000	2		1 214	
	FIO	Celkem			15 483		
		F	355/896_SMV	2	10 986		
		K	DSM/4-90/82	1	1 932		
		S	SMR_284/896/500	2	1 351		
		S	SMR_320M5000	2	1 214		

DSM/4_90/82_S/2S		Celkem		12 518	12 632	13 232
		F	176/896-SM	2	3 400	4 103
		F	355/896-SM	1	3 662	3 674
		K	DSM/4-90/82	1	1 932	1 932
		S	SM_140/896/500	2	1 115	1 115
		S	SMR_284/896/500	2	1 351	1 351
		S	SM_320M5000	1	449	449
		S	SMR_320M5000	1	606	606
DSM/4_90/82_SH/2S		Celkem		14 638	15 400	16 400
		F	176/896-SM	2	3 400	4 103
		F	355/896-SMH	1	5 783	6 840
		K	DSM/4-90/82	1	1 932	1 932
		S	SM_140/896/500	2	1 115	1 115
		S	SMR_284/896/500	2	1 351	1 351
		S	SM_320M5000	1	449	449
		S	SMR_320M5000	1	606	606
DSM/4_90/82_SV/2S	ATE	Celkem				16 260
		F	176/896-SM	2		4 103
		F	355/896_SMV	1		6 700
		K	DSM/4-90/82	1		1 932
		S	SM_140/896/500	2		1 115
		S	SMR_284/896/500	2		1 351
		S	SM_320M5000	1		449
		S	SMR_320M5000	1		606
	DI	Celkem			14 317	
		F	176/896-SM	2		3 751
		F	355/896_SMV	1		5 109
		K	DSM/4-90/82	1		1 932
		S	SM_140/896/500	2		1 115
		S	SMR_284/896/500	2		1 351
		S	SM_320M5000	1		449
		S	SMR_320M5000	1		606
	ELI	Celkem			14 506	
		F	176/896-SM	2		3 751
		F	355/896_SMV	1		5 298
		K	DSM/4-90/82	1		1 932
		S	SM_140/896/500	2		1 115
		S	SMR_284/896/500	2		1 351
		S	SM_320M5000	1		449
		S	SMR_320M5000	1		606
	FIO	Celkem		14 349		
		F	176/896-SM	2	3 400	
		F	355/896_SMV	1	5 492	
		K	DSM/4-90/82	1	1 932	
		S	SM_140/896/500	2	1 115	
		S	SMR_284/896/500	2	1 351	
		S	SM_320M5000	1	449	
		S	SMR_320M5000	1	606	
DST/4_30/82_2S		Celkem		11 514	10 862	11 018
		F	355/296-ST	2	4 486	3 992
		K	DST/4-30/82	1	1 372	1 372
		S	DST_30_W	2	5 654	5 654
DST/4_30/82_4S		Celkem		13 089	13 443	14 238
		F	176/296-ST	4	3 474	4 623
		K	DST/4-30/82	1	1 372	1 372
		S	DST_30_N	4	8 242	8 242
DST/4_30/82_S/2S		Celkem		12 302	12 152	12 629
		F	176/296-ST	2	1 735	2 312
		F	355/296-ST	1	2 243	1 995
		K	DST/4-30/82	1	1 372	1 372
		S	DST_30_N	2	4 122	4 122
		S	DST_30_W	1	2 828	2 828
DST/4_30/82_S/S		Celkem		12 491	12 154	12 575
		F	176/296-ST	1	868	1 155
		F	534/296-ST	1	2 600	2 400
		K	DST/4-30/82	1	1 372	1 372
		S	DST_30_N	2	4 122	4 122
		S	DST_30_W	1	2 828	2 828
		S	DSWT_30_N	1	698	698
DST/4_45/82_2S		Celkem		12 572	11 980	12 249
		F	355/446-ST	2	5 162	4 840
		K	DST/4-45/82	1	1 502	1 502

		S	DST_45_W	2	5 906	5 906	5 906
DST/4_45/82_2SH		Celkem			14 185	14 305	15 249
		F	355/446-STH	2	6 775	6 895	7 840
		K	DST/4-45/82	1	1 502	1 502	1 502
		S	DST_45_W	2	5 906	5 906	5 906
DST/4_45/82_2SV	ATE	Celkem					16 023
		F	355/446-STV	2			8 612
		K	DST/4-45/82	1			1 502
		S	DST_45_W	2			5 906
	DI	Celkem				14 823	
		F	355/446-STV	2		7 414	
		K	DST/4-45/82	1		1 502	
		S	DST_45_W	2		5 906	
	ELI	Celkem				14 823	
		F	355/446-STV	2		7 414	
		K	DST/4-45/82	1		1 502	
		S	DST_45_W	2		5 906	
	FIO	Celkem			15 889		
		F	355/446-STV	2	8 480		
		K	DST/4-45/82	1	1 502		
		S	DST_45_W	2	5 906		
DST/4_45/82_4S		Celkem			14 337	14 715	15 552
		F	176/446_ST	4	4 262	4 640	5 475
		K	DST/4-45/82	1	1 502	1 502	1 502
		S	DST_45_N	4	8 572	8 572	8 572
DST/4_45/82_S/2S		Celkem			13 455	13 348	13 902
		F	176/446_ST	2	2 131	2 318	2 737
		F	355/446-ST	1	2 580	2 286	2 420
		K	DST/4-45/82	1	1 502	1 502	1 502
		S	DST_45_N	2	4 286	4 286	4 286
		S	DST_45_W	1	2 952	2 952	2 952
DST/4_45/82_SH/2S		Celkem			14 262	14 511	15 400
		F	176/446_ST	2	2 131	2 318	2 737
		F	355/446-STH	1	3 388	3 448	3 920
		K	DST/4-45/82	1	1 502	1 502	1 502
		S	DST_45_N	2	4 286	4 286	4 286
		S	DST_45_W	1	2 952	2 952	2 952
DST/4_45/82_SV/2S	ATE	Celkem					15 788
		F	176/446_ST	2			2 737
		F	355/446-STV	1			4 306
		K	DST/4-45/82	1			1 502
		S	DST_45_N	2			4 286
		S	DST_45_W	1			2 952
	DI	Celkem				14 769	
		F	176/446_ST	2		2 318	
		F	355/446-STV	1		3 706	
		K	DST/4-45/82	1		1 502	
		S	DST_45_N	2		4 286	
		S	DST_45_W	1		2 952	
	ELI	Celkem				14 769	
		F	176/446_ST	2		2 318	
		F	355/446-STV	1		3 706	
		K	DST/4-45/82	1		1 502	
		S	DST_45_N	2		4 286	
		S	DST_45_W	1		2 952	
	FIO	Celkem			15 112		
		F	176/446_ST	2	2 131		
		F	355/446-STV	1	4 240		
		K	DST/4-45/82	1	1 502		
		S	DST_45_N	2	4 286		
		S	DST_45_W	1	2 952		
DST/4_45/143_2S/2SH		Celkem			25 482	24 960	26 151
		F	304/446-STH	2	6 042	6 111	7 032
		F	355/446-ST	2	5 162	4 571	4 840
		K	DST/4-45/143	1	2 462	2 462	2 462
		S	DST_45_W	4	11 812	11 812	11 812
DST/4_45/143_2S/2SV	ATE	Celkem					28 092
		F	304/446-STV	2			8 974
		F	355/446-ST	2			4 840
		K	DST/4-45/143	1			2 462
		S	DST_45_W	4			11 812
	DI	Celkem				26 258	

	F	304/446-STV	2		7 411	
	F	355/446-ST	2		4 571	
	K	DST/4-45/143	1		2 462	
	S	DST_45_W	4		11 812	
ELI	Celkem				26 635	
	F	304/446-STV	2		7 789	
	F	355/446-ST	2		4 571	
	K	DST/4-45/143	1		2 462	
	S	DST_45_W	4		11 812	
FIO	Celkem			27 011		
	F	304/446-STV	2	7 572		
	F	355/446-ST	2	5 162		
	K	DST/4-45/143	1	2 462		
	S	DST_45_W	4	11 812		
DST/4_45/143_2SH/2SH	Celkem			27 095	27 285	29 149
	F	304/446-STH	2	6 042	6 111	7 032
	F	355/446-STH	2	6 775	6 895	7 840
	K	DST/4-45/143	1	2 462	2 462	2 462
	S	DST_45_W	4	11 812	11 812	11 812
DST/4_45/143_2SV/2SV	ATE	Celkem				31 863
	F	304/446-STV	2			8 974
	F	355/446-STV	2			8 612
	K	DST/4-45/143	1			2 462
	S	DST_45_W	4			11 812
	DI	Celkem			29 102	
	F	304/446-STV	2		7 411	
	F	355/446-STV	2		7 414	
	K	DST/4-45/143	1		2 462	
	S	DST_45_W	4		11 812	
	ELI	Celkem			29 478	
	F	304/446-STV	2		7 789	
	F	355/446-STV	2		7 414	
	K	DST/4-45/143	1		2 462	
	S	DST_45_W	4		11 812	
	FIO	Celkem		30 328		
	F	304/446-STV	2	7 572		
	F	355/446-STV	2	8 480		
	K	DST/4-45/143	1	2 462		
	S	DST_45_W	4	11 812		
DST/4_60/82_2S	Celkem			13 502	12 800	13 268
	F	355/596-ST	2	5 838	5 138	5 605
	K	DST/4-60/82	1	1 608	1 608	1 608
	S	DST_60_W	2	6 054	6 054	6 054
DST/4_60/82_2SH	Celkem			16 022	16 358	17 449
	F	355/596-STH	2	8 360	8 697	9 788
	K	DST/4-60/82	1	1 608	1 608	1 608
	S	DST_60_W	2	6 054	6 054	6 054
DST/4_60/82_2SV	ATE	Celkem				17 911
	F	355/596-STV	2			10 249
	K	DST/4-60/82	1			1 608
	S	DST_60_W	2			6 054
	DI	Celkem			15 848	
	F	355/596-STV	2		8 186	
	K	DST/4-60/82	1		1 608	
	S	DST_60_W	2		6 054	
	ELI	Celkem			16 231	
	F	355/596-STV	2		8 568	
	K	DST/4-60/82	1		1 608	
	S	DST_60_W	2		6 054	
	FIO	Celkem		16 517		
	F	355/596-STV	2	8 854		
	K	DST/4-60/82	1	1 608		
	S	DST_60_W	2	6 054		
DST/4_60/82_4S	Celkem			15 746	16 132	17 009
	F	176/596_ST	4	5 122	5 509	6 385
	K	DST/4-60/82	1	1 608	1 608	1 608
	S	DST_60_N	4	9 014	9 014	9 014
DST/4_60/82_S/2S	Celkem			14 623	14 466	15 137
	F	176/596_ST	2	2 560	2 754	3 191
	F	355/596-ST	1	2 918	2 569	2 803
	K	DST/4-60/82	1	1 608	1 608	1 608
	S	DST_60_N	2	4 506	4 506	4 506

		S	DST_60_W	1	3 026	3 026	3 026
DST/4_60/82_SH/2S		Celkem			15 883	16 245	17 228
		F	176/596_ST	2	2 560	2 754	3 191
		F	355/596-STH	1	4 178	4 348	4 894
		K	DST/4-60/82	1	1 608	1 608	1 608
		S	DST_60_N	2	4 506	4 506	4 506
		S	DST_60_W	1	3 026	3 026	3 026
DST/4_60/82_SV/2S	ATE	Celkem					17 460
		F	176/596_ST	2			3 191
		F	355/596-STV	1			5 123
		K	DST/4-60/82	1			1 608
		S	DST_60_N	2			4 506
		S	DST_60_W	1			3 026
	DI	Celkem				15 989	
		F	176/596_ST	2		2 754	
		F	355/596-STV	1		4 094	
		K	DST/4-60/82	1		1 608	
		S	DST_60_N	2		4 506	
		S	DST_60_W	1		3 026	
	ELI	Celkem				16 182	
		F	176/596_ST	2		2 754	
		F	355/596-STV	1		4 285	
		K	DST/4-60/82	1		1 608	
		S	DST_60_N	2		4 506	
		S	DST_60_W	1		3 026	
	FIO	Celkem			16 132		
		F	176/596_ST	2	2 560		
		F	355/596-STV	1	4 428		
		K	DST/4-60/82	1	1 608		
		S	DST_60_N	2	4 506		
		S	DST_60_W	1	3 026		
DST/4_90/82_2S		Celkem			16 298	15 829	16 323
		F	355/896_STV	2	7 322	6 851	7 346
		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DST_90_W	2	7 043	7 043	7 043
DST/4_90/82_2SH		Celkem			20 545	21 365	22 660
		F	355/896_STH	2	11 568	12 388	13 683
		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DST_90_W	2	7 043	7 043	7 043
DST/4_90/82_2SV	ATE	Celkem					22 378
		F	355/896_STVV	2			13 402
		K	DST/4-90/82	1			1 932
		S	DST_90_W	2			7 043
	DI	Celkem				19 198	
		F	355/896_STVV	2		10 222	
		K	DST/4-90/82	1		1 932	
		S	DST_90_W	2		7 043	
	ELI	Celkem				19 575	
		F	355/896_STVV	2		10 598	
		K	DST/4-90/82	1		1 932	
		S	DST_90_W	2		7 043	
	FIO	Celkem			19 962		
		F	355/896_STVV	2	10 986		
		K	DST/4-90/82	1	1 932		
		S	DST_90_W	2	7 043		
DST/4_90/82_S/2S		Celkem			17 686	17 798	18 397
		F	176/896-ST	2	3 402	3 751	4 102
		F	355/896_STV	1	3 660	3 425	3 672
		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DST_90_N	2	5 168	5 168	5 168
		S	DST_90_W	1	3 522	3 522	3 522
DST/4_90/82_SH/2S		Celkem			19 809	20 568	21 566
		F	176/896-ST	2	3 402	3 751	4 102
		F	355/896_STH	1	5 783	6 194	6 840
		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DST_90_N	2	5 168	5 168	5 168
		S	DST_90_W	1	3 522	3 522	3 522
DST/4_90/82_SV/2S	ATE	Celkem					21 426
		F	176/896-ST	2			4 102
		F	355/896_STVV	1			6 700
		K	DST/4-90/82	1			1 932
		S	DST_90_N	2			5 168

	S	DST_90_W	1			3 522
DI	Celkem				19 485	
	F	176/896-ST	2		3 751	
	F	355/896_STVV	1		5 111	
	K	DST/4-90/82	1		1 932	
	S	DST_90_N	2		5 168	
	S	DST_90_W	1		3 522	
ELI	Celkem				19 674	
	F	176/896-ST	2		3 751	
	F	355/896_STVV	1		5 300	
	K	DST/4-90/82	1		1 932	
	S	DST_90_N	2		5 168	
	S	DST_90_W	1		3 522	
FIO	Celkem			19 517		
	F	176/896-ST	2	3 402		
	F	355/896_STVV	1	5 492		
	K	DST/4-90/82	1	1 932		
	S	DST_90_N	2	5 168		
	S	DST_90_W	1	3 522		
DSI/4_30/82_2S	Celkem			12 348	11 697	11 854
	F	355/296-SI	2	4 486	3 835	3 992
	K	DST/4-30/82	1	1 372	1 372	1 372
	S	DSI_30_W	2	5 537	5 537	5 537
	S	BOXCOVER_DSI_W	2	951	951	951
DSI/4_30/82_4S	Celkem			13 089	13 443	14 238
	F	176/296-ST	4	3 474	3 828	4 623
	K	DST/4-30/82	1	1 372	1 372	1 372
	S	DST_30_N	4	8 242	8 242	8 242
DSI/4_30/82_S/2S	Celkem			12 718	12 569	13 046
	F	176/296-ST	2	1 735	1 914	2 312
	F	355/296-SI	1	2 243	1 917	1 995
	K	DST/4-30/82	1	1 372	1 372	1 372
	S	DSI_30_N	2	4 122	4 122	4 122
	S	DSI_30_W	1	2 768	2 768	2 768
	S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_30/82_S/S	Celkem			13 355	13 020	13 443
	F	176/296-ST	1	868	955	1 155
	F	534/296-SI	1	2 600	2 177	2 400
	K	DST/4-30/82	1	1 372	1 372	1 372
	S	DSI_30_N	2	4 122	4 122	4 122
	S	DSI_30_W	1	2 768	2 768	2 768
	S	DSWI_30_N	1	1 148	1 148	1 148
	S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_45/82_2S	Celkem			13 337	12 746	13 014
	F	355/446-SI	2	5 162	4 571	4 840
	K	DST/4-45/82	1	1 502	1 502	1 502
	S	DSI_45_W	2	5 718	5 718	5 718
	S	BOXCOVER_DSI_W	2	951	951	951
DSI/4_45/82_2SH	Celkem			14 948	15 069	16 015
	F	355/446-SIH	2	6 775	6 895	7 840
	K	DST/4-45/82	1	1 502	1 502	1 502
	S	DSI_45_W	2	5 718	5 718	5 718
	S	BOXCOVER_DSI_W	2	951	951	951
DSI/4_45/82_2SV	ATE	Celkem				16 786
	F	355/446-SIV	2			8 612
	K	DST/4-45/82	1			1 502
	S	DSI_45_W	2			5 718
	S	BOXCOVER_DSI_W	2			951
	DI	Celkem			15 588	
	F	355/446-SIV	2		7 414	
	K	DST/4-45/82	1		1 502	
	S	DSI_45_W	2		5 718	
	S	BOXCOVER_DSI_W	2		951	
	ELI	Celkem			15 588	
	F	355/446-SIV	2		7 414	
	K	DST/4-45/82	1		1 502	
	S	DSI_45_W	2		5 718	
	S	BOXCOVER_DSI_W	2		951	
	FIO	Celkem		16 654		
	F	355/446-SIV	2	8 480		
	K	DST/4-45/82	1	1 502		
	S	DSI_45_W	2	5 718		

		S	BOXCOVER_DSI_W	2	951		
DSI/4_45/82_4S		Celkem			14 337	14 715	15 552
		F	176/446_ST	4	4 262	4 640	5 475
		K	DST/4-45/82	1	1 502	1 502	1 502
		S	DSI_45_N	4	8 572	8 572	8 572
DSI/4_45/82_S/2S		Celkem			13 837	13 729	14 283
		F	176/446_ST	2	2 131	2 318	2 737
		F	355/446-SI	1	2 580	2 286	2 420
		K	DST/4-45/82	1	1 502	1 502	1 502
		S	DSI_45_N	2	4 286	4 286	4 286
		S	DSI_45_W	1	2 858	2 858	2 858
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_45/82_SH/2S		Celkem			14 643	14 892	15 783
		F	176/446_ST	2	2 131	2 318	2 737
		F	355/446-SIH	1	3 388	3 448	3 920
		K	DST/4-45/82	1	1 502	1 502	1 502
		S	DSI_45_N	2	4 286	4 286	4 286
		S	DSI_45_W	1	2 858	2 858	2 858
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_45/82_SV/2S	ATE	Celkem					16 169
		F	176/446_ST	2			2 737
		F	355/446-SIV	1			4 306
		K	DST/4-45/82	1			1 502
		S	DSI_45_N	2			4 286
		S	DSI_45_W	1			2 858
		S	BOXCOVER_DSI_W	1			475
	DI	Celkem				15 152	
		F	176/446_ST	2		2 318	
		F	355/446-SIV	1		3 706	
		K	DST/4-45/82	1		1 502	
		S	DSI_45_N	2		4 286	
		S	DSI_45_W	1		2 858	
		S	BOXCOVER_DSI_W	1		475	
	ELI	Celkem				15 152	
		F	176/446_ST	2		2 318	
		F	355/446-SIV	1		3 706	
		K	DST/4-45/82	1		1 502	
		S	DSI_45_N	2		4 286	
		S	DSI_45_W	1		2 858	
		S	BOXCOVER_DSI_W	1		475	
	FIO	Celkem			15 494		
		F	176/446_ST	2	2 131		
		F	355/446-SIV	1	4 240		
		K	DST/4-45/82	1	1 502		
		S	DSI_45_N	2	4 286		
		S	DSI_45_W	1	2 858		
		S	BOXCOVER_DSI_W	1	475		
DSI/4_45/143_2S/2SH		Celkem			27 011	26 488	27 677
		F	304/446-SIH	2	6 042	6 111	7 032
		F	355/446-SI	2	5 162	4 571	4 840
		K	DST/4-45/143	1	2 462	2 462	2 462
		S	DSI_45_W	4	11 438	11 438	11 438
		S	BOXCOVER_DSI_W	4	1 900	1 900	1 900
DSI/4_45/143_2S/2SV	ATE	Celkem					29 620
		F	304/446-SIV	2			8 974
		F	355/446-SI	2			4 840
		K	DST/4-45/143	1			2 462
		S	DSI_45_W	4			11 438
		S	BOXCOVER_DSI_W	4			1 900
	DI	Celkem				27 786	
		F	304/446-SIV	2		7 411	
		F	355/446-SI	2		4 571	
		K	DST/4-45/143	1		2 462	
		S	DSI_45_W	4		11 438	
		S	BOXCOVER_DSI_W	4		1 900	
	ELI	Celkem				28 165	
		F	304/446-SIV	2		7 789	
		F	355/446-SI	2		4 571	
		K	DST/4-45/143	1		2 462	
		S	DSI_45_W	4		11 438	
		S	BOXCOVER_DSI_W	4		1 900	
	FIO	Celkem			28 538		

		F	304/446-SIV	2	7 572		
		F	355/446-SI	2	5 162		
		K	DST/4-45/143	1	2 462		
		S	DSI_45_W	4	11 438		
		S	BOXCOVER_DSI_W	4	1 900		
DSI/4_45/143_2SH/2SH		Celkem			28 623	28 812	30 678
		F	304/446-SIH	2	6 042	6 111	7 032
		F	355/446-SIH	2	6 775	6 895	7 840
		K	DST/4-45/143	1	2 462	2 462	2 462
		S	DSI_45_W	4	11 438	11 438	11 438
		S	BOXCOVER_DSI_W	4	1 900	1 900	1 900
DSI/4_45/143_2SV/2SV	ATE	Celkem					33 391
		F	304/446-SIV	2			8 974
		F	355/446-SIV	2			8 612
		K	DST/4-45/143	1			2 462
		S	DSI_45_W	4			11 438
		S	BOXCOVER_DSI_W	4			1 900
	DI	Celkem				30 629	
		F	304/446-SIV	2		7 411	
		F	355/446-SIV	2		7 414	
		K	DST/4-45/143	1		2 462	
		S	DSI_45_W	4		11 438	
		S	BOXCOVER_DSI_W	4		1 900	
	ELI	Celkem				31 008	
		F	304/446-SIV	2		7 789	
		F	355/446-SIV	2		7 414	
		K	DST/4-45/143	1		2 462	
		S	DSI_45_W	4		11 438	
		S	BOXCOVER_DSI_W	4		1 900	
	FIO	Celkem			31 855		
		F	304/446-SIV	2	7 572		
		F	355/446-SIV	2	8 480		
		K	DST/4-45/143	1	2 462		
		S	DSI_45_W	4	11 438		
		S	BOXCOVER_DSI_W	4	1 900		
DSI/4_60/82_2S		Celkem			14 286	13 586	14 052
		F	355/596-SI	2	5 838	5 138	5 605
		K	DST/4-60/82	1	1 608	1 608	1 608
		S	DSI_60_W	2	5 888	5 888	5 888
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/4_60/82_2SH		Celkem			16 808	17 146	18 235
		F	355/596-SIH	2	8 360	8 697	9 788
		K	DST/4-60/82	1	1 608	1 608	1 608
		S	DSI_60_W	2	5 888	5 888	5 888
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/4_60/82_2SV	ATE	Celkem					18 698
		F	355/596-SIV	2			10 249
		K	DST/4-60/82	1			1 608
		S	DSI_60_W	2			5 888
		S	BOXCOVER_DSI_W	2			951
	DI	Celkem				16 635	
		F	355/596-SIV	2		8 186	
		K	DST/4-60/82	1		1 608	
		S	DSI_60_W	2		5 888	
		S	BOXCOVER_DSI_W	2		951	
	ELI	Celkem				17 017	
		F	355/596-SIV	2		8 568	
		K	DST/4-60/82	1		1 608	
		S	DSI_60_W	2		5 888	
		S	BOXCOVER_DSI_W	2		951	
	FIO	Celkem			17 302		
		F	355/596-SIV	2	8 854		
		K	DST/4-60/82	1	1 608		
		S	DSI_60_W	2	5 888		
		S	BOXCOVER_DSI_W	2	951		
DSI/4_60/82_4S		Celkem			15 746	16 132	17 009
		F	176/596_ST	4	5 122	5 509	6 385
		K	DST/4-60/82	1	1 608	1 608	1 608
		S	DSI_60_N	4	9 014	9 014	9 014
DSI/4_60/82_S/2S		Celkem			15 015	14 858	15 531
		F	176/596_ST	2	2 560	2 754	3 191
		F	355/596-SI	1	2 918	2 569	2 803

		K	DST/4-60/82	1	1 608	1 608	1 608
		S	DSI_60_N	2	4 506	4 506	4 506
		S	DSI_60_W	1	2 945	2 945	2 945
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_60/82_SH/2S		Celkem			16 277	16 638	17 622
		F	176/596_ST	2	2 560	2 754	3 191
		F	355/596-SIH	1	4 178	4 348	4 894
		K	DST/4-60/82	1	1 608	1 608	1 608
		S	DSI_60_N	2	4 506	4 506	4 506
		S	DSI_60_W	1	2 945	2 945	2 945
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_60/82_SV/2S	ATE	Celkem					17 854
		F	176/596_ST	2			3 191
		F	355/596-SIV	1			5 123
		K	DST/4-60/82	1			1 608
		S	DSI_60_N	2			4 506
		S	DSI_60_W	1			2 945
		S	BOXCOVER_DSI_W	1			475
	DI	Celkem				16 383	
		F	176/596_ST	2		2 754	
		F	355/596-SIV	1		4 094	
		K	DST/4-60/82	1		1 608	
		S	DSI_60_N	2		4 506	
		S	DSI_60_W	1		2 945	
		S	BOXCOVER_DSI_W	1		475	
	ELI	Celkem				16 574	
		F	176/596_ST	2		2 754	
		F	355/596-SIV	1		4 285	
		K	DST/4-60/82	1		1 608	
		S	DSI_60_N	2		4 506	
		S	DSI_60_W	1		2 945	
		S	BOXCOVER_DSI_W	1		475	
	FIO	Celkem			16 523		
		F	176/596_ST	2	2 560		
		F	355/596-SIV	1	4 428		
		K	DST/4-60/82	1	1 608		
		S	DSI_60_N	2	4 506		
		S	DSI_60_W	1	2 945		
		S	BOXCOVER_DSI_W	1	475		
DSI/4_90/82_2S		Celkem			16 966	16 497	16 991
		F	355/896-SI	2	7 322	6 851	7 346
		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DSI_90_W	2	6 762	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/4_90/82_2SH		Celkem			21 214	22 032	23 329
		F	355/896-SIH	2	11 568	12 388	13 683
		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DSI_90_W	2	6 762	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/4_90/82_2SV	ATE	Celkem					23 048
		F	355/896-SIV	2			13 402
		K	DST/4-90/82	1			1 932
		S	DSI_90_W	2			6 762
		S	BOXCOVER_DSI_W	2			951
	DI	Celkem				19 866	
		F	355/896-SIV	2		10 222	
		K	DST/4-90/82	1		1 932	
		S	DSI_90_W	2		6 762	
		S	BOXCOVER_DSI_W	2		951	
	ELI	Celkem				20 243	
		F	355/896-SIV	2		10 598	
		K	DST/4-90/82	1		1 932	
		S	DSI_90_W	2		6 762	
		S	BOXCOVER_DSI_W	2		951	
	FIO	Celkem			20 631		
		F	355/896-SIV	2	10 986		
		K	DST/4-90/82	1	1 932		
		S	DSI_90_W	2	6 762		
		S	BOXCOVER_DSI_W	2	951		
DSI/4_90/82_S/2S		Celkem			18 020	18 134	18 731
		F	176/896-ST	2	3 402	3 751	4 102
		F	355/896-SI	1	3 660	3 425	3 672

		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DSI_90_N	2	5 168	5 168	5 168
		S	DSI_90_W	1	3 380	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_90/82_SH/2S		Celkem			20 143	20 902	21 900
		F	176/896-ST	2	3 402	3 751	4 102
		F	355/896-SIH	1	5 783	6 194	6 840
		K	DST/4-90/82	1	1 932	1 932	1 932
		S	DSI_90_N	2	5 168	5 168	5 168
		S	DSI_90_W	1	3 380	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/4_90/82_SV/2S	ATE	Celkem					21 760
		F	176/896-ST	2			4 102
		F	355/896-SIV	1			6 700
		K	DST/4-90/82	1			1 932
		S	DSI_90_N	2			5 168
		S	DSI_90_W	1			3 380
		S	BOXCOVER_DSI_W	1			475
	DI	Celkem				19 818	
		F	176/896-ST	2		3 751	
		F	355/896-SIV	1		5 111	
		K	DST/4-90/82	1		1 932	
		S	DSI_90_N	2		5 168	
		S	DSI_90_W	1		3 380	
		S	BOXCOVER_DSI_W	1		475	
	ELI	Celkem				20 008	
		F	176/896-ST	2		3 751	
		F	355/896-SIV	1		5 300	
		K	DST/4-90/82	1		1 932	
		S	DSI_90_N	2		5 168	
		S	DSI_90_W	1		3 380	
		S	BOXCOVER_DSI_W	1		475	
	FIO	Celkem			19 852		
		F	176/896-ST	2	3 402		
		F	355/896-SIV	1	5 492		
		K	DST/4-90/82	1	1 932		
		S	DSI_90_N	2	5 168		
		S	DSI_90_W	1	3 380		
		S	BOXCOVER_DSI_W	1	475		
DSWT/5_45/207_L/L		Celkem			32 980	31 940	33 117
		F	1247/446_LSW	1	5 054	4 575	5 255
		F	713/446_LSW	1	3 585	3 023	3 520
		K	DSWT/5_45/207	1	5 398	5 398	5 398
		S	DST_45_S	1	2 537	2 537	2 537
		S	DST_45_W	4	11 812	11 812	11 812
		S	DSWT_45_S	1	737	737	737
		S	DSWT_45_W	4	3 851	3 851	3 851
DSWI/5_45/207_L/L		Celkem			39 692	38 652	39 829
		F	1247/446_LSW	1	5 054	4 575	5 255
		F	713/446_LSW	1	3 585	3 023	3 520
		K	DSWT/5_45/207	1	5 398	5 398	5 398
		S	DSI_45_W	5	14 298	14 298	14 298
		F	DSWI_45_W	5	8 977	8 977	8 977
		S	BOXCOVER_DSI_W	5	2 377	2 377	2 377
G_30/54_L		Celkem			3 546	3 122	3 345
		F	534/296 (-L)	1	2 602	2 177	2 402
		K	G-30/54	1	945	945	945
G_30/72_L		Celkem			4 168	3 731	4 028
		F	713/296 (-L)	1	2 991	2 554	2 851
		K	G_30/72	1	1 177	1 177	1 177
G_30/95_L		Celkem			4 905	4 423	4 855
		F	943/296 (-L)	1	3 449	2 969	3 402
		K	G_30/95	1	1 452	1 452	1 452
G_40/72_L		Celkem			4 705	4 131	4 612
		F	713/396 (-L)	1	3 385	2 814	3 295
		K	G_40/72	1	1 317	1 317	1 317
G_40/95_L		Celkem			5 598	4 968	5 591
		F	943/396 (-L)	1	3 969	3 340	3 963
		K	G_40/95	1	1 628	1 628	1 628
G_45/54_L		Celkem			4 169	3 835	4 085
		F	534/446 (-L)	1	3 060	2 726	2 975
		K	G-45/54	1	1 109	1 109	1 109

G_45/72_L		Celkem		5 062	4 498	4 997	
	F	713/446 (-L)	1	3 585	3 023	3 520	
	K	G_45/72	1	1 474	1 474	1 474	
G_45/72_LH		Celkem		7 448	7 680	7 555	
	F	713/446-H (-LH)	1	5 974	6 205	6 080	
	K	G_45/72	1	1 474	1 474	1 474	
G_45/72_LV	ATE	Celkem				6 922	
		F	713/446_LV	1			5 445
		K	G_45/72	1			1 474
	DI	Celkem				6 898	
		F	713/446_LV	1		5 422	
		K	G_45/72	1		1 474	
	ELI	Celkem				6 894	
		F	713/446_LV	1		5 418	
		K	G_45/72	1		1 474	
	FIO	Celkem			7 111		
		F	713/446_LV	1	5 634		
		K	G_45/72	1	1 474		
G_45/95_L		Celkem		5 980	5 569	6 058	
	F	943/446 (-L)	1	4 218	3 806	4 295	
	K	G_45/95	1	1 762	1 762	1 762	
G_45/95_LH		Celkem		9 388	9 718	9 611	
	F	943/446-H (-LH)	1	7 625	7 955	7 848	
	K	G_45/95	1	1 762	1 762	1 762	
G_45/95_LV	ATE	Celkem				8 055	
		F	943/446_LV	1			6 292
		K	G_45/95	1			1 762
	DI	Celkem				7 646	
		F	943/446_LV	1		5 883	
		K	G_45/95	1		1 762	
	ELI	Celkem				7 834	
		F	943/446_LV	1		6 071	
		K	G_45/95	1		1 762	
	FIO	Celkem			8 551		
		F	943/446_LV	1	6 788		
		K	G_45/95	1	1 762		
G_60/54_L		Celkem		4 926	4 429	4 878	
	F	534/596_L	1	3 537	3 038	3 489	
	K	G-60/54	1	1 389	1 389	1 389	
G_60/54_L/P		Celkem		6 594	5 746	6 191	
	F	534/296_L	1	2 602	2 177	2 402	
	F	534/296_P	1	2 602	2 177	2 402	
	K	G-60/54	1	1 389	1 389	1 389	
G_60/72_L		Celkem		5 900	5 145	5 915	
	F	713/596 (-L)	1	4 178	3 423	4 194	
	K	G_60/72	1	1 722	1 722	1 722	
G_60/72_LH		Celkem		9 532	9 925	9 749	
	F	713/596-H (-LH)	1	7 812	8 202	8 028	
	K	G_60/72	1	1 722	1 722	1 722	
G_60/72_LV	ATE	Celkem				7 871	
		F	713/596_LV	1			6 149
		K	G_60/72	1			1 722
	DI	Celkem				7 860	
		F	713/596_LV	1		6 138	
		K	G_60/72	1		1 722	
	ELI	Celkem				8 048	
		F	713/596_LV	1		6 326	
		K	G_60/72	1		1 722	
	FIO	Celkem			8 066		
		F	713/596_LV	1	6 343		
		K	G_60/72	1	1 722		
G_60/72_L/P		Celkem		7 702	6 831	7 425	
	F	713/296 (-L)	1	2 991	2 554	2 851	
	F	713/296 (-P)	1	2 991	2 554	2 851	
	K	G_60/72	1	1 722	1 722	1 722	
G_60/95_L		Celkem		7 118	6 657	7 282	
	F	943/596 (-L)	1	4 986	4 522	5 148	
	K	G_60/95	1	2 132	2 132	2 132	
G_60/95_LH		Celkem		12 269	12 803	12 606	
	F	943/596-H (-LH)	1	10 137	10 669	10 472	
	K	G_60/95	1	2 132	2 132	2 132	
G_60/95_LV	ATE	Celkem				9 191	

		F 943/596_LV	1			7 058
		K G_60/95	1			2 132
	DI	Celkem				9 146
		F 943/596_LV	1			7 014
		K G_60/95	1			2 132
	ELI	Celkem				9 338
		F 943/596_LV	1			7 205
		K G_60/95	1			2 132
	FIO	Celkem			9 797	
		F 943/596_LV	1	7 662		
		K G_60/95	1	2 132		
G_60/95_L/P		Celkem		9 035	8 071	8 938
		F 943/296 (-L)	1	3 449	2 969	3 402
		F 943/296 (-P)	1	3 449	2 969	3 402
		K G_60/95	1	2 132	2 132	2 132
G_80/72_L/P		Celkem		8 809	7 665	8 625
		F 713/396 (-L)	1	3 385	2 814	3 295
		F 713/396 (-P)	1	3 385	2 814	3 295
		K G_80/72	1	2 035	2 035	2 035
G_80/95_L/P		Celkem		10 452	9 191	10 442
		F 943/396 (-L)	1	3 969	3 340	3 963
		F 943/396 (-P)	1	3 969	3 340	3 963
		K G_80/95	1	2 511	2 511	2 511
G_90/72_L/P		Celkem		9 369	8 245	9 240
		F 713/446 (-L)	1	3 585	3 023	3 520
		F 713/446 (-P)	1	3 585	3 023	3 520
		K G_90/72	1	2 197	2 197	2 197
G_90/95_L/P		Celkem		11 149	10 329	11 305
		F 943/446 (-L)	1	4 218	3 806	4 295
		F 943/446 (-P)	1	4 218	3 806	4 295
		K G_90/95	1	2 712	2 712	2 712
GB/4_90/72_LH/PH/B		Celkem				15 938
		F 176/896_E	1		2 097	
		F 633/446_LHE	1		5 800	
		F 633/446_PHE	1		5 800	
		K GB/4-90/72	1		2 240	
GB/4_90/72_LV/PV/B	DI	Celkem				13 894
		F 176/896_E	1		2 097	
		F 633/446_LVE	1		4 778	
		F 633/446_PVE	1		4 778	
		K GB/4-90/72	1		2 240	
	ELI	Celkem				14 268
		F 176/896_E	1		2 097	
		F 633/446_LVE	1		4 966	
		F 633/446_PVE	1		4 966	
		K GB/4-90/72	1		2 240	
GBO/4_90/72_OH/B		Celkem		9 938	10 591	11 218
		F 176/896_E	1	1 854	2 097	2 075
		F 355/896_OH	1	5 783	6 194	6 840
		K GBO/4-90/72	1	1 831	1 831	1 831
		K ROZW_MAXI_A1	1	468	468	468
GBO/4_90/72_OV/B	ATE	Celkem				11 545
		F 176/896_E	1			2 075
		F 355/896_VO	1			6 700
		K GBO/4-90/72	1			1 831
		K ROZW_MAXI_A1	2			935
	DI	Celkem				9 977
		F 176/896_E	1			2 097
		F 355/896_VO	1			5 109
		K GBO/4-90/72	1			1 831
		K ROZW_MAXI_A1	2			935
	ELI	Celkem				10 166
		F 176/896_E	1			2 097
		F 355/896_VO	1			5 298
		K GBO/4-90/72	1			1 831
		K ROZW_MAXI_A1	2			935
	FIO	Celkem		10 117		
		F 176/896_E	1	1 854		
		F 355/896_VO	1	5 492		
		K GBO/4-90/72	1	1 831		
		K ROZW_MAXI_A1	2	935		
GC_45/72_L		Celkem		4 571	4 009	4 506

	F	713/446 (-L)	1	3 585	3 023	3 520
	K	GC_45/72	1	985	985	985
GC_45/95_L		Celkem		5 535	5 125	5 612
	F	943/446 (-L)	1	4 218	3 806	4 295
	K	GC_45/95	1	1 317	1 317	1 317
GC_60/72_L		Celkem		5 346	4 591	5 360
	F	713/596 (-L)	1	4 178	3 423	4 194
	K	GC_60/72	1	1 166	1 166	1 166
GC_60/72_L/P		Celkem		7 146	6 277	6 871
	F	713/296 (-L)	1	2 991	2 554	2 851
	F	713/296 (-P)	1	2 991	2 554	2 851
	K	GC_60/72	1	1 166	1 166	1 166
GC_60/95_L		Celkem		6 557	6 095	6 722
	F	943/596 (-L)	1	4 986	4 522	5 148
	K	GC_60/95	1	1 572	1 572	1 572
GC_60/95_L/P		Celkem		8 475	7 511	8 377
	F	943/296 (-L)	1	3 449	2 969	3 402
	F	943/296 (-P)	1	3 449	2 969	3 402
	K	GC_60/95	1	1 572	1 572	1 572
GC_80/72_L/P		Celkem		8 026	6 882	7 843
	F	713/396_L	1	3 385	2 814	3 295
	F	713/396_P	1	3 385	2 814	3 295
	K	GC_80/72	1	1 252	1 252	1 252
GC_80/95_L/P		Celkem		9 674	8 412	9 662
	F	943/396_L	1	3 969	3 340	3 963
	F	943/396_P	1	3 969	3 340	3 963
	K	GC_80/95	1	1 732	1 732	1 732
GC_90/72_L/P		Celkem		8 495	7 371	8 365
	F	713/446 (-L)	1	3 585	3 023	3 520
	F	713/446 (-P)	1	3 585	3 023	3 520
	K	GC_90/72	1	1 323	1 323	1 323
GC_90/95_L/P		Celkem		10 365	9 545	10 520
	F	943/446 (-L)	1	4 218	3 806	4 295
	F	943/446 (-P)	1	4 218	3 806	4 295
	K	GC_90/95	1	1 929	1 929	1 929
GI_5/72_B		Celkem			1 377	
	F	713/50_I	1		715	
	K	GI_5/72	1		662	
GI_5/95_B		Celkem			1 725	
	F	943/50_I	1		889	
	K	GI_5/95	1		835	
GL_30/72/95_L		Celkem			4 800	
	F	943/296_LE	1		3 405	
	K	GL_30/72/95	1		1 394	
GNW_60/72_L/L		Celkem		8 571	7 858	8 248
	F	713/271_LN	1		4 831	
	F	713/272_N	1			5 222
	F	713/276_N	1	5 543		
	K	GNW_60/72	1	3 026	3 026	3 026
GNW_60/95_L/L		Celkem		10 154	9 412	10 000
	F	943/271_LN	1		5 663	
	F	943/272_N	1			6 251
	F	943/276_N	1	6 406		
	K	GNW_60/95	1	3 748	3 748	3 748
GNWU_60/72_L		Celkem		6 365	5 792	6 272
	F	713/396 (-L)	1	3 385	2 814	3 295
	K	GNWU_60/72	1	2 978	2 978	2 978
GNWU_60/72_LH		Celkem		8 340	8 622	8 408
	F	713/396-H (-LH)	1	5 360	5 642	5 429
	K	GNWU_60/72	1	2 978	2 978	2 978
GNWU_60/72_LV	ATE	Celkem				8 226
	F	713/396_V (-LV)	1			5 249
	K	GNWU_60/72	1			2 978
	DI	Celkem			8 737	
	F	713/396_LV	1		5 757	
	K	GNWU_60/72	1		2 978	
	ELI	Celkem			8 923	
	F	713/396_LV	1		5 945	
	K	GNWU_60/72	1		2 978	
	FIO	Celkem		8 477		
	F	713/396_V (-LV)	1	5 497		
	K	GNWU_60/72	1	2 978		

GNWU_60/95_L		Celkem		7 723	7 092	7 718	
	F	943/396 (-L)	1	3 969	3 340	3 963	
	K	GNWU_60/95	1	3 752	3 752	3 752	
GNWU_60/95_LH		Celkem		10 540	10 425	10 734	
	F	943/396-H (-LH)	1	6 786	6 671	6 978	
	K	GNWU_60/95	1	3 752	3 752	3 752	
GNWU_60/95_LV	ATE	Celkem				9 791	
		F	943/396_V (-LV)	1			6 037
		K	GNWU_60/95	1			3 752
	DI	Celkem				9 771	
		F	943/396_LV	1		6 017	
		K	GNWU_60/95	1		3 752	
	ELI	Celkem				9 960	
		F	943/396_LV	1		6 206	
		K	GNWU_60/95	1		3 752	
	FIO	Celkem			10 283		
		F	943/396_V (-LV)	1	6 529		
		K	GNWU_60/95	1	3 752		
GNZRF_30/72_LRV	ATE	Celkem				12 152	
		F	713/300_LRV	1			11 037
		K	GNZRF_30/72	1			1 115
	DI	Celkem				10 695	
		F	713/300_LRV	1		9 580	
		K	GNZRF_30/72	1		1 115	
	ELI	Celkem				10 883	
		F	713/300_LRV	1		9 768	
		K	GNZRF_30/72	1		1 115	
GNZRF_30/95_LRV	ATE	Celkem				13 994	
		F	943/300_LRV	1			12 611
		K	GNZRF_30/95	1			1 382
	DI	Celkem				12 337	
		F	943/300_LRV	1		10 955	
		K	GNZRF_30/95	1		1 382	
	ELI	Celkem				12 522	
		F	943/300_LRV	1		11 138	
		K	GNZRF_30/95	1		1 382	
GNZU2F_30/72_LUH		Celkem		8 791			
	F	713/466_UH	1	7 675			
	K	GNZU2F_30/72	1	1 115			
GNZU2F_30/72_LUV	FIO	Celkem		8 663			
		F	713/466_LUV	1	7 545		
		K	GNZU2F_30/72	1	1 115		
GNZU2F_30/95_LUH		Celkem		10 791			
	F	943/466_UH	1	9 411			
	K	GNZU2F_30/95	1	1 382			
GNZU2F_30/95_LUV	FIO	Celkem		10 288			
		F	943/466_LUV	1	8 906		
		K	GNZU2F_30/95	1	1 382		
GO_45/36_O		Celkem		3 829	3 532	3 666	
	F	355/446_O	1	2 582	2 286	2 418	
	K	GO_45/36	1	778	778	778	
	K	ROZW_MAXI_A1	1	468	468	468	
GO_45/36_OH		Celkem		4 635	4 695	5 168	
	F	355/446_OH	1	3 389	3 448	3 920	
	K	GO_45/36	1	778	778	778	
	K	ROZW_MAXI_A1	1	468	468	468	
GO_45/36_OV	ATE	Celkem				5 554	
		F	355/446_VO	1			4 306
		K	GO_45/36	1			778
	DI	Celkem				4 954	
		F	355/446_VO	1		3 706	
		K	GO_45/36	1		778	
	ELI	Celkem				4 954	
		F	355/446_VO	1		3 706	
		K	GO_45/36	1		778	
	FIO	Celkem			5 486		
		F	355/446_VO	1	4 240		
		K	GO_45/36	1	778		
			K	ROZW_MAXI_A1	1	468	

GO_60/36_O		Celkem		4 277	3 928	4 160
		F 355/596_O	1	2 920	2 569	2 803
		K GO_60/36	1	889	889	889
		K ROZW_MAXI_A1	1	468	468	468
GO_60/36_OH		Celkem		5 537	5 706	6 251
		F 355/596_OH	1	4 178	4 348	4 894
		K GO_60/36	1	889	889	889
		K ROZW_MAXI_A1	1	468	468	468
GO_60/36_OV	ATE	Celkem				6 483
		F 355/596_VO	1			5 125
		K GO_60/36	1			889
		K ROZW_MAXI_A1	1			468
	DI	Celkem			5 451	
		F 355/596_VO	1		4 094	
		K GO_60/36	1		889	
		K ROZW_MAXI_A1	1		468	
	ELI	Celkem			5 642	
		F 355/596_VO	1		4 285	
		K GO_60/36	1		889	
		K ROZW_MAXI_A1	1		468	
	FIO	Celkem		5 786		
		F 355/596_VO	1	4 426		
		K GO_60/36	1	889		
		K ROZW_MAXI_A1	1	468		
GP_30/72/95_P		Celkem			4 800	
		F 943/296_PE	1		3 405	
		K GP_30/72/95	1		1 394	
GS_30/15_2S		Celkem		2 180	2 246	2 215
		F 146/146_S	2	1 260	1 326	1 295
		K GS_30/15	1	920	920	920
GS_45/15_3S		Celkem		3 202	3 300	3 254
		F 146/146_S	3	1 891	1 991	1 943
		K GS_45/15	1	1 309	1 309	1 309
TI_5/121_B		Celkem			1 982	
		F 1198/50_I	1		1 052	
		K TI_5/121	1		926	
TNZRF_30/121_LRV	ATE	Celkem				15 062
		F 1198/300_LRV	1			13 417
		K TNZRF_30/121	1			1 642
	DI	Celkem			14 117	
		F 1198/300_LRV	1		12 472	
		K TNZRF_30/121	1		1 642	
	ELI	Celkem			14 302	
		F 1198/300_LRV	1		12 658	
		K TNZRF_30/121	1		1 642	
TNZU2F_30/121_LUH		Celkem		11 626		
		F 1198/466_UH	1	10 142		
		K TNZU2F_30/121	1	1 483		
TNZU2F_30/121_LUV	FIO	Celkem		11 418		
		F 1198/466_LUV	1	9 935		
		K TNZU2F_30/121	1	1 483		
TSM/4_45/121_S/LH		Celkem		11 754	12 214	12 315
		F 1019/446-H (-LH)	1	8 169	8 532	8 428
		F 176/446_SM	1	1 065	1 158	1 368
		K TSMST/4_45/121	1	1 891	1 891	1 891
		S SM_140/446/270	1	178	178	178
		S SM_320M2700	1	449	449	449
TSM/4_45/121_S/LV	ATE	Celkem				10 446
		F 1019/446_V (-LV)	1			6 557
		F 176/446-SM	1			1 368
		K TSMST/4_45/121	1			1 891
		S SM_140/446/270	1			178
		S SM_320M2700	1			449
	DI	Celkem			9 518	
		F 1019/446_V (-LV)	1		5 840	
		F 176/446-SM	1		1 158	
		K TSMST/4_45/121	1		1 891	
		S SM_140/446/270	1		178	
		S SM_320M2700	1		449	
	ELI	Celkem			9 708	
		F 1019/446_V (-LV)	1		6 029	
		F 176/446-SM	1		1 158	

		K	TSMST/4_45/121	1		1 891		
		S	SM_140/446/270	1		178		
		S	SM_320M2700	1		449		
	FIO	Celkem				10 665		
		F	1019/446_V (-LV)	1		7 080		
		F	176/446-SM	1		1 065		
		K	TSMST/4_45/121	1		1 891		
		S	SM_140/446/270	1		178		
		S	SM_320M2700	1		449		
TSM/4_60/121_S/LV	ATE	Celkem						11 788
		F	1019/596_V (-LV)	1				7 325
		F	176/596_SM	1				1 595
		K	TSMST/4_60/121	1				2 166
		S	SM_140/596/270	1				249
		S	SM_320M2700	1				449
	DI	Celkem				10 918		
		F	1019/596_V (-LV)	1		6 674		
		F	176/596_SM	1		1 377		
		K	TSMST/4_60/121	1		2 166		
		S	SM_140/596/270	1		249		
		S	SM_320M2700	1		449		
	ELI	Celkem				11 105		
		F	1019/596_V (-LV)	1		6 860		
		F	176/596_SM	1		1 377		
		K	TSMST/4_60/121	1		2 166		
		S	SM_140/596/270	1		249		
		S	SM_320M2700	1		449		
	FIO	Celkem				12 094		
		F	1019/596_V (-LV)	1		7 949		
		F	176/596_SM	1		1 280		
		K	TSMST/4_60/121	1		2 166		
		S	SM_140/596/270	1		249		
		S	SM_320M2700	1		449		
TST/4_45/121_S/LH		Celkem				13 486	13 946	14 049
		F	1019/446-H (-LH)	1		8 168	8 534	8 428
		F	176/446_ST	1		1 065	1 160	1 369
		K	TSMST/4_45/121	1		1 891	1 891	1 891
		S	TST_45_N	1		2 360	2 360	2 360
TST/4_45/121_S/LV	ATE	Celkem						12 178
		F	1019/446_V (-LV)	1				6 557
		F	176/446_ST	1				1 369
		K	TSMST/4_45/121	1				1 891
		S	TST_45_N	1				2 360
	DI	Celkem				11 252		
		F	1019/446_V (-LV)	1		5 840		
		F	176/446_ST	1		1 160		
		K	TSMST/4_45/121	1		1 891		
		S	TST_45_N	1		2 360		
	ELI	Celkem				11 442		
		F	1019/446_V (-LV)	1		6 029		
		F	176/446_ST	1		1 160		
		K	TSMST/4_45/121	1		1 891		
		S	TST_45_N	1		2 360		
	FIO	Celkem				12 397		
		F	1019/446_V (-LV)	1		7 078		
		F	176/446_ST	1		1 065		
		K	TSMST/4_45/121	1		1 891		
		S	TST_45_N	1		2 360		
TST/4_60/121_S/LV	ATE	Celkem						13 518
		F	1019/596_V (-LV)	1				7 326
		F	176/596_ST	1				1 595
		K	TST/4_60/121	1				2 166
		S	TST_60_N	1				2 429
	DI	Celkem				12 648		
		F	1019/596_V (-LV)	1		6 674		
		F	176/596_ST	1		1 377		
		K	TST/4_60/121	1		2 166		
		S	TST_60_N	1		2 429		
	ELI	Celkem				12 835		
		F	1019/596_V (-LV)	1		6 862		
		F	176/596_ST	1		1 377		
		K	TST/4_60/121	1		2 166		

	S	TST_60_N	1		2 429	
FIO	Celkem			13 823		
	F	1019/596_V (-LV)	1	7 946		
	F	176/596_ST	1	1 280		
	K	TST/4_60/121	1	2 166		
	S	TST_60_N	1	2 429		
TSI/4_45/121_S/LH	Celkem			13 486	13 946	14 049
	F	1019/446-H (-LH)	1	8 168	8 534	8 428
	F	176/446_ST	1	1 065	1 160	1 369
	K	TSMST/4_45/121	1	1 891	1 891	1 891
	S	TSI_45_N	1	2 360	2 360	2 360
TSI/4_45/121_S/LV	ATE	Celkem				12 178
		F	1019/446_V (-LV)	1		6 557
		F	176/446_ST	1		1 369
		K	TSMST/4_45/121	1		1 891
		S	TSI_45_N	1		2 360
	DI	Celkem			11 252	
		F	1019/446_V (-LV)	1	5 840	
		F	176/446_ST	1	1 160	
		K	TSMST/4_45/121	1	1 891	
		S	TSI_45_N	1	2 360	
	ELI	Celkem			11 442	
		F	1019/446_V (-LV)	1	6 029	
		F	176/446_ST	1	1 160	
		K	TST/4_45/121	1	1 891	
		S	TST_45_N	1	2 360	
	FIO	Celkem			12 397	
		F	1019/446_V (-LV)	1	7 078	
		F	176/446_ST	1	1 065	
		K	TSMST/4_45/121	1	1 891	
		S	TSI_45_N	1	2 360	
TSI/4_60/121_S/LV	ATE	Celkem				13 518
		F	1019/596_V (-LV)	1		7 326
		F	176/596_ST	1		1 595
		K	TSMST/4_60/121	1		2 166
		S	TSI_60_N	1		2 429
	DI	Celkem			12 648	
		F	1019/596_V (-LV)	1	6 674	
		F	176/596_ST	1	1 377	
		K	TSMST/4_60/121	1	2 166	
		S	TSI_60_N	1	2 429	
	ELI	Celkem			12 835	
		F	1019/596_V (-LV)	1	6 862	
		F	176/596_ST	1	1 377	
		K	TSMST/4_60/121	1	2 166	
		S	TSI_60_N	1	2 429	
	FIO	Celkem			13 823	
		F	1019/596_V (-LV)	1	7 946	
		F	176/596_ST	1	1 280	
		K	TSMST/4_60/121	1	2 166	
		S	TSI_60_N	1	2 429	
DM_45/57	Celkem			3 203	2 817	3 069
	F	570/446_M	1	3 203	2 817	3 069
DM_45/71	Celkem			3 585	3 023	3 520
	F	713/446_M	1	3 585	3 023	3 520
DM_60/57	Celkem			3 711	3 317	3 654
	F	570/596_M	1	3 711	3 317	3 654
DM_60/71	Celkem			4 178	3 423	4 194
	F	713/596_M	1	4 178	3 423	4 194
maskovací díl vnitřní	Celkem			754	754	754
	F	713/40	1	754	754	754
KORONA_150/14	Celkem			2 494	2 712	2 769
	F	1500/140_K	1	2 494	2 712	2 769
dvířko atyp	Celkem				17 152	
	F	NT	1		17 152	
dvířko atyp U1	Celkem				23 575	
	F	NT_U1	1		23 575	
dvířko atyp U2	Celkem				23 575	
	F	NT_U2	1		23 575	

dvířko: Insignata, Artycja, Diadema						
				Insignata	Artycja	Diadema
skříňka	sklo	rozpis	počet	višeň	olše medová	všechny barvy
D_30/82_L		Celkem		3 872	3 531	3 842
		F 713/296_L	1	2 292	1 952	2 262
		K D_30/82	1	1 578	1 578	1 578
D_40/82_L		Celkem		4 389	4 118	4 275
		F 713/396_L	1	2 698	2 428	2 585
		K D_40/82	1	1 689	1 689	1 689
D_45/82_L		Celkem		4 686	4 452	4 702
		F 713/446_L	1	2 906	2 671	2 922
		K D_45/82	1	1 778	1 778	1 778
D_45/136_L		Celkem		7 582	7 363	7 889
		F 1261/446_L	1	4 394	4 177	4 705
		K D_45/136	1	3 185	3 185	3 185
D_45/136_LH		Celkem			10 766	11 702
		F 1261/446_LH	1		7 582	8 517
		K D_45/136	1		3 185	3 185
D_45/136_LV	DNE	Celkem		9 602		
		F 1261/446_LV	1	6 415		
		K D_45/136	1	3 185		
	GEM	Celkem			9 266	
		F 1261/446_LV	1		6 080	
		K D_45/136	1		3 185	
	ROS	Celkem				10 420
		F 1261/446_LV	1			7 234
		K D_45/136	1			3 185
D_45/207_L/L		Celkem		12 375	12 246	12 697
		F 1247/446_L	1	4 362	4 466	4 668
		F 713/446_L	1	2 906	2 671	2 922
		K D_45/207	1	5 106	5 106	5 106
D_60/82_L		Celkem		5 611	5 475	5 606
		F 713/596_L	1	3 518	3 383	3 512
		K D_60/82	1	2 091	2 091	2 091
D_60/82_L/P		Celkem		6 680	5 997	6 617
		F 713/296_L	1	2 292	1 952	2 262
		F 713/296_P	1	2 292	1 952	2 262
		K D_60/82	1	2 091	2 091	2 091
D_80/82_L/P		Celkem		7 802	7 258	7 575
		F 713/396_L	1	2 698	2 428	2 585
		F 713/396_P	1	2 698	2 428	2 585
		K D_80/82	1	2 403	2 403	2 403
D_90/82_L/P		Celkem		8 386	7 918	8 417
		F 713/446_L	1	2 906	2 671	2 922
		F 713/446_P	1	2 906	2 671	2 922
		K D_90/82	1	2 574	2 574	2 574
D1SM/5_30/82_L/S		Celkem		5 034	4 432	5 180
		F 140/296_SM	1	795	565	765
		F 570/296_L	1	2 031	1 662	2 208
		K D1SM/5_30/82	1	1 585	1 585	1 585
		S SM_140/296/500	1	171	171	171
		S SM_320M5000	1	449	449	449
D1SM/5_45/82_L/S		Celkem		6 045	5 432	5 934
		F 140/446_SM	1	989	698	931
		F 570/446_L	1	2 551	2 228	2 498
		K D1SM/5_45/82	1	1 795	1 795	1 795
		S SM_140/446/500	1	260	260	260
		S SM_320M5000	1	449	449	449
D1SM/5_60/82_L/S		Celkem		7 152	6 626	7 103
		F 140/596_SM	1	1 180	872	1 134
		F 570/596_L	1	3 068	2 851	3 066
		K D1SM/5_60/82	1	2 091	2 091	2 091
		S SM_140/596/500	1	360	360	360
		S SM_320M5000	1	449	449	449
D1SM/5_60/82_L/P/S		Celkem		8 148	7 100	8 455
		F 140/596_SM	1	1 180	872	1 134
		F 570/296_L	1	2 031	1 662	2 208
		F 570/296_P	1	2 031	1 662	2 208
		K D1SM/5_60/82	1	2 091	2 091	2 091
		S SM_140/596/500	1	360	360	360
		S SM_320M5000	1	449	449	449

D1ST/5_30/82_L/S		Celkem		6 474	5 872	6 620
		F	140/296_ST	1	795	565
		F	570/296_L	1	2 032	1 662
		K	D1ST/5_30/82	1	1 585	1 585
		S	DST_30_N	1	2 060	2 060
D1ST/5_45/82_L/S		Celkem		7 480	6 868	7 369
		F	140/446_ST	1	989	698
		F	570/446_L	1	2 551	2 229
		K	D1ST/5_45/82	1	1 795	1 795
		S	DST_45_N	1	2 143	2 143
D1ST/5_60/82_L/S		Celkem		8 594	8 069	8 546
		F	140/596_ST	1	1 180	872
		F	570/596_L	1	3 068	2 851
		K	D1ST/5_60/82	1	2 091	2 091
		S	DST_60_N	1	2 252	2 252
D1ST/5_60/82_L/P/S		Celkem		9 591	8 543	9 898
		F	140/596_ST	1	1 180	872
		F	570/296_L	1	2 032	1 662
		F	570/296_P	1	2 032	1 662
		K	D1ST/5_60/82	1	2 091	2 091
		S	DST_60_N	1	2 252	2 252
D1SI/5_30/82_L/S		Celkem		6 474	5 872	6 620
		F	140/296_ST	1	795	565
		F	570/296_L	1	2 032	1 662
		K	D1ST/5_30/82	1	1 585	1 585
		S	DSI_30_N	1	2 060	2 060
D1SI/5_45/82_L/S		Celkem		7 480	6 868	7 369
		F	140/446_ST	1	989	698
		F	570/446_L	1	2 551	2 229
		K	D1ST/5_45/82	1	1 795	1 795
		S	DSI_45_N	1	2 143	2 143
D1SI/5_60/82_L/S		Celkem		8 594	8 069	8 546
		F	140/596_ST	1	1 180	872
		F	570/596_L	1	3 068	2 851
		K	D1ST/5_60/82	1	2 091	2 091
		S	DSI_60_N	1	2 252	2 252
D1SI/5_60/82_L/P/S		Celkem		9 591	8 543	9 898
		F	140/596_ST	1	1 180	872
		F	570/296_L	1	2 032	1 662
		F	570/296_P	1	2 032	1 662
		K	D1ST/5_60/82	1	2 091	2 091
		S	DSI_60_N	1	2 252	2 252
DB/5_90/82_L/P/B		Celkem		10 423	10 117	
		F	140/896_E	1	1 754	1 217
		F	621/446_LDE	1	3 022	
		F	621/446_PDE	1	3 022	
		F	645/446_LDE	1		3 137
		F	645/446_PDE	1		3 137
		K	DB/5_90/82	1	2 625	2 625
DBK/5_90/82_L/P/B		Celkem		9 877	9 569	
		F	140/896_E	1	1 754	1 217
		F	621/446_LDE	1	3 022	
		F	621/446_PDE	1	3 022	
		F	645/446_LDE	1		3 137
		F	645/446_PDE	1		3 137
		K	DBK/5_90/82	1	2 078	2 078
DBSM/5_90/82_SH/B		Celkem			7 857	
		F	140/896_E	1		1 217
		F	284/896_SMH	1		2 906
		K	DBSMST/5_90/82	1		2 449
		S	SMR_284/896/500	1		674
		S	SMR_320M5000	1		606
DBSM/5_90/82_SV/B	DNE	Celkem		9 294		
		F	140/896_E	1	1 754	
		F	284/896_SMV	1	3 805	
		K	DBSMST/5_90/82	1	2 449	
		S	SMR_284/896/500	1	674	
		S	SMR_320M5000	1	606	
	GEM	Celkem			7 126	
		F	140/896_E	1		1 217
		F	284/896_SMV	1		2 175
		K	DBSMST/5_90/82	1		2 449

		S	SMR_284/896/500	1		674		
		S	SMR_320M5000	1		606		
DBST/5_90/82_SH/B		Celkem				10 097		
		F	140/896_E	1		1 217		
		F	284/896_STH	1		2 906		
		K	DBSMST/5_90/82	1		2 449		
		S	DST_90_W	1		3 522		
DBST/5_90/82_SV/B	DNE	Celkem				11 532		
		F	140/896_E	1	1 754			
		F	284/896_STV	1	3 805			
		K	DBSMST/5_90/82	1	2 449			
		S	DST_90_W	1	3 522			
	GEM	Celkem				9 366		
		F	140/896_E	1		1 217		
		F	284/896_STV	1		2 175		
		K	DBSMST/5_90/82	1		2 449		
		S	DST_90_W	1		3 522		
DBSI/5_90/82_SH/B		Celkem				10 431		
		F	140/896_E	1		1 217		
		F	284/896_SIH	1		2 906		
		K	DBSMST/5_90/82	1		2 449		
		S	DSI_90_W	1		3 380		
		S	BOXCOVER_DSI_W	1		475		
DBSI/5_90/82_SV/B	DNE	Celkem				11 866		
		F	140/896_E	1	1 754			
		F	284/896_SIV	1	3 805			
		K	DBSMST/5_90/82	1	2 449			
		S	DSI_90_W	1	3 380			
		S	BOXCOVER_DSI_W	1	475			
	GEM	Celkem				9 700		
		F	140/896_E	1		1 217		
		F	284/896_SIV	1		2 175		
		K	DBSMST/5_90/82	1		2 449		
		S	DSI_90_W	1		3 380		
		S	BOXCOVER_DSI_W	1		475		
DC_30/207_C/C		Celkem			9 025	8 688	9 262	
		F	1247/296_CC	1	3 305	3 308	3 571	
		F	713/296_CC	1	2 292	1 952	2 262	
		K	DC_30/207	1	3 426	3 426	3 426	
DC_30/82_C		Celkem			3 649	3 308	3 617	
		F	713/296_C	1	2 292	1 952	2 262	
		K	DC_30/82	1	1 355	1 355	1 355	
DCX_15/82_C		Celkem			2 503	2 198	2 542	
		F	713/146_CX	1	1 342	1 037	1 377	
		K	DCX_15/82	1	1 163	1 163	1 163	
DI_5/82_B		Celkem			2 677	1 655	1 726	
		F	713/50_I	1	1 563	538	612	
		K	DI_5/82	1	1 114	1 114	1 114	
DK_45/82_L		Celkem			4 457	4 223	4 474	
		F	713/446_L	1	2 906	2 671	2 922	
		K	DK_45/82	1	1 552	1 552	1 552	
DK_60/82_L		Celkem			5 272	5 137	5 265	
		F	713/596_L	1	3 518	3 383	3 512	
		K	DK_60/82	1	1 752	1 752	1 752	
DK_60/82_L/P		Celkem			6 338	5 655	6 277	
		F	713/296_L	1	2 292	1 952	2 262	
		F	713/296_P	1	2 292	1 952	2 262	
		K	DK_60/82	1	1 752	1 752	1 752	
DK_80/82_L/P		Celkem			7 309	6 766	7 083	
		F	713/396_L	1	2 698	2 428	2 585	
		F	713/396_P	1	2 698	2 428	2 585	
		K	DK_80/82	1	1 911	1 911	1 911	
DK_90/82_L/P		Celkem			7 848	7 380	7 880	
		F	713/446_L	1	2 906	2 671	2 922	
		F	713/446_P	1	2 906	2 671	2 922	
		K	DK_90/82	1	2 035	2 035	2 035	
DKK/5_45/82_M		Celkem			4 414	4 180	4 431	
		F	713/446_M	1	2 906	2 671	2 922	
		K	DKSM/5_45/82	1	1 509	1 509	1 509	
DKK/5_45/82_M/B		Celkem			5 049	4 435	4 938	
		F	140/446_B	1	989	698	931	
		F	570/446_SM	1	2 551	2 228	2 498	

	K DKSM/5_45/82	1	1 509	1 509	1 509
DKK/5_60/82_M	Celkem		5 143	5 009	5 137
	F 713/596_M	1	3 518	3 383	3 512
	K DKSM/5_60/82	1	1 625	1 625	1 625
DKK/5_60/82_M/B	Celkem		5 872	5 348	5 823
	F 140/596_B	1	1 180	872	1 134
	F 570/596_SM	1	3 068	2 851	3 066
	K DKSM/5_60/82	1	1 625	1 625	1 625
DKSM/5_45/82_S/B	Celkem		5 978	5 366	5 868
	F 140/446_B	1	989	698	931
	F 570/446_SM	1	2 551	2 228	2 498
	K DKSM/5_45/82	1	1 509	1 509	1 509
	S SMR_284/446/500	1	322	322	322
	S SMR_320M5000	1	606	606	606
DKSM/5_60/82_S/B	Celkem		6 915	6 389	6 868
	F 140/596_B	1	1 180	872	1 134
	F 570/596_SM	1	3 068	2 851	3 066
	K DKSM/5_60/82	1	1 625	1 625	1 625
	S SMR_284/596/500	1	434	434	434
	S SMR_320M5000	1	606	606	606
DKST/5_45/82_S/B	Celkem		8 003	7 391	7 891
	F 140/446_B	1	989	698	931
	F 570/446_ST	1	2 551	2 229	2 498
	K DKST_45/82	1	1 509	1 509	1 509
	S DST_45_W	1	2 952	2 952	2 952
DKST/5_60/82_S/B	Celkem		8 898	8 374	8 851
	F 140/596_B	1	1 180	872	1 134
	F 570/596_ST	1	3 068	2 851	3 066
	K DKST_60/82	1	1 625	1 625	1 625
	S DST_60_W	1	3 026	3 026	3 026
DKSI/5_45/82_S/B	Celkem		8 385	7 772	8 272
	F 140/446_B	1	989	698	931
	F 570/446_SI	1	2 551	2 229	2 498
	S DKST_45/82	1	1 509	1 509	1 509
	S DSI_45_W	1	2 858	2 858	2 858
	S BOXCOVER_DSI_W	1	475	475	475
DKSI/5_60/82_S/B	Celkem		9 292	8 766	9 245
	F 140/596_B	1	1 180	872	1 134
	F 570/596_SI	1	3 068	2 851	3 066
	K DKST_60/82	1	1 625	1 625	1 625
	S DSI_60_W	1	2 945	2 945	2 945
	S BOXCOVER_DSI_W	1	475	475	475
DL_60/136_L	Celkem		8 657	8 852	9 012
	F 1261/596_L	1	5 462	5 655	5 817
	K DL_60/136	1	3 194	3 194	3 194
DL_60/207_L/L	Celkem		13 551	13 637	13 878
	F 1247/596_L	1	5 358	5 582	5 694
	F 713/596_L	1	3 518	3 383	3 512
	K DL_60/207	1	4 671	4 671	4 671
DLO_60/230_L/L/O	Celkem		16 134	15 772	16 558
	F 1081/596_L	1	4 786	4 926	5 009
	F 393/596_O	1	2 446	2 080	2 654
	F 713/596_L	1	3 518	3 383	3 512
	K DLO_60/230	1	4 912	4 912	4 912
	K ROZW_MAXI_A1	1	468	468	468
DL/NT160_60/207_L/L	Celkem		13 823	13 911	14 151
	F 1247/596_L	1	5 358	5 582	5 694
	F 713/596_LNT	1	3 518	3 383	3 512
	K DL/NT160_60/207	1	4 945	4 945	4 945
DL/NT160_60/230_L/L/O	Celkem		16 582	16 009	17 094
	F 1261/596_L	1	5 462	5 655	5 817
	F 284/596_O	1	2 060	1 512	2 131
	F 643/596_L	1	3 323	3 106	3 412
	K DL/NT160_60/230	1	5 265	5 265	5 265
	K ROZW_MAXI_A1	1	468	468	468
DL/NT180_60/207_L/L	Celkem		13 823	13 911	14 151
	F 1247/596_LNT	1	5 358	5 582	5 694
	F 713/596_LNT	1	3 518	3 383	3 512
	K DL/NT180_60/207	1	4 945	4 945	4 945
DL/NT180_60/230_L/L/O	Celkem		16 582	16 009	17 094
	F 1261/596_LNT	1	5 462	5 655	5 817
	F 284/596_O	1	2 060	1 512	2 131

		F	643/596_L	1	3 323	3 106	3 412
		K	DL/NT180_60/230	1	5 265	5 265	5 265
		K	ROZW_MAXI_A1	1	468	468	468
DNW_90/82_L/L		Celkem			8 637	7 980	9 162
		F	713/317-LN	1	4 518	3 862	5 043
		K	DNW_90/82	1	4 118	4 118	4 118
DNW_105/82_L		Celkem			5 966	5 732	5 982
		F	713/446_L	1	2 906	2 671	2 922
		K	DNW_105/82	1	3 060	3 060	3 060
DNW_120/82_L		Celkem			6 808	6 672	6 803
		F	713/596_L	1	3 518	3 383	3 512
		K	DNW_120/82	1	3 288	3 288	3 288
DNWL_105/136_L/B		Celkem			11 945	11 849	12 378
		F	1261/446_L	1	4 394	4 177	4 705
		F	500/596_B	1	2 811	2 932	2 934
		K	DNWL_105/136	1	4 738	4 738	4 738
DNWU_90/82_L		Celkem			6 929	6 692	6 923
		F	713/456_L	1	2 942	2 706	2 934
		K	DNWU_90/82	1	3 988	3 988	3 988
DNWUST/5_90/82_2S/S		Celkem			21 249	19 809	21 348
		F	140/446_ST	1	989	698	931
		F	284/446_ST	2	3 566	2 415	3 723
		K	DNWUST/5_90/82	1	2 049	2 049	2 049
		S	DST_45_NU	1	4 498	4 498	4 498
		S	DST_45_WU	2	10 145	10 145	10 145
DNWUST/5_90/82_2SH/S		Celkem				20 815	23 448
		F	140/446_ST	1		698	931
		F	284/446_STH	2		3 422	5 822
		K	DNWUST/5_90/82	1		2 049	2 049
		S	DST_45_NU	1		4 498	4 498
		S	DST_45_WU	2		10 145	10 145
DNWUST/5_90/82_2SV/S	DNE	Celkem			23 086		
		F	140/446_ST	1	989		
		F	284/446_STV	2	5 403		
		K	DNWUST/5_90/82	1	2 049		
		S	DST_45_NU	1	4 498		
		S	DST_45_WU	2	10 145		
	GEM	Celkem				20 682	
		F	140/446_ST	1		698	
		F	284/446_STV	2		3 288	
		K	DNWUST/5_90/82	1		2 049	
		S	DST_45_NU	1		4 498	
		S	DST_45_WU	2		10 145	
	ROS	Celkem					24 146
		F	140/446_ST	1			931
		F	284/446_STV	2			6 522
		K	DNWUST/5_90/82	1			2 049
		S	DST_45_NU	1			4 498
		S	DST_45_WU	2			10 145
DNWUST/5_90/82_S/3S		Celkem			25 369	23 926	25 274
		F	140/446_ST	3	2 968	2 098	2 792
		F	284/446_ST	1	1 782	1 208	1 862
		K	DNWUST/5_90/82	1	2 049	2 049	2 049
		S	DST_45_NU	3	13 495	13 495	13 495
		S	DST_45_WU	1	5 071	5 071	5 071
DNWUST/5_90/82_SH/3S		Celkem				24 428	26 323
		F	140/446_ST	3		2 098	2 792
		F	284/446_STH	1		1 709	2 911
		K	DNWUST/5_90/82	1		2 049	2 049
		S	DST_45_NU	3		13 495	13 495
		S	DST_45_WU	1		5 071	5 071
DNWUST/5_90/82_SV/3S	DNE	Celkem			26 288		
		F	140/446_ST	3	2 968		
		F	284/446_STV	1	2 702		
		K	DNWUST/5_90/82	1	2 049		
		S	DST_45_NU	3	13 495		
		S	DST_45_WU	1	5 071		
	GEM	Celkem				24 363	
		F	140/446_ST	3		2 098	
		F	284/446_STV	1		1 643	
		K	DNWUST/5_90/82	1		2 049	
		S	DST_45_NU	3		13 495	

	S	DST_45_WU	1		5 071	
ROS	Celkem					26 674
	F	140/446_ST	3			2 792
	F	284/446_STV	1			3 260
	K	DNWUST/5_90/82	1			2 049
	S	DST_45_NU	3			13 495
	S	DST_45_WU	1			5 071
DNWUSI/5_90/82_2S/S	Celkem			22 200	20 760	22 298
	F	140/446_ST	1	989	698	931
	F	284/446_SI	2	3 566	2 415	3 723
	K	DNWUST/5_90/82	1	2 049	2 049	2 049
	S	DSI_45_N650	1	4 498	4 498	4 498
	S	DSI_45_W650U	2	10 145	10 145	10 145
	S	BOXCOVER_DSI_W	2	951	951	951
DNWUSI/5_90/82_2SH/S	Celkem				21 766	24 397
	F	140/446_ST	1		698	931
	F	284/446_SIH	2		3 422	5 822
	K	DNWUST/5_90/82	1		2 049	2 049
	S	DSI_45_N650	1		4 498	4 498
	S	DSI_45_W650U	2		10 145	10 145
	S	BOXCOVER_DSI_W	2		951	951
DNWUSI/5_90/82_2SV/S	DNE	Celkem			24 038	
	F	140/446_ST	1	989		
	F	284/446_SIV	2	5 403		
	K	DNWUST/5_90/82	1	2 049		
	S	DSI_45_N650	1	4 498		
	S	DSI_45_W650U	2	10 145		
	S	BOXCOVER_DSI_W	2	951		
	GEM	Celkem				21 632
	F	140/446_ST	1		698	
	F	284/446_SIV	2		3 288	
	K	DNWUST/5_90/82	1		2 049	
	S	DSI_45_N650	1		4 498	
	S	DSI_45_W650U	2		10 145	
	S	BOXCOVER_DSI_W	2		951	
	ROS	Celkem				25 098
	F	140/446_ST	1			931
	F	284/446_SIV	2			6 522
	K	DNWUST/5_90/82	1			2 049
	S	DSI_45_N650	1			4 498
	S	DSI_45_W650U	2			10 145
	S	BOXCOVER_DSI_W	2			951
DNWUSI/5_90/82_S/3S	Celkem			25 846	24 402	25 748
	F	140/446_ST	3	2 968	2 098	2 792
	F	284/446_SI	1	1 782	1 208	1 862
	K	DNWUST/5_90/82	1	2 049	2 049	2 049
	S	DSI_45_N650	3	13 495	13 495	13 495
	S	DSI_45_W650U	1	5 071	5 071	5 071
	S	BOXCOVER_DSI_W	1	475	475	475
DNWUSI/5_90/82_SH/3S	Celkem				24 905	26 798
	F	140/446_ST	3		2 098	2 792
	F	284/446_SIH	1		1 709	2 911
	K	DNWUST/5_90/82	1		2 049	2 049
	S	DSI_45_N650	3		13 495	13 495
	S	DSI_45_W650U	1		5 071	5 071
	S	BOXCOVER_DSI_W	1		475	475
DNWUSI/5_90/82_SV/3S	DNE	Celkem			26 765	
	F	140/446_ST	3	2 968		
	F	284/446_SIV	1	2 702		
	K	DNWUST/5_90/82	1	2 049		
	S	DSI_45_N650	3	13 495		
	S	DSI_45_W650U	1	5 071		
	S	BOXCOVER_DSI_W	1	475		
	GEM	Celkem				24 838
	F	140/446_ST	3		2 098	
	F	284/446_SIV	1		1 643	
	K	DNWUST/5_90/82	1		2 049	
	S	DSI_45_N650	3		13 495	
	S	DSI_45_W650U	1		5 071	
	S	BOXCOVER_DSI_W	1		475	
	ROS	Celkem				27 148
	F	140/446_ST	3			2 792

	F	284/446_SIV	1			3 260
	K	DNWUST/5_90/82	1			2 049
	S	DSI_45_N650	3			13 495
	S	DSI_45_W650U	1			5 071
	S	BOXCOVER_DSI_W	1			475
DNZRF_30/82_L/LR	Celkem			16 945	10 788	12 668
	F	713/260_L	1	2 165	1 789	2 128
	F	713/300_LR	1	12 594	6 811	8 354
	K	DNZRF_30/82	1	2 185	2 185	2 185
DO_45/230_L/L/O	Celkem			14 715	14 140	15 309
	F	1081/446_L	1	3 918	3 914	4 218
	F	393/446_O	1	2 071	1 734	2 349
	F	713/446_L	1	2 906	2 671	2 922
	K	DO_45/230	1	5 349	5 349	5 349
	K	ROZW_MAXI_A1	1	468	468	468
DP_60/82_K	Celkem			3 028		2 878
	F	110/596_K	1	1 042		891
	K	DP_60/82	1	1 986		1 986
DPSM_60/82_S	Celkem			3 971	3 665	3 822
	F	110/596_SM	1	1 042	735	891
	K	DPSX_60/82	1	1 891	1 891	1 891
	S	SM_110/596/500	1	363	363	363
	S	SM_320N5000	1	674	674	674
DPST_60/82_S	Celkem			5 525	5 218	5 375
	F	110/596_ST	1	1 042	735	891
	K	DPS_60/82	1	1 891	1 891	1 891
	S	DPST_60_P	1	2 592	2 592	2 592
DPSI_60/82_S	Celkem			5 525	5 218	5 375
	F	110/596_ST	1	1 042	735	891
	K	DPS_60/82	1	1 891	1 891	1 891
	S	DPSI_60_P	1	2 592	2 592	2 592
DP_60/136_L/B	Celkem			7 229	6 677	7 135
	F	570/596_L	1	3 068	2 851	3 066
	F	87/596_B	1	958	623	868
	K	DP_60/136	1	3 202	3 202	3 202
DP_60/207_L/L	Celkem			12 095	11 743	12 177
	F	643/596_L	1	3 323	3 106	3 412
	F	713/596_L	1	3 518	3 383	3 512
	K	DP_60/207	1	5 252	5 252	5 252
DP45_60/136_L/B	Celkem			7 572	7 118	7 417
	F	713/596_L	1	3 518	3 383	3 512
	F	75/596_B	1	882	565	734
	K	DP45_60/136	1	3 169	3 169	3 169
DPP45O_60/207_L/O	Celkem			10 443	9 805	10 726
	F	316/596_O	1	2 180	1 760	2 465
	F	570/596_L	1	3 068	2 851	3 066
	K	DPP37_45O_60/207	1	4 725	4 725	4 725
	K	ROZW_MAXI_A1	1	468	468	468
DPP37O_60/207_L/O	Celkem			10 708	10 126	10 915
	F	393/596_O	1	2 446	2 080	2 654
	F	570/596_L	1	3 068	2 851	3 066
	K	DPP37_45O_60/207	1	4 725	4 725	4 725
	K	ROZW_MAXI_A1	1	468	468	468
DSM/5_30/82_2S/S	Celkem			7 429	5 965	7 578
	F	140/296_SM	1	795	565	765
	F	284/296_SM	2	3 014	1 778	3 192
	K	DSM/5_30/82	1	1 372	1 372	1 372
	S	SM_140/296/500	1	171	171	171
	S	SM_320M5000	1	449	449	449
	S	SMR_284/296/500	2	412	412	412
	S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_30/82_S/3S	Celkem			7 943	6 629	7 940
	F	140/296_SM	3	2 388	1 691	2 295
	F	284/296_SM	1	1 506	889	1 595
	K	DSM/5_30/82	1	1 372	1 372	1 372
	S	SM_140/296/500	3	514	514	514
	S	SM_320M5000	3	1 346	1 346	1 346
	S	SMR_284/296/500	1	206	206	206
	S	SMR_320M5000	1	606	606	606
DSM/5_30/82_S/S	Celkem			6 437	5 837	6 585
	F	140/296_SM	1	795	565	765
	F	570/296_SM	1	2 031	1 662	2 208

		K	DSM/5_30/82	1	1 372	1 372	1 372
		S	SM_140/296/500	1	171	171	171
		S	SM_320M5000	2	897	897	897
		S	SMR_284/296/500	1	206	206	206
		S	SMR_320M5000	1	606	606	606
		S	SMW_86/296/500	1	354	354	354
DSM/5_45/82_2S/S		Celkem			8 626	7 185	8 726
		F	140/446_SM	1	989	698	931
		F	284/446_SM	2	3 568	2 415	3 725
		K	DSM/5_45/82	1	1 502	1 502	1 502
		S	SM_140/446/500	1	260	260	260
		S	SM_320M5000	1	449	449	449
		S	SMR_284/446/500	2	643	643	643
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_45/82_2SH/S		Celkem				8 192	10 822
		F	140/446_SM	1		698	931
		F	284/446_SMH	2		3 423	5 820
		K	DSM/5_45/82	1		1 502	1 502
		S	SM_140/446/500	1		260	260
		S	SM_320M5000	1		449	449
		S	SMR_284/446/500	2		643	643
		S	SMR_320M5000	2		1 214	1 214
DSM/5_45/82_2SV/S	DNE	Celkem			10 462		
		F	140/446_SM	1	989		
		F	284/446_SMV	2	5 402		
		K	DSM/5_45/82	1	1 502		
		S	SM_140/446/500	1	260		
		S	SM_320M5000	1	449		
		S	SMR_284/446/500	2	643		
		S	SMR_320M5000	2	1 214		
	GEM	Celkem				8 058	
		F	140/446_SM	1		698	
		F	284/446_SMV	2		3 289	
		K	DSM/5_45/82	1		1 502	
		S	SM_140/446/500	1		260	
		S	SM_320M5000	1		449	
		S	SMR_284/446/500	2		643	
		S	SMR_320M5000	2		1 214	
	ROS	Celkem					11 525
		F	140/446_SM	1			931
		F	284/446_SMV	2			6 523
		K	DSM/5_45/82	1			1 502
		S	SM_140/446/500	1			260
		S	SM_320M5000	1			449
		S	SMR_284/446/500	2			643
		S	SMR_320M5000	2			1 214
DSM/5_45/82_S/3S		Celkem			9 309	7 862	9 212
		F	140/446_SM	3	2 969	2 097	2 792
		F	284/446_SM	1	1 783	1 208	1 862
		K	DSM/5_45/82	1	1 502	1 502	1 502
		S	SM_140/446/500	3	778	778	778
		S	SM_320M5000	3	1 346	1 346	1 346
		S	SMR_284/446/500	1	322	322	322
		S	SMR_320M5000	1	606	606	606
DSM/5_45/82_SH/3S		Celkem				8 365	10 262
		F	140/446_SM	3		2 097	2 792
		F	284/446_SMH	1		1 711	2 909
		K	DSM/5_45/82	1		1 502	1 502
		S	SM_140/446/500	3		778	778
		S	SM_320M5000	3		1 346	1 346
		S	SMR_284/446/500	1		322	322
		S	SMR_320M5000	1		606	606
DSM/5_45/82_SV/3S	DNE	Celkem			10 228		
		F	140/446_SM	3	2 969		
		F	284/446_SMV	1	2 700		
		K	DSM/5_45/82	1	1 502		
		S	SM_140/446/500	3	778		
		S	SM_320M5000	3	1 346		
		S	SMR_284/446/500	1	322		
		S	SMR_320M5000	1	606		
	GEM	Celkem				8 298	
		F	140/446_SM	3		2 097	

		F	284/446_SMV	1		1 646	
		K	DSM/5_45/82	1		1 502	
		S	SM_140/446/500	3		778	
		S	SM_320M5000	3		1 346	
		S	SMR_284/446/500	1		322	
		S	SMR_320M5000	1		606	
	ROS	Celkem					10 612
		F	140/446_SM	3		2 792	
		F	284/446_SMV	1		3 260	
		K	DSM/5_45/82	1		1 502	
		S	SM_140/446/500	3		778	
		S	SM_320M5000	3		1 346	
		S	SMR_284/446/500	1		322	
		S	SMR_320M5000	1		606	
DSM/5_45/136_5S		Celkem			15 582	12 712	16 071
		F	250/446_SM	5	8 423	5 554	8 909
		K	DSM/5_45/136	1	2 377	2 377	2 377
		S	SM_250,284/446/450	5	1 405	1 405	1 405
		S	SM_320K4500	5	3 375	3 375	3 375
DSM/5_45/136_5SH		Celkem				14 694	19 174
		F	250/446_SMH	5		7 534	12 014
		K	DSM/5_45/136	1		2 377	2 377
		S	SM_250,284/446/450	5		1 405	1 405
		S	SM_320K4500	5		3 375	3 375
DSM/5_45/136_5SV	DNE	Celkem			20 014		
		F	250/446_SMV	5	12 852		
		K	DSM/5_45/136	1	2 377		
		S	SM_250,284/446/450	5	1 405		
		S	SM_320K4500	5	3 375		
	GEM	Celkem				14 918	
		F	250/446_SMV	5		7 758	
		K	DSM/5_45/136	1		2 377	
		S	SM_250,284/446/450	5		1 405	
		S	SM_320K4500	5		3 375	
	ROS	Celkem					22 962
		F	250/446_SMV	5			15 800
		K	DSM/5_45/136	1			2 377
		S	SM_250,284/446/450	5			1 405
		S	SM_320K4500	5			3 375
DSM/5_60/82_2S/S		Celkem			9 805	8 402	9 898
		F	140/596_SM	1	1 180	872	1 134
		F	284/596_SM	2	4 122	3 025	4 263
		K	DSM/5_60/82	1	1 608	1 608	1 608
		S	SM_140/596/500	1	360	360	360
		S	SM_320M5000	1	449	449	449
		S	SMR_284/596/500	2	871	871	871
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_60/82_2SH/S		Celkem				10 728	12 175
		F	140/596_SM	1		872	1 134
		F	284/596_SMH	2		5 351	6 538
		K	DSM/5_60/82	1		1 608	1 608
		S	SM_140/596/500	1		360	360
		S	SM_320M5000	1		449	449
		S	SMR_284/596/500	2		871	871
		S	SMR_320M5000	2		1 214	1 214
DSM/5_60/82_2SV/S	DNE	Celkem			11 726		
		F	140/596_SM	1	1 180		
		F	284/596_SMV	2	6 042		
		K	DSM/5_60/82	1	1 608		
		S	SM_140/596/500	1	360		
		S	SM_320M5000	1	449		
		S	SMR_284/596/500	2	871		
		S	SMR_320M5000	2	1 214		
	GEM	Celkem				10 055	
		F	140/596_SM	1		872	
		F	284/596_SMV	2		4 682	
		K	DSM/5_60/82	1		1 608	
		S	SM_140/596/500	1		360	
		S	SM_320M5000	1		449	
		S	SMR_284/596/500	2		871	
		S	SMR_320M5000	2		1 214	
	ROS	Celkem					13 105

		F	140/596_SM	1				1 134
		F	284/596_SMV	2				7 468
		K	DSM/5_60/82	1				1 608
		S	SM_140/596/500	1				360
		S	SM_320M5000	1				449
		S	SMR_284/596/500	2				871
		S	SMR_320M5000	2				1 214
DSM/5_60/82_S/3S		Celkem			10 685	9 211	10 614	
		F	140/596_SM	3	3 542	2 617		3 402
		F	284/596_SM	1	2 060	1 512		2 131
		K	DSM/5_60/82	1	1 608	1 608		1 608
		S	SM_140/596/500	3	1 083	1 083		1 083
		S	SM_320M5000	3	1 346	1 346		1 346
		S	SMR_284/596/500	1	434	434		434
		S	SMR_320M5000	1	606	606		606
DSM/5_60/82_SH/3S		Celkem				10 375	11 752	
		F	140/596_SM	3		2 617		3 402
		F	284/596_SMH	1		2 675		3 269
		K	DSM/5_60/82	1		1 608		1 608
		S	SM_140/596/500	3		1 083		1 083
		S	SM_320M5000	3		1 346		1 346
		S	SMR_284/596/500	1		434		434
		S	SMR_320M5000	1		606		606
DSM/5_60/82_SV/3S	DNE	Celkem			11 645			
		F	140/596_SM	3	3 542			
		F	284/596_SMV	1	3 022			
		K	DSM/5_60/82	1	1 608			
		S	SM_140/596/500	3	1 083			
		S	SM_320M5000	3	1 346			
		S	SMR_284/596/500	1	434			
		S	SMR_320M5000	1	606			
	GEM	Celkem				10 038		
		F	140/596_SM	3		2 617		
		F	284/596_SMV	1		2 340		
		K	DSM/5_60/82	1		1 608		
		S	SM_140/596/500	3		1 083		
		S	SM_320M5000	3		1 346		
		S	SMR_284/596/500	1		434		
		S	SMR_320M5000	1		606		
	ROS	Celkem					12 217	
		F	140/596_SM	3				3 402
		F	284/596_SMV	1				3 732
		K	DSM/5_60/82	1				1 608
		S	SM_140/596/500	3				1 083
		S	SM_320M5000	3				1 346
		S	SMR_284/596/500	1				434
		S	SMR_320M5000	1				606
DSM/5_90/82_2S/S		Celkem			12 312	10 983	12 208	
		F	140/896_SM	1	1 542	1 195		1 577
		F	284/896_SM	2	5 265	4 283		5 125
		K	DSM/5_90/82	1	1 932	1 932		1 932
		S	SM_140/896/500	1	557	557		557
		S	SM_320M5000	1	449	449		449
		S	SMR_284/896/500	2	1 351	1 351		1 351
		S	SMR_320M5000	2	1 214	1 214		1 214
DSM/5_90/82_2SH/S		Celkem				12 514	15 885	
		F	140/896_SM	1		1 195		1 577
		F	284/896_SMH	2		5 812		8 803
		K	DSM/5_90/82	1		1 932		1 932
		K	SM_140/896/500	1		557		557
		S	SM_320M5000	1		449		449
		S	SMR_284/896/500	2		1 351		1 351
		S	SMR_320M5000	2		1 214		1 214
DSM/5_90/82_2SV/S	DNE	Celkem			14 658			
		F	140/896_SM	1	1 542			
		F	284/896_SMV	2	7 612			
		K	DSM/5_90/82	1	1 932			
		S	SM_140/896/500	1	557			
		S	SM_320M5000	1	449			
		S	SMR_284/896/500	2	1 351			
		S	SMR_320M5000	2	1 214			
	GEM	Celkem				11 054		

		F	140/896_SM	1		1 195		
		F	284/896_SMV	2		4 352		
		K	DSM/5_90/82	1		1 932		
		S	SM_140/896/500	1		557		
		S	SM_320M5000	1		449		
		S	SMR_284/896/500	2		1 351		
		S	SMR_320M5000	2		1 214		
	ROS	Celkem						16 448
		F	140/896_SM	1		1 577		
		F	284/896_SMV	2		9 365		
		K	DSM/5_90/82	1		1 932		
		S	SM_140/896/500	1		557		
		S	SM_320M5000	1		449		
		S	SMR_284/896/500	2		1 351		
		S	SMR_320M5000	2		1 214		
DSM/5_90/82_S/3S		Celkem			13 495	11 966		13 531
		F	140/896_SM	3	4 625	3 589		4 731
		F	284/896_SM	1	2 634	2 142		2 562
		K	DSM/5_90/82	1	1 932	1 932		1 932
		S	SM_140/896/500	3	1 674	1 674		1 674
		S	SM_320M5000	3	1 346	1 346		1 346
		S	SMR_284/896/500	1	674	674		674
		S	SMR_320M5000	1	606	606		606
DSM/5_90/82_SH/3S		Celkem				12 732		15 369
		F	140/896_SM	3		3 589		4 731
		F	284/896_SMH	1		2 906		4 402
		K	DSM/5_90/82	1		1 932		1 932
		K	SM_140/896/500	3		1 674		1 674
		S	SM_320M5000	3		1 346		1 346
		S	SMR_284/896/500	1		674		674
		S	SMR_320M5000	1		606		606
DSM/5_90/82_SV/3S	DNE	Celkem			14 668			
		F	140/896_SM	3	4 625			
		F	284/896_SMV	1	3 805			
		K	DSM/5_90/82	1	1 932			
		S	SM_140/896/500	3	1 674			
		S	SM_320M5000	3	1 346			
		S	SMR_284/896/500	1	674			
		S	SMR_320M5000	1	606			
	GEM	Celkem				12 002		
		F	140/896_SM	3		3 589		
		F	284/896_SMV	1		2 175		
		K	DSM/5_90/82	1		1 932		
		S	SM_140/896/500	3		1 674		
		S	SM_320M5000	3		1 346		
		S	SMR_284/896/500	1		674		
		S	SMR_320M5000	1		606		
	ROS	Celkem						15 651
		F	140/896_SM	3				4 731
		F	284/896_SMV	1				4 683
		K	DSM/5_90/82	1				1 932
		S	SM_140/896/500	3				1 674
		S	SM_320M5000	3				1 346
		S	SMR_284/896/500	1				674
		S	SMR_320M5000	1				606
DST/5_30/82_2S/S		Celkem			12 895	11 434		13 045
		F	140/296_ST	1	795	565		765
		F	284/296_ST	2	3 012	1 780		3 191
		K	DST/5_30/82	1	1 372	1 372		1 372
		S	DST_30_N	1	2 060	2 060		2 060
		S	DST_30_W	2	5 654	5 654		5 654
DST/5_30/82_S/3S		Celkem			14 277	12 966		14 275
		F	140/296_ST	3	2 388	1 695		2 297
		F	284/296_ST	1	1 506	889		1 595
		K	DST/5_30/82	1	1 372	1 372		1 372
		S	DST_30_N	3	6 182	6 182		6 182
		S	DST_30_W	1	2 828	2 828		2 828
DST/5_30/82_S/S		Celkem			11 848	11 248		11 995
		F	140/296_ST	1	795	565		765
		F	570/296_ST	1	2 032	1 662		2 208
		S	DST/5_30/82	1	1 372	1 372		1 372
		S	DST_30_N	2	4 122	4 122		4 122

		S	DST_30_W	1	2 828	2 828	2 828
		K	DSWT_30_N	1	698	698	698
DST/5_45/82_2S/S		Celkem			14 108	12 668	14 206
		F	140/446_ST	1	989	698	931
		F	284/446_ST	2	3 566	2 415	3 723
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DST_45_N	1	2 143	2 143	2 143
		S	DST_45_W	2	5 906	5 906	5 906
DST/5_45/82_2SH/S		Celkem				13 674	16 305
		F	140/446_ST	1		698	931
		F	284/446_STH	2		3 422	5 822
		K	DST/5_45/82	1		1 502	1 502
		S	DST_45_N	1		2 143	2 143
		S	DST_45_W	2		5 906	5 906
DST/5_45/82_2SV/S	DNE	Celkem			15 946		
		F	140/446_ST	1	989		
		F	284/446_STV	2	5 403		
		K	DST/5_45/82	1	1 502		
		S	DST_45_N	1	2 143		
		S	DST_45_W	2	5 906		
	GEM	Celkem				13 540	
		F	140/446_ST	1		698	
		F	284/446_STV	2		3 288	
		K	DST/5_45/82	1		1 502	
		S	DST_45_N	1		2 143	
		S	DST_45_W	2		5 906	
	ROS	Celkem					17 006
		F	140/446_ST	1			931
		F	284/446_STV	2			6 522
		K	DST/5_45/82	1			1 502
		S	DST_45_N	1			2 143
		S	DST_45_W	2			5 906
DST/5_45/82_S/3S		Celkem			15 635	14 192	15 538
		F	140/446_ST	3	2 968	2 098	2 792
		F	284/446_ST	1	1 782	1 208	1 862
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DST_45_N	3	6 429	6 429	6 429
		S	DST_45_W	1	2 952	2 952	2 952
DST/5_45/82_SH/3S		Celkem				14 694	16 589
		F	140/446_ST	3		2 098	2 792
		F	284/446_STH	1		1 709	2 911
		K	DST/5_45/82	1		1 502	1 502
		S	DST_45_N	3		6 429	6 429
		S	DST_45_W	1		2 952	2 952
DST/5_45/82_SV/3S	DNE	Celkem			16 554		
		F	140/446_ST	3	2 968		
		F	284/446_STV	1	2 702		
		K	DST/5_45/82	1	1 502		
		S	DST_45_N	3	6 429		
		S	DST_45_W	1	2 952		
	GEM	Celkem				14 629	
		F	140/446_ST	3		2 098	
		F	284/446_STV	1		1 643	
		K	DST/5_45/82	1		1 502	
		S	DST_45_N	3		6 429	
		S	DST_45_W	1		2 952	
	ROS	Celkem					16 938
		F	140/446_ST	3			2 792
		F	284/446_STV	1			3 260
		K	DST/5_45/82	1			1 502
		S	DST_45_N	3			6 429
		S	DST_45_W	1			2 952
DST/5_45/82_S/S		Celkem			14 055	13 445	13 946
		F	140/446_ST	1	989	698	931
		F	570/446_ST	1	2 551	2 229	2 498
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DST_45_N	1	2 143	2 143	2 143
		S	DST_45_W	2	5 906	5 906	5 906
		S	DSWT_45_W	1	962	962	962
DST/5_45/136_5S		Celkem			23 494	20 618	23 975
		F	250/446_ST	5	8 423	5 548	8 906
		K	DST/5_45/136	1	2 377	2 377	2 377

		S	DST_45_S	5	12 691	12 691	12 691
DST/5_45/136_5SH		Celkem				22 600	27 082
		F	250/446_STH	5		7 529	12 012
		K	DST/5_45/136	1		2 377	2 377
		S	DST_45_S	5		12 691	12 691
DST/5_45/136_5SV	DNE	Celkem			27 926		
		F	250/446_STV	5	12 857		
		K	DST/5_45/136	1	2 377		
		S	DST_45_S	5	12 691		
	GEM	Celkem				22 829	
		F	250/446_STV	5		7 762	
		K	DST/5_45/136	1		2 377	
		S	DST_45_S	5		12 691	
	ROS	Celkem					30 872
		F	250/446_STV	5			15 803
		K	DST/5_45/136	1			2 377
		S	DST_45_S	5			12 691
DST/5_60/82_2S/S		Celkem			15 218	13 812	15 312
		F	140/596_ST	1	1 180	872	1 134
		F	284/596_ST	2	4 122	3 023	4 262
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DST_60_N	1	2 252	2 252	2 252
		S	DST_60_W	2	6 054	6 054	6 054
DST/5_60/82_2SH/S		Celkem				16 140	17 588
		F	140/596_ST	1		872	1 134
		F	284/596_STH	2		5 351	6 538
		K	DST/5_60/82	1		1 608	1 608
		S	DST_60_N	1		2 252	2 252
		S	DST_60_W	2		6 054	6 054
DST/5_60/82_2SV/S	DNE	Celkem			17 138		
		F	140/596_ST	1	1 180		
		F	284/596_STV	2	6 042		
		K	DST/5_60/82	1	1 608		
		S	DST_60_N	1	2 252		
		S	DST_60_W	2	6 054		
	GEM	Celkem				15 468	
		F	140/596_ST	1		872	
		F	284/596_STV	2		4 680	
		K	DST/5_60/82	1		1 608	
		S	DST_60_N	1		2 252	
		S	DST_60_W	2		6 054	
	ROS	Celkem					18 517
		F	140/596_ST	1			1 134
		F	284/596_STV	2			7 466
		K	DST/5_60/82	1			1 608
		S	DST_60_N	1			2 252
		S	DST_60_W	2			6 054
DST/5_60/82_S/3S		Celkem			16 997	15 526	16 928
		F	140/596_ST	3	3 540	2 617	3 400
		F	284/596_ST	1	2 060	1 512	2 131
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DST_60_N	3	6 760	6 760	6 760
		S	DST_60_W	1	3 026	3 026	3 026
DST/5_60/82_SH/3S		Celkem				16 689	18 068
		F	140/596_ST	3		2 617	3 400
		F	284/596_STH	1		2 675	3 269
		K	DST/5_60/82	1		1 608	1 608
		S	DST_60_N	3		6 760	6 760
		S	DST_60_W	1		3 026	3 026
DST/5_60/82_SV/3S	DNE	Celkem			17 958		
		F	140/596_ST	3	3 540		
		F	284/596_STV	1	3 022		
		K	DST/5_60/82	1	1 608		
		S	DST_60_N	3	6 760		
		S	DST_60_W	1	3 026		
	GEM	Celkem				16 354	
		F	140/596_ST	3		2 617	
		F	284/596_STV	1		2 340	
		K	DST/5_60/82	1		1 608	
		S	DST_60_N	3		6 760	
		S	DST_60_W	1		3 026	
	ROS	Celkem					18 532

		F	140/596_ST	3			3 400
		F	284/596_STV	1			3 732
		K	DST/5_60/82	1			1 608
		S	DST_60_N	3			6 760
		S	DST_60_W	1			3 026
DST/5_60/82_S/S		Celkem			15 235	14 711	15 186
		F	140/596_ST	1	1 180	872	1 134
		F	570/596_ST	1	3 068	2 851	3 066
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DST_60_N	1	2 252	2 252	2 252
		S	DST_60_W	2	6 054	6 054	6 054
		S	DSWT_60_W	1	1 071	1 071	1 071
DST/5_90/82_2S/S		Celkem			18 371	17 038	18 263
		F	140/896_ST	1	1 542	1 195	1 577
		F	284/896_ST	2	5 268	4 283	5 128
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DST_90_N	1	2 583	2 583	2 583
		S	DST_90_W	2	7 043	7 043	7 043
DST/5_90/82_2SH/S		Celkem				18 571	21 938
		F	140/896_ST	1		1 195	1 577
		F	284/896_STH	2		5 814	8 802
		K	DST/5_90/82	1		1 932	1 932
		S	DST_90_N	1		2 583	2 583
		S	DST_90_W	2		7 043	7 043
DST/5_90/82_2SV/S	DNE	Celkem			20 714		
		F	140/896_ST	1	1 542		
		F	284/896_STV	2	7 611		
		K	DST/5_90/82	1	1 932		
		S	DST_90_N	1	2 583		
		S	DST_90_W	2	7 043		
	GEM	Celkem				17 108	
		F	140/896_ST	1		1 195	
		F	284/896_STV	2		4 351	
		K	DST/5_90/82	1		1 932	
		S	DST_90_N	1		2 583	
		S	DST_90_W	2		7 043	
	ROS	Celkem					22 502
		F	140/896_ST	1			1 577
		F	284/896_STV	2			9 365
		K	DST/5_90/82	1			1 932
		S	DST_90_N	1			2 583
		S	DST_90_W	2			7 043
DST/5_90/82_S/3S		Celkem			20 466	18 937	20 498
		F	140/896_ST	3	4 625	3 588	4 729
		F	284/896_ST	1	2 634	2 142	2 562
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DST_90_N	3	7 751	7 751	7 751
		S	DST_90_W	1	3 522	3 522	3 522
DST/5_90/82_SH/3S		Celkem				19 702	22 335
		F	140/896_ST	3		3 588	4 729
		F	284/896_STH	1		2 906	4 402
		K	DST/5_90/82	1		1 932	1 932
		S	DST_90_N	3		7 751	7 751
		S	DST_90_W	1		3 522	3 522
DST/5_90/82_SV/3S	DNE	Celkem			21 638		
		F	140/896_ST	3	4 625		
		F	284/896_STV	1	3 805		
		K	DST/5_90/82	1	1 932		
		S	DST_90_N	3	7 751		
		S	DST_90_W	1	3 522		
	GEM	Celkem				18 971	
		F	140/896_ST	3		3 588	
		F	284/896_STV	1		2 175	
		K	DST/5_90/82	1		1 932	
		S	DST_90_N	3		7 751	
		S	DST_90_W	1		3 522	
	ROS	Celkem					22 617
		F	140/896_ST	3			4 729
		F	284/896_STV	1			4 683
		K	DST/5_90/82	1			1 932
		S	DST_90_N	3			7 751
		S	DST_90_W	1			3 522

DSI/5_30/82_2S/S		Celkem		13 728	12 266	13 880
		F	140/296_ST	1	795	765
		F	284/296_SI	2	3 012	3 191
		K	DST/5_30/82	1	1 372	1 372
		S	DSI_30_N	1	2 060	2 060
		S	DSI_30_W	2	5 537	5 537
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_30/82_S/3S		Celkem		14 692	13 385	14 692
		F	140/296_ST	3	2 388	2 297
		F	284/296_SI	1	1 506	889
		K	DST/5_30/82	1	1 372	1 372
		S	DSI_30_N	3	6 182	6 182
		S	DSI_30_W	1	2 768	2 768
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_30/82_S/S		Celkem		12 714	12 114	12 862
		F	140/296_ST	1	795	765
		F	570/296_SI	1	2 032	2 208
		K	DST/5_30/82	1	1 372	1 372
		S	DSI_30_N	2	4 122	4 122
		S	DSI_30_W	1	2 768	2 768
		S	DSWI_30_N	1	1 148	1 148
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_45/82_2S/S		Celkem		14 872	13 432	14 971
		F	140/446_ST	1	989	931
		F	284/446_SI	2	3 566	3 723
		K	DST/5_45/82	1	1 502	1 502
		S	DSI_45_N	1	2 143	2 143
		S	DSI_45_W	2	5 718	5 718
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_45/82_2SH/S		Celkem			14 437	17 069
		F	140/446_ST	1		931
		F	284/446_SIH	2		5 822
		K	DST/5_45/82	1		1 502
		S	DSI_45_N	1		2 143
		S	DSI_45_W	2		5 718
		S	BOXCOVER_DSI_W	2		951
DSI/5_45/82_2SV/S	DNE	Celkem		16 709		
		F	140/446_ST	1	989	
		F	284/446_SIV	2	5 403	
		K	DST/5_45/82	1	1 502	
		S	DSI_45_N	1	2 143	
		S	DSI_45_W	2	5 718	
		S	BOXCOVER_DSI_W	2	951	
	GEM	Celkem			14 305	
		F	140/446_ST	1		698
		F	284/446_SIV	2		3 288
		K	DST/5_45/82	1		1 502
		S	DSI_45_N	1		2 143
		S	DSI_45_W	2		5 718
		S	BOXCOVER_DSI_W	2		951
	ROS	Celkem				17 769
		F	140/446_ST	1		931
		F	284/446_SIV	2		6 522
		K	DST/5_45/82	1		1 502
		S	DSI_45_N	1		2 143
		S	DSI_45_W	2		5 718
		S	BOXCOVER_DSI_W	2		951
DSI/5_45/82_S/3S		Celkem		16 018	14 574	15 922
		F	140/446_ST	3	2 968	2 792
		F	284/446_SI	1	1 782	1 862
		K	DST/5_45/82	1	1 502	1 502
		S	DSI_45_N	3	6 429	6 429
		S	DSI_45_W	1	2 858	2 858
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_45/82_SH/3S		Celkem			15 077	16 971
		F	140/446_ST	3		2 792
		F	284/446_SIH	1		2 911
		K	DST/5_45/82	1		1 502
		S	DSI_45_N	3		6 429
		S	DSI_45_W	1		2 858
		S	BOXCOVER_DSI_W	1		475
DSI/5_45/82_SV/3S	DNE	Celkem		16 937		

	F	140/446_ST	3	2 968		
	F	284/446_SIV	1	2 702		
	K	DST/5_45/82	1	1 502		
	S	DSI_45_N	3	6 429		
	S	DSI_45_W	1	2 858		
	S	BOXCOVER_DSI_W	1	475		
GEM	Celkem				15 011	
	F	140/446_ST	3		2 098	
	F	284/446_SIV	1		1 643	
	K	DST/5_45/82	1		1 502	
	S	DSI_45_N	3		6 429	
	S	DSI_45_W	1		2 858	
	S	BOXCOVER_DSI_W	1		475	
ROS	Celkem					17 320
	F	140/446_ST	3			2 792
	F	284/446_SIV	1			3 260
	K	DST/5_45/82	1			1 502
	S	DSI_45_N	3			6 429
	S	DSI_45_W	1			2 858
	S	BOXCOVER_DSI_W	1			475
DSI/5_45/82_S/S	Celkem			15 652	15 040	15 542
	F	140/446_ST	1	989	698	931
	F	570/446_SI	1	2 551	2 229	2 498
	K	DST/5_45/82	1	1 502	1 502	1 502
	S	DSI_45_N	1	2 143	2 143	2 143
	S	DSI_45_W	2	5 718	5 718	5 718
	F	DSWI_45_W	1	1 795	1 795	1 795
	S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_60/82_2S/S	Celkem			16 003	14 597	16 097
	F	140/596_ST	1	1 180	872	1 134
	F	284/596_SI	2	4 122	3 023	4 262
	K	DST/5_60/82	1	1 608	1 608	1 608
	S	DSI_60_N	1	2 252	2 252	2 252
	S	DSI_60_W	2	5 888	5 888	5 888
	S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_60/82_2SH/S	Celkem				16 926	18 374
	F	140/596_ST	1		872	1 134
	F	284/596_SIH	2		5 351	6 538
	K	DST/5_60/82	1		1 608	1 608
	S	DSI_60_N	1		2 252	2 252
	S	DSI_60_W	2		5 888	5 888
	S	BOXCOVER_DSI_W	2		951	951
DSI/5_60/82_2SV/S	DNE	Celkem		17 926		
	F	140/596_ST	1	1 180		
	F	284/596_SIV	2	6 042		
	K	DST/5_60/82	1	1 608		
	S	DSI_60_N	1	2 252		
	S	DSI_60_W	2	5 888		
	S	BOXCOVER_DSI_W	2	951		
	GEM	Celkem			16 255	
	F	140/596_ST	1		872	
	F	284/596_SIV	2		4 680	
	K	DST/5_60/82	1		1 608	
	S	DSI_60_N	1		2 252	
	S	DSI_60_W	2		5 888	
	S	BOXCOVER_DSI_W	2		951	
	ROS	Celkem				19 302
	F	140/596_ST	1			1 134
	F	284/596_SIV	2			7 466
	K	DST/5_60/82	1			1 608
	S	DSI_60_N	1			2 252
	S	DSI_60_W	2			5 888
	S	BOXCOVER_DSI_W	2			951
DSI/5_60/82_S/3S	Celkem			17 391	15 918	17 322
	F	140/596_ST	3	3 540	2 617	3 400
	F	284/596_SI	1	2 060	1 512	2 131
	K	DST/5_60/82	1	1 608	1 608	1 608
	S	DSI_60_N	3	6 760	6 760	6 760
	S	DSI_60_W	1	2 945	2 945	2 945
	S	BOXCOVER_DSI_W	1	475	475	475
DSI/5_60/82_SH/3S	Celkem				17 083	18 458
	F	140/596_ST	3		2 617	3 400

		F	284/596_SIH	1		2 675	3 269
		K	DST/5_60/82	1		1 608	1 608
		S	DSI_60_N	3		6 760	6 760
		S	DSI_60_W	1		2 945	2 945
		S	BOXCOVER_DSI_W	1		475	475
DSI/5_60/82_SV/3S	DNE	Celkem				18 352	
		F	140/596_ST	3		3 540	
		F	284/596_SIV	1		3 022	
		K	DST/5_60/82	1		1 608	
		S	DSI_60_N	3		6 760	
		S	DSI_60_W	1		2 945	
		S	BOXCOVER_DSI_W	1		475	
	GEM	Celkem				16 748	
		F	140/596_ST	3		2 617	
		F	284/596_SIV	1		2 340	
		K	DST/5_60/82	1		1 608	
		S	DSI_60_N	3		6 760	
		S	DSI_60_W	1		2 945	
		S	BOXCOVER_DSI_W	1		475	
	ROS	Celkem					18 925
		F	140/596_ST	3			3 400
		F	284/596_SIV	1			3 732
		K	DST/5_60/82	1			1 608
		S	DSI_60_N	3			6 760
		S	DSI_60_W	1			2 945
		S	BOXCOVER_DSI_W	1			475
DSI/5_60/82_S/S		Celkem			16 866	16 340	16 817
		F	140/596_ST	1	1 180	872	1 134
		F	570/596_SI	1	3 068	2 851	3 066
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DSI_60_N	1	2 252	2 252	2 252
		S	DSI_60_W	2	5 888	5 888	5 888
		F	DSWI_60_W	1	1 915	1 915	1 915
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_90/82_2S/S		Celkem			19 038	17 706	18 932
		F	140/896_ST	1	1 542	1 195	1 577
		F	284/896_SI	2	5 268	4 283	5 128
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DSI_90_N	1	2 583	2 583	2 583
		S	DSI_90_W	2	6 762	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_90/82_2SH/S		Celkem				19 240	22 608
		F	140/896_ST	1		1 195	1 577
		F	284/896_SIH	2		5 814	8 802
		S	DST/5_90/82	1		1 932	1 932
		S	DSI_90_N	1		2 583	2 583
		S	DSI_90_W	2		6 762	6 762
		K	BOXCOVER_DSI_W	2		951	951
DSI/5_90/82_2SV/S	DNE	Celkem			21 383		
		F	140/896_ST	1	1 542		
		F	284/896_SIV	2	7 611		
		K	DST/5_90/82	1	1 932		
		S	DSI_90_N	1	2 583		
		S	DSI_90_W	2	6 762		
		S	BOXCOVER_DSI_W	2	951		
	GEM	Celkem				17 775	
		F	140/896_ST	1		1 195	
		F	284/896_SIV	2		4 351	
		K	DST/5_90/82	1		1 932	
		S	DSI_90_N	1		2 583	
		S	DSI_90_W	2		6 762	
		S	BOXCOVER_DSI_W	2		951	
	ROS	Celkem					23 171
		F	140/896_ST	1			1 577
		F	284/896_SIV	2			9 365
		K	DST/5_90/82	1			1 932
		S	DSI_90_N	1			2 583
		S	DSI_90_W	2			6 762
		S	BOXCOVER_DSI_W	2			951
DSI/5_90/82_S/3S		Celkem			20 800	19 271	20 832
		F	140/896_ST	3	4 625	3 588	4 729
		F	284/896_SI	1	2 634	2 142	2 562

		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DSI_90_N	3	7 751	7 751	7 751
		S	DSI_90_W	1	3 380	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/5_90/82_SH/3S		Celkem				20 037	22 671
		F	140/896_ST	3		3 588	4 729
		F	284/896_SIH	1		2 906	4 402
		S	DST/5_90/82	1		1 932	1 932
		S	DSI_90_N	3		7 751	7 751
		S	DSI_90_W	1		3 380	3 380
		K	BOXCOVER_DSI_W	1		475	475
DSI/5_90/82_SV/3S	DNE	Celkem			21 972		
		F	140/896_ST	3	4 625		
		F	284/896_SIV	1	3 805		
		K	DST/5_90/82	1	1 932		
		S	DSI_90_N	3	7 751		
		S	DSI_90_W	1	3 380		
		S	BOXCOVER_DSI_W	1	475		
	GEM	Celkem				19 305	
		F	140/896_ST	3		3 588	
		F	284/896_SIV	1		2 175	
		K	DST/5_90/82	1		1 932	
		S	DSI_90_N	3		7 751	
		S	DSI_90_W	1		3 380	
		S	BOXCOVER_DSI_W	1		475	
	ROS	Celkem					22 952
		F	140/896_ST	3			4 729
		F	284/896_SIV	1			4 683
		K	DST/5_90/82	1			1 932
		S	DSI_90_N	3			7 751
		S	DSI_90_W	1			3 380
		S	BOXCOVER_DSI_W	1			475
DSWT/5_45/207_L/L		Celkem			31 611	31 480	31 929
		F	1247/446_LSW	1	4 362	4 466	4 668
		F	713/446_LSW	1	2 906	2 671	2 922
		K	DSWT/5_45/207	1	5 398	5 398	5 398
		S	DST_45_S	1	2 537	2 537	2 537
		S	DST_45_W	4	11 812	11 812	11 812
		S	DSWT_45_S	1	737	737	737
		S	DSWT_45_W	4	3 851	3 851	3 851
DSWI/5_45/207_L/L		Celkem			38 323	38 192	38 643
		F	1247/446_LSW	1	4 362	4 466	4 668
		F	713/446_LSW	1	2 906	2 671	2 922
		K	DSWT/5_45/207	1	5 398	5 398	5 398
		S	DSI_45_W	5	14 298	14 298	14 298
		F	DSWI_45_W	5	8 977	8 977	8 977
		S	BOXCOVER_DSI_W	5	2 377	2 377	2 377
G_30/57_L		Celkem			3 003	2 635	3 182
		F	570/296_L	1	2 031	1 662	2 208
		K	G_30/57	1	972	972	972
G_30/72_L		Celkem			3 469	3 129	3 438
		F	713/296_L	1	2 292	1 952	2 262
		K	G_30/72	1	1 177	1 177	1 177
G_30/95_L		Celkem			4 174	3 888	4 360
		F	943/296_L	1	2 720	2 434	2 906
		K	G_30/95	1	1 452	1 452	1 452
G_40/72_L		Celkem			4 015	3 746	3 905
		F	713/396_L	1	2 698	2 428	2 585
		K	G_40/72	1	1 317	1 317	1 317
G_40/95_L		Celkem			4 882	4 668	4 980
		F	943/396_L	1	3 254	3 040	3 352
		K	G_40/95	1	1 628	1 628	1 628
G_45/57_L		Celkem			3 695	3 372	3 642
		F	570/446_L	1	2 551	2 228	2 498
		K	G_45/57	1	1 143	1 143	1 143
G_45/72_L		Celkem			4 382	4 148	4 398
		F	713/446_L	1	2 906	2 671	2 922
		K	G_45/72	1	1 474	1 474	1 474
G_45/72_LH		Celkem				5 874	7 434
		F	713/446_LH	1		4 400	5 957
		K	G_45/72	1		1 474	1 474
G_45/72_LV	DNE	Celkem			6 452		

		F	713/446_LV	1	4 977		
		K	G_45/72	1	1 474		
	GEM	Celkem				6 117	
		F	713/446_LV	1		4 642	
		K	G_45/72	1		1 474	
	ROS	Celkem					7 143
		F	713/446_LV	1			5 669
		K	G_45/72	1			1 474
G_45/95_L		Celkem			5 315	5 103	5 606
		F	943/446_L	1	3 552	3 340	3 843
		K	G_45/95	1	1 762	1 762	1 762
G_45/95_LH		Celkem				7 520	9 509
		F	943/446_LH	1		5 757	7 746
		K	G_45/95	1		1 762	1 762
G_45/95_LV	DNE	Celkem			7 418		
		F	943/446_LV	1	5 655		
		K	G_45/95	1	1 762		
	GEM	Celkem				6 978	
		F	943/446_LV	1		5 217	
		K	G_45/95	1		1 762	
	ROS	Celkem					8 143
		F	943/446_LV	1			6 380
		K	G_45/95	1			1 762
G_60/57_L		Celkem			4 497	4 280	4 495
		F	570/596_L	1	3 068	2 851	3 066
		K	G_60/57	1	1 428	1 428	1 428
G_60/57_L/P		Celkem			5 492	4 755	5 848
		F	570/296_L	1	2 031	1 662	2 208
		F	570/296_P	1	2 031	1 662	2 208
		K	G_60/57	1	1 428	1 428	1 428
G_60/72_L		Celkem			5 240	5 106	5 234
		F	713/596_L	1	3 518	3 383	3 512
		K	G_60/72	1	1 722	1 722	1 722
G_60/72_LH		Celkem				7 631	8 652
		F	713/596_LH	1		5 911	6 931
		K	G_60/72	1		1 722	1 722
G_60/72_LV	DNE	Celkem			7 385		
		F	713/596_LV	1	5 662		
		K	G_60/72	1	1 722		
	GEM	Celkem				6 862	
		F	713/596_LV	1		5 140	
		K	G_60/72	1		1 722	
	ROS	Celkem					8 775
		F	713/596_LV	1			7 052
		K	G_60/72	1			1 722
G_60/72_L/P		Celkem			6 309	5 625	6 246
		F	713/296_L	1	2 292	1 952	2 262
		F	713/296_P	1	2 292	1 952	2 262
		K	G_60/72	1	1 722	1 722	1 722
G_60/95_L		Celkem			6 492	6 420	6 822
		F	943/596_L	1	4 358	4 286	4 688
		K	G_60/95	1	2 132	2 132	2 132
G_60/95_LH		Celkem				9 940	12 469
		F	943/596_LH	1		7 808	10 335
		K	G_60/95	1		2 132	2 132
G_60/95_LV	DNE	Celkem			8 580		
		F	943/596_LV	1	6 448		
		K	G_60/95	1	2 132		
	GEM	Celkem				8 058	
		F	943/596_LV	1		5 926	
		K	G_60/95	1		2 132	
	ROS	Celkem					9 938
		F	943/596_LV	1			7 805
		K	G_60/95	1			2 132
G_60/95_L/P		Celkem			7 575	7 000	7 945
		F	943/296_L	1	2 720	2 434	2 906
		F	943/296_P	1	2 720	2 434	2 906
		K	G_60/95	1	2 132	2 132	2 132
G_80/72_L/P		Celkem			7 435	6 892	7 208
		F	713/396_L	1	2 698	2 428	2 585
		F	713/396_P	1	2 698	2 428	2 585
		K	G_80/72	1	2 035	2 035	2 035

G_80/95_L/P		Celkem		9 020	8 594	9 220
		F 943/396_L	1	3 254	3 040	3 352
		F 943/396_P	1	3 254	3 040	3 352
		K G_80/95	1	2 511	2 511	2 511
G_90/72_L/P		Celkem		8 011	7 542	8 040
		F 713/446_L	1	2 906	2 671	2 922
		F 713/446_P	1	2 906	2 671	2 922
		K G_90/72	1	2 197	2 197	2 197
G_90/95_L/P		Celkem		9 818	9 392	10 400
		F 943/446_L	1	3 552	3 340	3 843
		F 943/446_P	1	3 552	3 340	3 843
		K G_90/95	1	2 712	2 712	2 712
GB/5_90/72_L/P/B		Celkem		10 038	9 731	
		F 140/896_E	1	1 754	1 217	
		F 621/446_LGE	1	3 022		
		F 621/446_PGE	1	3 022		
		F 645/446_LGE	1		3 137	
		F 645/446_PGE	1		3 137	
		K GB/5_90/72	1	2 240	2 240	
GB/5_90/72_LH/PH/B		Celkem			12 526	
		F 140/896_E	1		1 217	
		F 645/446_LHE	1		4 534	
		F 645/446_PHE	1		4 534	
		K GB/5_90/72	1		2 240	
GB/5_90/72_LV/PV/B	DNE	Celkem		12 300		
		F 140/896_E	1	1 754		
		F 621/446_LVE	1	4 151		
		F 621/446_PVE	1	4 151		
		K GB/5_90/72	1	2 240		
	GEM	Celkem			14 257	
		F 140/896_E	1		1 217	
		F 645/446_LVE	1		5 398	
		F 645/446_PVE	1		5 398	
		K GB/5_90/72	1		2 240	
GBO/5_90/57_OH/B		Celkem			6 251	
		F 140/896_E	1		1 217	
		F 284/896-OH	1		2 906	
		K GBO/5_90/57	1		1 658	
		K ROZW_MAXI_A1	1		468	
GBO/5_90/57_OV/B	DNE	Celkem		7 688		
		F 140/896_E	1	1 754		
		F 284/896_VO	1	3 805		
		K GBO/5_90/57	1	1 658		
		K ROZW_MAXI_A1	1	468		
	GEM	Celkem			5 522	
		F 140/896_E	1		1 217	
		F 284/896_VO	1		2 175	
		K GBO/5_90/57	1		1 658	
		K ROZW_MAXI_A1	1		468	
GC_45/72_L		Celkem		3 891	3 657	3 908
		F 713/446_L	1	2 906	2 671	2 922
		K GC_45/72	1	985	985	985
GC_45/95_L		Celkem		4 871	4 657	5 160
		F 943/446_L	1	3 552	3 340	3 843
		K GC_45/95	1	1 317	1 317	1 317
GC_60/72_L		Celkem		4 686	4 551	4 682
		F 713/596_L	1	3 518	3 383	3 512
		K GC_60/72	1	1 166	1 166	1 166
GC_60/72_L/P		Celkem		5 754	5 071	5 692
		F 713/296_L	1	2 292	1 952	2 262
		F 713/296_P	1	2 292	1 952	2 262
		K GC_60/72	1	1 166	1 166	1 166
GC_60/95_L		Celkem		5 932	5 860	6 262
		F 943/596_L	1	4 358	4 286	4 688
		K GC_60/95	1	1 572	1 572	1 572
GC_60/95_L/P		Celkem		7 015	6 440	7 386
		F 943/296_L	1	2 720	2 434	2 906
		F 943/296_P	1	2 720	2 434	2 906
		K GC_60/95	1	1 572	1 572	1 572
GC_80/72_L/P		Celkem		6 651	6 109	6 426
		F 713/396_L	1	2 698	2 428	2 585
		F 713/396_P	1	2 698	2 428	2 585

		K	GC_80/72	1	1 252	1 252	1 252
GC_80/95_L/P		Celkem			8 240	7 815	8 438
		F	943/396_L	1	3 254	3 040	3 352
		F	943/396_P	1	3 254	3 040	3 352
		K	GC_80/95	1	1 732	1 732	1 732
GC_90/72_L/P		Celkem			7 135	6 668	7 166
		F	713/446_L	1	2 906	2 671	2 922
		F	713/446_P	1	2 906	2 671	2 922
		K	GC_90/72	1	1 323	1 323	1 323
GC_90/95_L/P		Celkem			9 034	8 608	9 614
		F	943/446_L	1	3 552	3 340	3 843
		F	943/446_P	1	3 552	3 340	3 843
		K	GC_90/95	1	1 929	1 929	1 929
GI_5/72_B		Celkem			2 225	1 202	1 274
		F	713/50_I	1	1 563	538	612
		K	GI_5/72	1	662	662	662
GI_5/95_B		Celkem			2 637	1 463	1 595
		F	943/50_I	1	1 800	628	760
		K	GI_5/95	1	835	835	835
GL_30/72/95_L		Celkem				4 422	
		F	943/296_LE	1		3 026	
		K	GL_30/72/95	1		1 394	
GNW_60/72_L/L		Celkem			7 214	6 505	7 252
		F	713/276-LN	1	4 188	3 477	4 225
		K	GNW_60/72	1	3 026	3 026	3 026
GNW_60/95_L/L		Celkem			8 734	8 383	9 223
		F	943/276-LN	1	4 988	4 635	5 474
		K	GNW_60/95	1	3 748	3 748	3 748
GNWU_60/72_L		Celkem			5 677	5 406	5 565
		F	713/396_L	1	2 698	2 428	2 585
		K	GNWU_60/72	1	2 978	2 978	2 978
GNWU_60/72_LH		Celkem				7 015	7 557
		F	713/396_LH	1		4 035	4 578
		K	GNWU_60/72	1		2 978	2 978
GNWU_60/72_LV	DNE	Celkem			7 814		
		F	713/396_LV	1	4 834		
		K	GNWU_60/72	1	2 978		
	GEM	Celkem				7 408	
		F	713/396_LV	1		4 429	
		K	GNWU_60/72	1		2 978	
	ROS	Celkem					8 058
		F	713/396_LV	1			5 082
		K	GNWU_60/72	1			2 978
GNWU_60/95_L		Celkem			7 006	6 794	7 106
		F	943/396_L	1	3 254	3 040	3 352
		K	GNWU_60/95	1	3 752	3 752	3 752
GNWU_60/95_LH		Celkem				9 035	9 678
		F	943/396_LH	1		5 282	5 926
		K	GNWU_60/95	1		3 752	3 752
GNWU_60/95_LV	DNE	Celkem			9 245		
		F	943/396_LV	1	5 491		
		K	GNWU_60/95	1	3 752		
	GEM	Celkem				8 663	
		F	943/396_LV	1		4 908	
		K	GNWU_60/95	1		3 752	
	ROS	Celkem					9 591
		F	943/396_LV	1			5 838
		K	GNWU_60/95	1			3 752
GNZRF_30/72_LRV	DNE	Celkem			13 097		
		F	713/300_LRV	1	11 980		
		K	GNZRF_30/72	1	1 115		
	GEM	Celkem				9 920	
		F	713/300_LRV	1		8 805	
		K	GNZRF_30/72	1		1 115	
	ROS	Celkem					10 428
		F	713/300_LRV	1			9 309
		K	GNZRF_30/72	1			1 115
GNZRF_30/95_LRV	DNE	Celkem			14 695		
		F	943/300_LRV	1	13 314		
		K	GNZRF_30/95	1	1 382		
	GEM	Celkem				11 066	
		F	943/300_LRV	1		9 685	

		K	GNZRF_30/95	1		1 382	
	ROS	Celkem					11 809
		F	943/300_LRV	1			10 428
		K	GNZRF_30/95	1			1 382
GO_45/36_O		Celkem			3 225	2 860	3 497
		F	355/446_O	1	1 977	1 614	2 249
		K	GO_45/36	1	778	778	778
		K	ROZW_MAXI_A1	1	468	468	468
GO_45/36_OH		Celkem				3 758	4 677
		F	355/446_OH	1		2 511	3 431
		K	GO_45/36	1		778	778
		K	ROZW_MAXI_A1	1		468	468
GO_45/36_OV	DNE	Celkem			4 188		
		F	355/446_VO	1	2 940		
		K	GO_45/36	1	778		
		K	ROZW_MAXI_A1	1	468		
	GEM	Celkem				4 877	
		F	355/446_VO	1		3 631	
		K	GO_45/36	1		778	
		K	ROZW_MAXI_A1	1		468	
	ROS	Celkem					4 766
		F	355/446_VO	1			3 518
		K	GO_45/36	1			778
		K	ROZW_MAXI_A1	1			468
GO_60/36_O		Celkem			3 655	3 369	3 962
		F	355/596_O	1	2 297	2 009	2 603
		K	GO_60/36	1	889	889	889
		K	ROZW_MAXI_A1	1	468	468	468
GO_60/36_OH		Celkem				4 345	5 232
		F	355/596_OH	1		2 985	3 874
		K	GO_60/36	1		889	889
		K	ROZW_MAXI_A1	1		468	468
GO_60/36_OV	DNE	Celkem			4 671		
		F	355/596_VO	1	3 311		
		K	GO_60/36	1	889		
		K	ROZW_MAXI_A1	1	468		
	GEM	Celkem				5 134	
		F	355/596_VO	1		3 774	
		K	GO_60/36	1		889	
		K	ROZW_MAXI_A1	1		468	
	ROS	Celkem					5 323
		F	355/596_VO	1			3 963
		K	GO_60/36	1			889
		K	ROZW_MAXI_A1	1			468
GOO_60/50_O		Celkem			4 383	4 506	
		F	500/596_O	1	2 811	2 932	
		K	GOO_60/50	1	1 103	1 103	
		K	ROZW_MAXI_A1	1	468	468	
		Celkem					4 977
		F	500/596_O	1			2 934
		K	GOO_60/50	1			1 103
		K	ROZW_MAXI_A1	2			935
GS_30/14_2S		Celkem			2 174	1 718	2 157
		F	140/146_S	2	1 277	818	1 260
		K	GS_30/14	1	897	897	897
GS_45/14_3S		Celkem			3 195	2 511	3 172
		F	140/146_S	3	1 914	1 229	1 891
		K	GS_45/14	1	1 282	1 282	1 282
TI_5/121_B		Celkem			3 185	1 723	1 846
		F	1198/50_I	1	2 258	795	920
		K	TI_5/121	1	926	926	926
TNZRF_30/121_LRV	DNE	Celkem			15 992		
		F	1198/300_LRV	1	14 349		
		K	TNZRF_30/121	1	1 642		
	GEM	Celkem				12 292	
		F	1198/300_LRV	1		10 649	
		K	TNZRF_30/121	1		1 642	
	ROS	Celkem					13 345
		F	1198/300_LRV	1			11 702
		K	TNZRF_30/121	1			1 642
TSM/5_45/121_S/LH		Celkem				9 768	10 729
		F	1055/446_LH	1		6 548	7 278

		F	140/446_SM	1		698	931
		K	TSMST/5_45/121	1		1 891	1 891
		S	SM_140/446/270	1		178	178
		S	SM_320M2700	1		449	449
TSM/5_45/121_S/LV	DNE	Celkem				9 645	
		F	1055/446_LV	1	6 134		
		F	140/446_SM	1	989		
		K	TSMST/5_45/121	1	1 891		
		S	SM_140/446/270	1	178		
		S	SM_320M2700	1	449		
	GEM	Celkem				8 868	
		F	1055/446_LV	1	5 649		
		F	140/446_SM	1	698		
		K	TSMST/5_45/121	1	1 891		
		S	SM_140/446/270	1	178		
		S	SM_320M2700	1	449		
	ROS	Celkem					10 638
		F	1055/446_LV	1			7 186
		F	140/446_SM	1			931
		K	TSMST/5_45/121	1			1 891
		S	SM_140/446/270	1			178
		S	SM_320M2700	1			449
TSM/5_60/121_S/LV	DNE	Celkem				10 714	
		F	1055/596_LV	1	6 668		
		F	140/596_SM	1	1 180		
		K	TSMST/5_60/121	1	2 166		
		S	SM_140/596/270	1	249		
		S	SM_320M2700	1	449		
	GEM	Celkem				10 177	
		F	1055/596_LV	1	6 438		
		F	140/596_SM	1	872		
		K	TSMST/5_60/121	1	2 166		
		S	SM_140/596/270	1	249		
		S	SM_320M2700	1	449		
	ROS	Celkem					12 714
		F	1055/596_LV	1			8 715
		F	140/596_SM	1			1 134
		K	TSMST/5_60/121	1			2 166
		S	SM_140/596/270	1			249
		S	SM_320M2700	1			449
TST/5_45/121_S/LH		Celkem				11 500	12 460
		F	1055/446_LH	1	6 548		7 277
		F	140/446_ST	1	698		931
		K	TSMST/5_45/121	1	1 891		1 891
		S	TST_45_N	1	2 360		2 360
TST/5_45/121_S/LV	DNE	Celkem				11 374	
		F	1055/446_LV	1	6 132		
		F	140/446_ST	1	989		
		K	TSMST/5_45/121	1	1 891		
		S	TST_45_N	1	2 360		
	GEM	Celkem				10 600	
		F	1055/446_LV	1	5 649		
		F	140/446_ST	1	698		
		K	TSMST/5_45/121	1	1 891		
		S	TST_45_N	1	2 360		
	ROS	Celkem					12 371
		F	1055/446_LV	1			7 186
		F	140/446_ST	1			931
		K	TSMST/5_45/121	1			1 891
		S	TST_45_N	1			2 360
TST/5_60/121_S/LV	DNE	Celkem				12 443	
		F	1055/596_LV	1	6 666		
		F	140/596_ST	1	1 180		
		K	TSMST/5_60/121	1	2 166		
		S	TST_60_N	1	2 429		
	GEM	Celkem				11 908	
		F	1055/596_LV	1	6 438		
		F	140/596_ST	1	872		
		K	TSMST/5_60/121	1	2 166		
		S	TST_60_N	1	2 429		
	ROS	Celkem					14 446
		F	1055/596_LV	1			8 715

		F	140/596_ST	1			1 134
		K	TSMST/5_60/121	1			2 166
		S	TST_60_N	1			2 429
TSI/5_45/121_S/LH		Celkem				11 500	12 460
		F	1055/446_LH	1		6 548	7 277
		F	140/446_ST	1		698	931
		K	TSMST/5_45/121	1		1 891	1 891
		S	TSI_45_N	1		2 360	2 360
TSI/5_45/121_S/LV	DNE	Celkem			11 374		
		F	1055/446_LV	1	6 132		
		F	140/446_ST	1	989		
		K	TSMST/5_45/121	1	1 891		
		S	TSI_45_N	1	2 360		
	GEM	Celkem				10 600	
		F	1055/446_LV	1	5 649		
		F	140/446_ST	1	698		
		K	TSMST/5_45/121	1	1 891		
		S	TSI_45_N	1	2 360		
	ROS	Celkem					12 371
		F	1055/446_LV	1			7 186
		F	140/446_ST	1			931
		K	TSMST/5_45/121	1			1 891
		S	TSI_45_N	1			2 360
TSI/5_60/121_S/LV	DNE	Celkem			12 443		
		F	1055/596_LV	1	6 666		
		F	140/596_ST	1	1 180		
		K	TSMST/5_60/121	1	2 166		
		S	TSI_60_N	1	2 429		
	GEM	Celkem				11 908	
		F	1055/596_LV	1	6 438		
		F	140/596_ST	1	872		
		K	TSMST/5_60/121	1	2 166		
		S	TSI_60_N	1	2 429		
	ROS	Celkem					14 446
		F	1055/596_LV	1			8 715
		F	140/596_ST	1			1 134
		K	TSMST/5_60/121	1			2 166
		S	TSI_60_N	1			2 429
DM_45/57		Celkem			2 551	2 228	2 498
		F	570/446_M	1	2 551	2 228	2 498
DM_45/71		Celkem			2 906	2 671	2 922
		F	713/446_M	1	2 906	2 671	2 922
DM_60/57		Celkem			3 068	2 851	3 066
		F	570/596_M	1	3 068	2 851	3 066
DM_60/71		Celkem			3 518	3 383	3 512
		F	713/596_M	1	3 518	3 383	3 512
maskovací díl vnitřní		Celkem			754	754	754
		F	713/40	1	754	754	754
KORONA_150/14		Celkem			2 572	1 975	2 786
		F	1500/140_K	1	2 572	1 975	2 786
dvířko atyp		Celkem				12 742	13 415
		F	NT	1		12 742	13 415
dvířko atyp U1		Celkem				15 094	20 131
		F	NT_U1	1		15 094	20 131
dvířko atyp U2		Celkem				15 094	20 131
		F	NT_U2	1		15 094	20 131
dvířko atyp U3		Celkem				12 742	
		F	NT-U3	1		12 742	

dvířko: Rubia, Frigg, Melos, Saga

				Rubia	Frigg	Melos	Saga
skříňka	sklo	rozpis	počet	bříza světlá	všechny barvy	bříza orange	olše orange
D_30/82_L		Celkem		3 531	3 543	3 643	3 531
		F	713/296_L	1 952	1 965	2 065	1 952
		K	D_30/82	1 578	1 578	1 578	1 578
D_40/82_L		Celkem		4 118	4 157	4 215	4 118
		F	713/396_L	2 428	2 466	2 525	2 428
		K	D_40/82	1 689	1 689	1 689	1 689
D_45/82_L		Celkem		4 452	4 495	4 535	4 452

	F	713/446_L	1	2 671	2 714	2 755	2 671
	K	D_45/82	1	1 778	1 778	1 778	1 778
D_45/207_L/L	Celkem			12 246	12 288	12 269	12 246
	F	1247/446_L	1	4 466	4 465	4 408	4 466
	F	713/446_L	1	2 671	2 714	2 755	2 671
	K	D_45/207	1	5 106	5 106	5 106	5 106
D_60/82_L	Celkem			5 475	5 557	5 540	5 475
	F	713/596_L	1	3 383	3 465	3 448	3 383
	K	D_60/82	1	2 091	2 091	2 091	2 091
D_60/82_L/P	Celkem			5 997	6 023	6 222	5 997
	F	713/296_L	1	1 952	1 965	2 065	1 952
	F	713/296_P	1	1 952	1 965	2 065	1 952
	K	D_60/82	1	2 091	2 091	2 091	2 091
D_80/82_L/P	Celkem			7 258	7 335	7 455	7 258
	F	713/396_L	1	2 428	2 466	2 525	2 428
	F	713/396_P	1	2 428	2 466	2 525	2 428
	K	D_80/82	1	2 403	2 403	2 403	2 403
D_90/82_L/P	Celkem			7 918	8 005	8 086	7 918
	F	713/446_L	1	2 671	2 714	2 755	2 671
	F	713/446_P	1	2 671	2 714	2 755	2 671
	K	D_90/82	1	2 574	2 574	2 574	2 574
D1SM/5_30/82_L/S	Celkem			4 432	4 540	4 560	4 432
	F	140/296_SM	1	565	680	597	565
	F	570/296_L	1	1 662	1 652	1 757	1 662
	K	D1SM/5_30/82	1	1 585	1 585	1 585	1 585
	S	SM_140/296/500	1	171	171	171	171
	S	SM_320M5000	1	449	449	449	449
D1SM/5_45/82_L/S	Celkem			5 432	5 655	5 617	5 432
	F	140/446_SM	1	698	889	754	698
	F	570/446_L	1	2 228	2 262	2 360	2 228
	K	D1SM/5_45/82	1	1 795	1 795	1 795	1 795
	S	SM_140/446/500	1	260	260	260	260
	S	SM_320M5000	1	449	449	449	449
D1SM/5_60/82_L/S	Celkem			6 626	6 888	6 743	6 626
	F	140/596_SM	1	872	1 098	923	872
	F	570/596_L	1	2 851	2 886	2 918	2 851
	K	D1SM/5_60/82	1	2 091	2 091	2 091	2 091
	S	SM_140/596/500	1	360	360	360	360
	S	SM_320M5000	1	449	449	449	449
D1SM/5_60/82_L/P/S	Celkem			7 100	7 308	7 345	7 100
	F	140/596_SM	1	872	1 098	923	872
	F	570/296_L	1	1 662	1 652	1 758	1 662
	F	570/296_P	1	1 662	1 652	1 758	1 662
	K	D1SM/5_60/82	1	2 091	2 091	2 091	2 091
	S	SM_140/596/500	1	362	362	362	362
	S	SM_320M5000	1	448	448	448	448
D1ST/5_30/82_L/S	Celkem			5 872	5 980	6 002	5 872
	F	140/296_ST	1	565	680	597	565
	F	570/296_L	1	1 662	1 652	1 758	1 662
	K	D1ST/5_30/82	1	1 585	1 585	1 585	1 585
	S	DST_30_N	1	2 060	2 060	2 060	2 060
D1ST/5_45/82_L/S	Celkem			6 868	7 091	7 052	6 868
	F	140/446_ST	1	698	889	754	698
	F	570/446_L	1	2 229	2 262	2 360	2 229
	K	D1ST/5_45/82	1	1 795	1 795	1 795	1 795
	S	DST_45_N	1	2 143	2 143	2 143	2 143
D1ST/5_60/82_L/S	Celkem			8 069	8 332	8 186	8 069
	F	140/596_ST	1	872	1 098	923	872
	F	570/596_L	1	2 851	2 886	2 917	2 851
	K	D1ST/5_60/82	1	2 091	2 091	2 091	2 091
	S	DST_60_N	1	2 252	2 252	2 252	2 252
D1ST/5_60/82_L/P/S	Celkem			8 543	8 751	8 786	8 543
	F	140/596_ST	1	872	1 098	923	872
	F	570/296_L	1	1 662	1 652	1 758	1 662
	F	570/296_P	1	1 662	1 652	1 758	1 662
	K	D1ST/5_60/82	1	2 091	2 091	2 091	2 091
	S	DST_60_N	1	2 252	2 252	2 252	2 252
D1SI/5_30/82_L/S	Celkem			5 872	5 980	6 002	5 872
	F	140/296_ST	1	565	680	597	565
	F	570/296_L	1	1 662	1 652	1 758	1 662
	K	D1ST/5_30/82	1	1 585	1 585	1 585	1 585
	S	DSI_30_N	1	2 060	2 060	2 060	2 060

D1SI/5_45/82_L/S	Celkem			6 868	7 091	7 052	6 868	
	F	140/446_ST	1	698	889	754	698	
	F	570/446_L	1	2 229	2 262	2 360	2 229	
	K	D1ST/5_45/82	1	1 795	1 795	1 795	1 795	
	S	DSI_45_N	1	2 143	2 143	2 143	2 143	
D1SI/5_60/82_L/S	Celkem			8 069	8 332	8 186	8 069	
	F	140/596_ST	1	872	1 098	923	872	
	F	570/596_L	1	2 851	2 886	2 917	2 851	
	K	D1ST/5_60/82	1	2 091	2 091	2 091	2 091	
	S	DSI_60_N	1	2 252	2 252	2 252	2 252	
D1SI/5_60/82_L/P/S	Celkem			8 543	8 751	8 786	8 543	
	F	140/596_ST	1	872	1 098	923	872	
	F	570/296_L	1	1 662	1 652	1 758	1 662	
	F	570/296_P	1	1 662	1 652	1 758	1 662	
	K	D1ST/5_60/82	1	2 091	2 091	2 091	2 091	
	S	DSI_60_N	1	2 252	2 252	2 252	2 252	
DB/5_90/82_L/P/B	Celkem			10 117	9 389	9 908	9 542	
	F	140/896_E	1	1 217	1 540	1 285	1 217	
	F	645/446_LDE	1	3 137	2 612	2 997	2 849	
	F	645/446_PDE	1	3 137	2 612	2 997	2 849	
	K	DB/5_90/82	1	2 625	2 625	2 625	2 625	
DBK/5_90/82_L/P/B	Celkem			9 569	8 843	9 362	8 995	
	F	140/896_E	1	1 217	1 540	1 285	1 217	
	F	620/446_LDE	1	3 137	2 612	2 997	2 849	
	F	620/446_PDE	1	3 137	2 612	2 997	2 849	
	K	DBK/5_90/82	1	2 078	2 078	2 078	2 078	
DBSM/5_90/82_SV/B	CRS	Celkem			7 491	8 511	7 623	7 475
		F	140/896_E	1	1 217	1 540	1 285	1 217
		F	284/896_SMV	1	2 542	3 238	2 603	2 525
		K	DBSMST/5_90/82	1	2 449	2 449	2 449	2 449
		S	SMR_284/896/500	1	674	674	674	674
		S	SMR_320M5000	1	606	606	606	606
	DI	Celkem				9 695	8 806	
		F	140/896_E	1		1 540	1 285	
		F	284/896_SMV	1		4 423	3 789	
		K	DBSMST/5_90/82	1		2 449	2 449	
		S	SMR_284/896/500	1		674	674	
		S	SMR_320M5000	1		606	606	
	ELI	Celkem				9 882	8 989	
		F	140/896_E	1		1 540	1 285	
		F	284/896_SMV	1		4 609	3 969	
		K	DBSMST/5_90/82	1		2 449	2 449	
		S	SMR_284/896/500	1		674	674	
		S	SMR_320M5000	1		606	606	
	GEM	Celkem			7 640			
		F	140/896_E	1	1 217			
		F	284/896_SMV	1	2 691			
		K	DBSMST/5_90/82	1	2 449			
		S	SMR_284/896/500	1	674			
		S	SMR_320M5000	1	606			
	GRP	Celkem						9 378
F		140/896_E	1				1 217	
F		284/896_SMV	1				4 429	
K		DBSMST/5_90/82	1				2 449	
S		SMR_284/896/500	1				674	
S		SMR_320M5000	1				606	
DBST/5_90/82_SV/B	CRS	Celkem			9 731	10 752	9 862	9 715
		F	140/896_E	1	1 217	1 540	1 286	1 217
		F	284/896_STV	1	2 542	3 240	2 603	2 525
		K	DBSMST/5_90/82	1	2 449	2 449	2 449	2 449
		S	DST_90_W	1	3 522	3 522	3 522	3 522
	DI	Celkem				11 934	11 046	
		F	140/896_E	1		1 540	1 286	
		F	284/896_STV	1		4 423	3 788	
		K	DBSMST/5_90/82	1		2 449	2 449	
		S	DST_90_W	1		3 522	3 522	
	ELI	Celkem				12 120	11 229	
		F	140/896_E	1		1 540	1 286	
		F	284/896_STV	1		4 606	3 969	
		K	DBSMST/5_90/82	1		2 449	2 449	
		S	DST_90_W	1		3 522	3 522	
GEM	Celkem			9 882				

		F	140/896_E	1	1 217				
		F	284/896_STV	1	2 691				
		K	DBSMST/5_90/82	1	2 449				
		S	DST_90_W	1	3 522				
	GRP	Celkem							11 620
		F	140/896_E	1					1 217
		F	284/896_STV	1					4 429
		K	DBSMST/5_90/82	1					2 449
		S	DST_90_W	1					3 522
DBSI/5_90/82_SV/B	CRS	Celkem			10 066	11 086	10 195	10 049	
		F	140/896_E	1	1 217	1 540	1 286	1 217	
		F	284/896_SIV	1	2 542	3 240	2 603	2 525	
		K	DBSMST/5_90/82	1	2 449	2 449	2 449	2 449	
		S	DSI_90_W	1	3 380	3 380	3 380	3 380	
		S	BOXCOVER_DSI_W	1	475	475	475	475	
	DI	Celkem				12 268	11 380		
		F	140/896_E	1		1 540	1 286		
		F	284/896_SIV	1		4 423	3 788		
		K	DBSMST/5_90/82	1		2 449	2 449		
		S	DSI_90_W	1		3 380	3 380		
		S	BOXCOVER_DSI_W	1		475	475		
	ELI	Celkem				12 454	11 563		
		F	140/896_E	1		1 540	1 286		
		F	284/896_SIV	1		4 606	3 969		
		K	DBSMST/5_90/82	1		2 449	2 449		
		S	DSI_90_W	1		3 380	3 380		
		S	BOXCOVER_DSI_W	1		475	475		
	GEM	Celkem			10 215				
		F	140/896_E	1	1 217				
		F	284/896_SIV	1	2 691				
		K	DBSMST/5_90/82	1	2 449				
		S	DSI_90_W	1	3 380				
		S	BOXCOVER_DSI_W	1	475				
	GRP	Celkem							11 954
		F	140/896_E	1					1 217
		F	284/896_SIV	1					4 429
		K	DBSMST/5_90/82	1					2 449
		S	DSI_90_W	1					3 380
		S	BOXCOVER_DSI_W	1					475
DC_30/207_C/C		Celkem			8 297	9 662	8 145	8 297	
		F	1247/296_CC	1	3 308	4 268	3 065	3 308	
		F	713/296_CC	1	1 562	1 965	1 652	1 562	
		K	DC_30/207	1	3 426	3 426	3 426	3 426	
DC_30/82_C		Celkem			2 918	3 322	3 011	2 918	
		F	713/296_C	1	1 562	1 965	1 652	1 562	
		K	DC_30/82	1	1 355	1 355	1 355	1 355	
DCX_15/82_C		Celkem			2 198	2 485	2 248	2 198	
		F	713/146_CX	1	1 037	1 322	1 085	1 037	
		K	DCX_15/82	1	1 163	1 163	1 163	1 163	
DI_5/82_B		Celkem			1 655	1 808	1 829	1 655	
		F	713/50_I	1	538	694	715	538	
		K	DI_5/82	1	1 114	1 114	1 114	1 114	
DK_45/82_L		Celkem			4 223	4 266	4 308	4 223	
		F	713/446_L	1	2 671	2 714	2 755	2 671	
		K	DK_45/82	1	1 552	1 552	1 552	1 552	
DK_60/82_L		Celkem			5 137	5 217	5 202	5 137	
		F	713/596_L	1	3 383	3 465	3 448	3 383	
		K	DK_60/82	1	1 752	1 752	1 752	1 752	
DK_60/82_L/P		Celkem			5 655	5 683	5 883	5 655	
		F	713/296_L	1	1 952	1 965	2 065	1 952	
		F	713/296_P	1	1 952	1 965	2 065	1 952	
		K	DK_60/82	1	1 752	1 752	1 752	1 752	
DK_80/82_L/P		Celkem			6 766	6 846	6 963	6 766	
		F	713/396_L	1	2 428	2 466	2 525	2 428	
		F	713/396_P	1	2 428	2 466	2 525	2 428	
		K	DK_80/82	1	1 911	1 911	1 911	1 911	
DK_90/82_L/P		Celkem			7 380	7 466	7 546	7 380	
		F	713/446_L	1	2 671	2 714	2 755	2 671	
		F	713/446_P	1	2 671	2 714	2 755	2 671	
		K	DK_90/82	1	2 035	2 035	2 035	2 035	
DKK/5_45/82_M		Celkem			4 180	4 223	4 265	4 180	
		F	713/446_M	1	2 671	2 714	2 755	2 671	

	K DKSM/5_45/82	1	1 509	1 509	1 509	1 509
DKK/5_45/82_M/B	Celkem		4 435	4 662	4 622	4 435
	F 140/446_B	1	698	889	754	698
	F 570/446_SM	1	2 228	2 262	2 360	2 228
	K DKSM/5_45/82	1	1 509	1 509	1 509	1 509
DKK/5_60/82_M	Celkem		5 009	5 088	5 072	5 009
	F 713/596_M	1	3 383	3 465	3 448	3 383
	K DKSM/5_60/82	1	1 625	1 625	1 625	1 625
DKK/5_60/82_M/B	Celkem		5 348	5 609	5 465	5 348
	F 140/596_B	1	872	1 098	923	872
	F 570/596_SM	1	2 851	2 886	2 918	2 851
	K DKSM/5_60/82	1	1 625	1 625	1 625	1 625
DKSM/5_45/82_S/B	Celkem		5 366	5 589	5 551	5 366
	F 140/446_B	1	698	889	754	698
	F 570/446_SM	1	2 228	2 262	2 360	2 228
	K DKSM/5_45/82	1	1 509	1 509	1 509	1 509
	S SMR_284/446/500	1	322	322	322	322
	S SMR_320M5000	1	606	606	606	606
DKSM/5_60/82_S/B	Celkem		6 389	6 651	6 506	6 389
	F 140/596_B	1	872	1 098	923	872
	F 570/596_SM	1	2 851	2 886	2 918	2 851
	K DKSM/5_60/82	1	1 625	1 625	1 625	1 625
	S SMR_284/596/500	1	434	434	434	434
	S SMR_320M5000	1	606	606	606	606
DKSM/5_90/82_S/B	Celkem		8 269	8 846	8 486	8 269
	F 140/896_B	1	1 195	1 540	1 258	1 195
	F 570/896_SM	1	3 889	4 122	4 043	3 889
	K DKSM/5_90/82	1	1 900	1 900	1 900	1 900
	S SMR_284/896/500	1	674	674	674	674
	S SMR_320M5000	1	606	606	606	606
DKST/5_45/82_S/B	Celkem		7 391	7 614	7 577	7 391
	F 140/446_B	1	698	889	754	698
	F 570/446_ST	1	2 229	2 262	2 360	2 229
	K DKST_45/82	1	1 509	1 509	1 509	1 509
	S DST_45_W	1	2 952	2 952	2 952	2 952
DKST/5_60/82_S/B	Celkem		8 374	8 637	8 491	8 374
	F 140/596_B	1	872	1 098	923	872
	F 570/596_ST	1	2 851	2 886	2 917	2 851
	K DKST_60/82	1	1 625	1 625	1 625	1 625
	S DST_60_W	1	3 026	3 026	3 026	3 026
DKST/5_90/82_S/B	Celkem		10 509	11 085	10 728	10 509
	F 140/896_B	1	1 195	1 540	1 258	1 195
	F 570/896_ST	1	3 889	4 122	4 043	3 889
	K DKST_90/82	1	1 900	1 900	1 900	1 900
	S DST_90_W	1	3 522	3 522	3 522	3 522
DKSI/5_45/82_S/B	Celkem		7 772	7 997	7 958	7 772
	F 140/446_B	1	698	889	754	698
	F 570/446_SI	1	2 229	2 262	2 360	2 229
	K DKST_45/82	1	1 509	1 509	1 509	1 509
	S DSI_45_W	1	2 858	2 858	2 858	2 858
	S BOXCOVER_DSI_W	1	475	475	475	475
DKSI/5_60/82_S/B	Celkem		8 766	9 031	8 883	8 766
	F 140/596_B	1	872	1 098	923	872
	F 570/596_SI	1	2 851	2 886	2 917	2 851
	K DKST_60/82	1	1 625	1 625	1 625	1 625
	S DSI_60_W	1	2 945	2 945	2 945	2 945
	S BOXCOVER_DSI_W	1	475	475	475	475
DKSI/5_90/82_S/B	Celkem		10 845	11 418	11 062	10 845
	F 140/896_B	1	1 195	1 540	1 258	1 195
	F 570/896_SI	1	3 889	4 122	4 043	3 889
	K DKST_90/82	1	1 900	1 900	1 900	1 900
	S DSI_90_W	1	3 380	3 380	3 380	3 380
	S BOXCOVER_DSI_W	1	475	475	475	475
DL_60/207_L/L	Celkem		13 637	13 808	13 658	13 637
	F 1247/596_L	1	5 582	5 672	5 538	5 582
	F 713/596_L	1	3 383	3 465	3 448	3 383
	K DL_60/207	1	4 671	4 671	4 671	4 671
DLO_60/230_L/L/O	Celkem		15 772	15 986	15 957	15 772
	F 1081/596_L	1	4 926	4 997	4 903	4 926
	F 393/596_O	1	2 080	2 143	2 223	2 080
	F 713/596_L	1	3 383	3 465	3 448	3 383
	K DLO_60/230	1	4 912	4 912	4 912	4 912

	K	ROZW_MAXI_A1	1	468	468	468	468
DL/NT160_60/207_L/L	Celkem			13 911	14 080	13 932	13 911
	F	1247/596_L	1	5 582	5 672	5 538	5 582
	F	713/596_LNT	1	3 383	3 465	3 448	3 383
	K	DL/NT160_60/207	1	4 945	4 945	4 945	4 945
DL/NT180_60/207_L/L	Celkem			13 911	14 080	13 932	13 911
	F	1247/596_LNT	1	5 582	5 672	5 538	5 582
	F	713/596_LNT	1	3 383	3 465	3 448	3 383
	K	DL/NT180_60/207	1	4 945	4 945	4 945	4 945
DNW_90/82_L/L	Celkem			7 980	8 003	8 148	7 980
	F	713/317-LN	1	3 862	3 885	4 028	3 862
	K	DNW_90/82	1	4 118	4 118	4 118	4 118
DNW_105/82_L	Celkem			5 732	5 775	5 817	5 732
	F	713/446_L	1	2 671	2 714	2 755	2 671
	K	DNW_105/82	1	3 060	3 060	3 060	3 060
DNW_120/82_L	Celkem			6 672	6 754	6 737	6 672
	F	713/596_L	1	3 383	3 465	3 448	3 383
	K	DNW_120/82	1	3 288	3 288	3 288	3 288
DNWU_90/82_L	Celkem			6 692	6 746	6 798	6 692
	F	713/456_L	1	2 706	2 760	2 811	2 706
	K	DNWU_90/82	1	3 988	3 988	3 988	3 988
DNWUST/5_90/82_2S/S	Celkem			19 809	20 197	20 403	19 809
	F	140/446_ST	1	698	889	754	698
	F	284/446_ST	2	2 415	2 614	2 955	2 415
	K	DNWUST/5_90/82	1	2 049	2 049	2 049	2 049
	S	DST_45_NU	1	4 498	4 498	4 498	4 498
	S	DST_45_WU	2	10 145	10 145	10 145	10 145
DNWUST/5_90/82_S/3S	Celkem			23 926	24 598	24 358	23 926
	F	140/446_ST	3	2 098	2 671	2 262	2 098
	F	284/446_ST	1	1 208	1 306	1 477	1 208
	K	DNWUST/5_90/82	1	2 049	2 049	2 049	2 049
	S	DST_45_NU	3	13 495	13 495	13 495	13 495
	S	DST_45_WU	1	5 071	5 071	5 071	5 071
DNWUSI/5_90/82_2S/S	Celkem			20 760	21 149	21 354	20 760
	F	140/446_ST	1	698	889	754	698
	F	284/446_SI	2	2 415	2 614	2 955	2 415
	K	DNWUST/5_90/82	1	2 049	2 049	2 049	2 049
	S	DSI_45_N650	1	4 498	4 498	4 498	4 498
	S	DSI_45_W650U	2	10 145	10 145	10 145	10 145
	S	BOXCOVER_DSI_W	2	951	951	951	951
DNWUSI/5_90/82_S/3S	Celkem			24 402	25 074	24 835	24 402
	F	140/446_ST	3	2 098	2 671	2 262	2 098
	F	284/446_SI	1	1 208	1 306	1 477	1 208
	K	DNWUST/5_90/82	1	2 049	2 049	2 049	2 049
	S	DSI_45_N650	3	13 495	13 495	13 495	13 495
	S	DSI_45_W650U	1	5 071	5 071	5 071	5 071
	S	BOXCOVER_DSI_W	1	475	475	475	475
DNZRF_30/82_L/LR	Celkem			10 046	13 558	10 294	10 046
	F	713/260_L	1	1 789	1 789	1 837	1 789
	F	713/300_LR	1	6 071	9 582	6 271	6 071
	K	DNZRF_30/82	1	2 185	2 185	2 185	2 185
DNZUF_30/82_L/L	Celkem					3 962	
	F	713/296_LZ	1			2 065	
	K	DNZUF_30/82	1			1 897	
DP_60/82_K	Celkem			2 722	2 902	2 782	2 722
	F	110/596_K	1	735	914	794	735
	K	DP_60/82	1	1 986	1 986	1 986	1 986
DPP37O_60/207_L/O	Celkem			10 126	10 223	10 335	10 126
	F	393/596_O	1	2 080	2 143	2 223	2 080
	F	570/596_L	1	2 851	2 886	2 918	2 851
	K	DPP37_45O_60/207	1	4 725	4 725	4 725	4 725
	K	ROZW_MAXI_A1	1	468	468	468	468
DPSM_60/82_S	Celkem			3 665	3 845	3 725	3 665
	F	110/596_SM	1	735	914	794	735
	K	DPSX_60/82	1	1 891	1 891	1 891	1 891
	S	SM_110/596/500	1	363	363	363	363
	S	SM_320N5000	1	674	674	674	674
DPST_60/82_S	Celkem			5 218	5 398	5 278	5 218
	F	110/596_ST	1	735	914	794	735
	K	DPS_60/82	1	1 891	1 891	1 891	1 891
	S	DPST_60_P	1	2 592	2 592	2 592	2 592
DPSI_60/82_S	Celkem			5 218	5 398	5 278	5 218

	F	110/596_ST	1	735	914	794	735
	K	DPS_60/82	1	1 891	1 891	1 891	1 891
	S	DPSI_60_P	1	2 592	2 592	2 592	2 592
DP_60/207_L/L	Celkem			11 743	11 900	11 900	11 743
	F	643/596_L	1	3 106	3 182	3 195	3 106
	F	713/596_L	1	3 383	3 465	3 448	3 383
	K	DP_60/207	1	5 252	5 252	5 252	5 252
DSM/5_15/82_2S/S	Celkem			4 652	4 926	4 706	4 652
	F	140/146_SM	1	409	468	418	409
	F	284/146_SM	2	1 155	1 369	1 197	1 155
	K	DSM/5_15/82	1	1 168	1 168	1 168	1 168
	S	SM_140/146/500	1	75	75	75	75
	S	SM_320M5000	1	449	449	449	449
	S	SMR_284/146/500	2	178	178	178	178
	S	SMR_320M5000	2	1 214	1 214	1 214	1 214
DSM/5_30/82_2S/S	Celkem			5 965	6 206	6 502	5 965
	F	140/296_SM	1	565	680	597	565
	F	284/296_SM	2	1 778	1 903	2 283	1 778
	K	DSM/5_30/82	1	1 372	1 372	1 372	1 372
	S	SM_140/296/500	1	171	171	171	171
	S	SM_320M5000	1	449	449	449	449
	S	SMR_284/296/500	2	412	412	412	412
	S	SMR_320M5000	2	1 214	1 214	1 214	1 214
DSM/5_30/82_S/3S	Celkem			6 629	7 045	6 982	6 629
	F	140/296_SM	3	1 691	2 043	1 792	1 691
	F	284/296_SM	1	889	952	1 142	889
	K	DSM/5_30/82	1	1 372	1 372	1 372	1 372
	S	SM_140/296/500	3	514	514	514	514
	S	SM_320M5000	3	1 346	1 346	1 346	1 346
	S	SMR_284/296/500	1	206	206	206	206
	S	SMR_320M5000	1	606	606	606	606
DSM/5_30/82_S/S	Celkem			5 837	5 943	5 965	5 837
	F	140/296_SM	1	565	680	597	565
	F	570/296_SM	1	1 662	1 652	1 757	1 662
	K	DSM/5_30/82	1	1 372	1 372	1 372	1 372
	S	SM_140/296/500	1	171	171	171	171
	S	SM_320M5000	2	897	897	897	897
	S	SMR_284/296/500	1	206	206	206	206
	S	SMR_320M5000	1	606	606	606	606
	S	SMW_86/296/500	1	354	354	354	354
DSM/5_45/82_2S/S	Celkem			7 185	7 575	7 777	7 185
	F	140/446_SM	1	698	889	754	698
	F	284/446_SM	2	2 415	2 615	2 954	2 415
	K	DSM/5_45/82	1	1 502	1 502	1 502	1 502
	S	SM_140/446/500	1	260	260	260	260
	S	SM_320M5000	1	449	449	449	449
	S	SMR_284/446/500	2	643	643	643	643
	S	SMR_320M5000	2	1 214	1 214	1 214	1 214
DSM/5_45/82_S/3S	Celkem			7 862	8 537	8 295	7 862
	F	140/446_SM	3	2 097	2 669	2 260	2 097
	F	284/446_SM	1	1 208	1 306	1 477	1 208
	K	DSM/5_45/82	1	1 502	1 502	1 502	1 502
	S	SM_140/446/500	3	778	778	778	778
	S	SM_320M5000	3	1 346	1 346	1 346	1 346
	S	SMR_284/446/500	1	322	322	322	322
	S	SMR_320M5000	1	606	606	606	606
DSM/5_60/82_2S/S	Celkem			8 402	8 908	9 135	8 402
	F	140/596_SM	1	872	1 098	923	872
	F	284/596_SM	2	3 025	3 306	3 708	3 025
	K	DSM/5_60/82	1	1 608	1 608	1 608	1 608
	S	SM_140/596/500	1	360	360	360	360
	S	SM_320M5000	1	449	449	449	449
	S	SMR_284/596/500	2	871	871	871	871
	S	SMR_320M5000	2	1 214	1 214	1 214	1 214
DSM/5_60/82_S/3S	Celkem			9 211	10 031	9 705	9 211
	F	140/596_SM	3	2 617	3 297	2 769	2 617
	F	284/596_SM	1	1 512	1 652	1 854	1 512
	K	DSM/5_60/82	1	1 608	1 608	1 608	1 608
	S	SM_140/596/500	3	1 083	1 083	1 083	1 083
	S	SM_320M5000	3	1 346	1 346	1 346	1 346
	S	SMR_284/596/500	1	434	434	434	434
	S	SMR_320M5000	1	606	606	606	606

DSM/5_90/82_2S/S	Celkem			10 983	11 752	11 722	10 983	
	F	140/896_SM	1	1 195	1 540	1 258	1 195	
	F	284/896_SM	2	4 283	4 708	4 957	4 283	
	K	DSM/5_90/82	1	1 932	1 932	1 932	1 932	
	S	SM_140/896/500	1	557	557	557	557	
	S	SM_320M5000	1	449	449	449	449	
	S	SMR_284/896/500	2	1 351	1 351	1 351	1 351	
	S	SMR_320M5000	2	1 214	1 214	1 214	1 214	
DSM/5_90/82_2SV/S	Celkem			11 785	13 525	11 972	11 752	
	F	140/896_SM	1	1 195	1 540	1 258	1 195	
	F	284/896_SMV	2	5 083	6 480	5 208	5 051	
	K	DSM/5_90/82	1	1 932	1 932	1 932	1 932	
	S	SM_140/896/500	1	557	557	557	557	
	S	SM_320M5000	1	449	449	449	449	
	S	SMR_284/896/500	2	1 351	1 351	1 351	1 351	
	S	SMR_320M5000	2	1 214	1 214	1 214	1 214	
	DI	Celkem				15 891	14 340	
	F	140/896_SM	1		1 540	1 258		
	F	284/896_SMV	2		8 846	7 577		
	K	DSM/5_90/82	1		1 932	1 932		
	S	SM_140/896/500	1		557	557		
	S	SM_320M5000	1		449	449		
	S	SMR_284/896/500	2		1 351	1 351		
	S	SMR_320M5000	2		1 214	1 214		
	ELI	Celkem				16 262	14 705	
	F	140/896_SM	1		1 540	1 258		
	F	284/896_SMV	2		9 215	7 940		
	K	DSM/5_90/82	1		1 932	1 932		
	S	SM_140/896/500	1		557	557		
	S	SM_320M5000	1		449	449		
	S	SMR_284/896/500	2		1 351	1 351		
	S	SMR_320M5000	2		1 214	1 214		
	GEM	Celkem			12 083			
	F	140/896_SM	1		1 195			
	F	284/896_SMV	2		5 382			
	K	DSM/5_90/82	1		1 932			
	S	SM_140/896/500	1		557			
	S	SM_320M5000	1		449			
	S	SMR_284/896/500	2		1 351			
	S	SMR_320M5000	2		1 214			
GRP	Celkem						15 558	
F	140/896_SM	1					1 195	
F	284/896_SMV	2					8 857	
K	DSM/5_90/82	1					1 932	
S	SM_140/896/500	1					557	
S	SM_320M5000	1					449	
S	SMR_284/896/500	2					1 351	
S	SMR_320M5000	2					1 214	
DSM/5_90/82_S/3S	Celkem			11 966	13 209	12 492	11 966	
	F	140/896_SM	3	3 589	4 620	3 777	3 589	
	F	284/896_SM	1	2 142	2 354	2 478	2 142	
	K	DSM/5_90/82	1	1 932	1 932	1 932	1 932	
	S	SM_140/896/500	3	1 674	1 674	1 674	1 674	
	S	SM_320M5000	3	1 346	1 346	1 346	1 346	
	S	SMR_284/896/500	1	674	674	674	674	
	S	SMR_320M5000	1	606	606	606	606	
DSM/5_90/82_SV/3S	Celkem			12 366	14 097	12 617	12 352	
	F	140/896_SM	3	3 589	4 620	3 777	3 589	
	F	284/896_SMV	1	2 542	3 238	2 603	2 525	
	K	DSM/5_90/82	1	1 932	1 932	1 932	1 932	
	S	SM_140/896/500	3	1 674	1 674	1 674	1 674	
	S	SM_320M5000	3	1 346	1 346	1 346	1 346	
	S	SMR_284/896/500	1	674	674	674	674	
	S	SMR_320M5000	1	606	606	606	606	
	DI	Celkem				15 278	13 802	
	F	140/896_SM	3		4 620	3 777		
	F	284/896_SMV	1		4 423	3 789		
	K	DSM/5_90/82	1		1 932	1 932		
	S	SM_140/896/500	3		1 674	1 674		
	S	SM_320M5000	3		1 346	1 346		
	S	SMR_284/896/500	1		674	674		
	S	SMR_320M5000	1		606	606		

ELI	Celkem			15 465	13 983		
	F	140/896_SM	3		4 620	3 777	
	F	284/896_SMV	1		4 609	3 969	
	K	DSM/5_90/82	1		1 932	1 932	
	S	SM_140/896/500	3		1 674	1 674	
	S	SM_320M5000	3		1 346	1 346	
	S	SMR_284/896/500	1		674	674	
	S	SMR_320M5000	1		606	606	
GEM	Celkem			12 518			
	F	140/896_SM	3	3 589			
	F	284/896_SMV	1	2 691			
	K	DSM/5_90/82	1	1 932			
	S	SM_140/896/500	3	1 674			
	S	SM_320M5000	3	1 346			
	S	SMR_284/896/500	1	674			
	S	SMR_320M5000	1	606			
GRP	Celkem						14 255
	F	140/896_SM	3				3 589
	F	284/896_SMV	1				4 429
	K	DSM/5_90/82	1				1 932
	S	SM_140/896/500	3				1 674
	S	SM_320M5000	3				1 346
	S	SMR_284/896/500	1				674
	S	SMR_320M5000	1				606
DST/5_30/82_2S/S	Celkem			11 434	11 674	11 968	11 434
	F	140/296_ST	1	565	680	597	565
	F	284/296_ST	2	1 780	1 906	2 283	1 780
	K	DST/5_30/82	1	1 372	1 372	1 372	1 372
	S	DST_30_N	1	2 060	2 060	2 060	2 060
	S	DST_30_W	2	5 654	5 654	5 654	5 654
DST/5_30/82_S/3S	Celkem			12 966	13 378	13 315	12 966
	F	140/296_ST	3	1 695	2 043	1 791	1 695
	F	284/296_ST	1	889	952	1 142	889
	K	DST/5_30/82	1	1 372	1 372	1 372	1 372
	S	DST_30_N	3	6 182	6 182	6 182	6 182
	S	DST_30_W	1	2 828	2 828	2 828	2 828
DST/5_30/82_S/S	Celkem			11 248	11 354	11 375	11 248
	F	140/296_ST	1	565	680	597	565
	F	570/296_ST	1	1 662	1 652	1 758	1 662
	K	DST/5_30/82	1	1 372	1 372	1 372	1 372
	S	DST_30_N	2	4 122	4 122	4 122	4 122
	S	DST_30_W	1	2 828	2 828	2 828	2 828
	S	DSWT_30_N	1	698	698	698	698
DST/5_45/82_2S/S	Celkem			12 668	13 057	13 262	12 668
	F	140/446_ST	1	698	889	754	698
	F	284/446_ST	2	2 415	2 614	2 955	2 415
	K	DST/5_45/82	1	1 502	1 502	1 502	1 502
	S	DST_45_N	1	2 143	2 143	2 143	2 143
	S	DST_45_W	2	5 906	5 906	5 906	5 906
DST/5_45/82_S/3S	Celkem			14 192	14 865	14 625	14 192
	F	140/446_ST	3	2 098	2 671	2 262	2 098
	F	284/446_ST	1	1 208	1 306	1 477	1 208
	K	DST/5_45/82	1	1 502	1 502	1 502	1 502
	S	DST_45_N	3	6 429	6 429	6 429	6 429
	S	DST_45_W	1	2 952	2 952	2 952	2 952
DST/5_45/82_S/S	Celkem			13 445	13 668	13 629	13 445
	F	140/446_ST	1	698	889	754	698
	F	570/446_ST	1	2 229	2 262	2 360	2 229
	K	DST/5_45/82	1	1 502	1 502	1 502	1 502
	S	DST_45_N	1	2 143	2 143	2 143	2 143
	S	DST_45_W	2	5 906	5 906	5 906	5 906
	S	DSWT_45_W	1	962	962	962	962
DST/5_60/82_2S/S	Celkem			13 812	14 322	14 546	13 812
	F	140/596_ST	1	872	1 098	923	872
	F	284/596_ST	2	3 023	3 305	3 706	3 023
	K	DST/5_60/82	1	1 608	1 608	1 608	1 608
	S	DST_60_N	1	2 252	2 252	2 252	2 252
	S	DST_60_W	2	6 054	6 054	6 054	6 054
DST/5_60/82_S/3S	Celkem			15 526	16 349	16 018	15 526
	F	140/596_ST	3	2 617	3 298	2 768	2 617
	F	284/596_ST	1	1 512	1 652	1 852	1 512
	K	DST/5_60/82	1	1 608	1 608	1 608	1 608

		S	DST_60_N	3	6 760	6 760	6 760	6 760
		S	DST_60_W	1	3 026	3 026	3 026	3 026
DST/5_60/82_S/S		Celkem			14 711	14 974	14 828	14 711
		F	140/596_ST	1	872	1 098	923	872
		F	570/596_ST	1	2 851	2 886	2 917	2 851
		K	DST/5_60/82	1	1 608	1 608	1 608	1 608
		S	DST_60_N	1	2 252	2 252	2 252	2 252
		S	DST_60_W	2	6 054	6 054	6 054	6 054
		S	DSWT_60_W	1	1 071	1 071	1 071	1 071
DST/5_90/82_2S/S		Celkem			17 038	17 809	17 778	17 038
		F	140/896_ST	1	1 195	1 540	1 258	1 195
		F	284/896_ST	2	4 283	4 708	4 957	4 283
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DST_90_N	1	2 583	2 583	2 583	2 583
		S	DST_90_W	2	7 043	7 043	7 043	7 043
DST/5_90/82_2SV/S	CRS	Celkem			17 838	19 582	18 026	17 808
		F	140/896_ST	1	1 195	1 540	1 258	1 195
		F	284/896_STV	2	5 083	6 482	5 206	5 049
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DST_90_N	1	2 583	2 583	2 583	2 583
		S	DST_90_W	2	7 043	7 043	7 043	7 043
	DI	Celkem				21 948	20 395	
		F	140/896_ST	1		1 540	1 258	
		F	284/896_STV	2		8 846	7 575	
		K	DST/5_90/82	1		1 932	1 932	
		S	DST_90_N	1		2 583	2 583	
		S	DST_90_W	2		7 043	7 043	
	ELI	Celkem				22 315	20 760	
		F	140/896_ST	1		1 540	1 258	
		F	284/896_STV	2		9 215	7 942	
		K	DST/5_90/82	1		1 932	1 932	
		S	DST_90_N	1		2 583	2 583	
		S	DST_90_W	2		7 043	7 043	
	GEM	Celkem			18 142			
		F	140/896_ST	1	1 195			
		F	284/896_STV	2	5 383			
		K	DST/5_90/82	1	1 932			
		S	DST_90_N	1	2 583			
		S	DST_90_W	2	7 043			
	GRP	Celkem						21 615
		F	140/896_ST	1				1 195
		F	284/896_STV	2				8 857
		K	DST/5_90/82	1				1 932
		S	DST_90_N	1				2 583
		S	DST_90_W	2				7 043
DST/5_90/82_S/3S		Celkem			18 937	20 182	19 462	18 937
		F	140/896_ST	3	3 588	4 620	3 775	3 588
		F	284/896_ST	1	2 142	2 354	2 478	2 142
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DST_90_N	3	7 751	7 751	7 751	7 751
		S	DST_90_W	1	3 522	3 522	3 522	3 522
DST/5_90/82_SV/3S	CRS	Celkem			19 337	21 068	19 585	19 320
		F	140/896_ST	3	3 588	4 620	3 775	3 588
		F	284/896_STV	1	2 542	3 240	2 603	2 525
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DST_90_N	3	7 751	7 751	7 751	7 751
		S	DST_90_W	1	3 522	3 522	3 522	3 522
	DI	Celkem				22 251	20 771	
		F	140/896_ST	3		4 620	3 775	
		F	284/896_STV	1		4 423	3 788	
		K	DST/5_90/82	1		1 932	1 932	
		S	DST_90_N	3		7 751	7 751	
		S	DST_90_W	1		3 522	3 522	
	ELI	Celkem				22 435	20 954	
		F	140/896_ST	3		4 620	3 775	
		F	284/896_STV	1		4 606	3 969	
		K	DST/5_90/82	1		1 932	1 932	
		S	DST_90_N	3		7 751	7 751	
		S	DST_90_W	1		3 522	3 522	
	GEM	Celkem			19 488			
		F	140/896_ST	3	3 588			
		F	284/896_STV	1	2 691			

	K	DST/5_90/82	1	1 932			
	S	DST_90_N	3	7 751			
	S	DST_90_W	1	3 522			
GRP	Celkem						21 225
	F	140/896_ST	3				3 588
	F	284/896_STV	1				4 429
	K	DST/5_90/82	1				1 932
	S	DST_90_N	3				7 751
	S	DST_90_W	1				3 522
DSI/5_30/82_2S/S	Celkem			12 266	12 508	12 802	12 266
	F	140/296_ST	1	565	680	597	565
	F	284/296_SI	2	1 780	1 906	2 283	1 780
	K	DST/5_30/82	1	1 372	1 372	1 372	1 372
	S	DSI_30_N	1	2 060	2 060	2 060	2 060
	S	DSI_30_W	2	5 537	5 537	5 537	5 537
	S	BOXCOVER_DSI_W	2	951	951	951	951
DSI/5_30/82_S/3S	Celkem			13 385	13 795	13 731	13 385
	F	140/296_ST	3	1 695	2 043	1 791	1 695
	F	284/296_SI	1	889	952	1 142	889
	K	DST/5_30/82	1	1 372	1 372	1 372	1 372
	S	DSI_30_N	3	6 182	6 182	6 182	6 182
	S	DSI_30_W	1	2 768	2 768	2 768	2 768
	S	BOXCOVER_DSI_W	1	475	475	475	475
DSI/5_30/82_S/S	Celkem			12 114	12 220	12 242	12 114
	F	140/296_ST	1	565	680	597	565
	F	570/296_SI	1	1 662	1 652	1 758	1 662
	K	DST/5_30/82	1	1 372	1 372	1 372	1 372
	S	DSI_30_N	2	4 122	4 122	4 122	4 122
	S	DSI_30_W	1	2 768	2 768	2 768	2 768
	S	DSWI_30_N	1	1 148	1 148	1 148	1 148
	S	BOXCOVER_DSI_W	1	475	475	475	475
DSI/5_45/82_2S/S	Celkem			13 432	13 820	14 026	13 432
	F	140/446_ST	1	698	889	754	698
	F	284/446_SI	2	2 415	2 614	2 955	2 415
	K	DST/5_45/82	1	1 502	1 502	1 502	1 502
	S	DSI_45_N	1	2 143	2 143	2 143	2 143
	S	DSI_45_W	2	5 718	5 718	5 718	5 718
	S	BOXCOVER_DSI_W	2	951	951	951	951
DSI/5_45/82_S/3S	Celkem			14 574	15 246	15 008	14 574
	F	140/446_ST	3	2 098	2 671	2 262	2 098
	F	284/446_SI	1	1 208	1 306	1 477	1 208
	K	DST/5_45/82	1	1 502	1 502	1 502	1 502
	S	DSI_45_N	3	6 429	6 429	6 429	6 429
	S	DSI_45_W	1	2 858	2 858	2 858	2 858
	S	BOXCOVER_DSI_W	1	475	475	475	475
DSI/5_45/82_S/S	Celkem			15 040	15 265	15 226	15 040
	F	140/446_ST	1	698	889	754	698
	F	570/446_SI	1	2 229	2 262	2 360	2 229
	K	DST/5_45/82	1	1 502	1 502	1 502	1 502
	S	DSI_45_N	1	2 143	2 143	2 143	2 143
	S	DSI_45_W	2	5 718	5 718	5 718	5 718
	S	DSWI_45_W	1	1 795	1 795	1 795	1 795
	S	BOXCOVER_DSI_W	2	951	951	951	951
DSI/5_60/82_2S/S	Celkem			14 597	15 106	15 331	14 597
	F	140/596_ST	1	872	1 098	923	872
	F	284/596_SI	2	3 023	3 305	3 706	3 023
	K	DST/5_60/82	1	1 608	1 608	1 608	1 608
	S	DSI_60_N	1	2 252	2 252	2 252	2 252
	S	DSI_60_W	2	5 888	5 888	5 888	5 888
	S	BOXCOVER_DSI_W	2	951	951	951	951
DSI/5_60/82_S/3S	Celkem			15 918	16 740	16 411	15 918
	F	140/596_ST	3	2 617	3 298	2 768	2 617
	F	284/596_SI	1	1 512	1 652	1 852	1 512
	K	DST/5_60/82	1	1 608	1 608	1 608	1 608
	S	DSI_60_N	3	6 760	6 760	6 760	6 760
	S	DSI_60_W	1	2 945	2 945	2 945	2 945
	S	BOXCOVER_DSI_W	1	475	475	475	475
DSI/5_60/82_S/S	Celkem			16 340	16 605	16 457	16 340
	F	140/596_ST	1	872	1 098	923	872
	F	570/596_SI	1	2 851	2 886	2 917	2 851
	K	DST/5_60/82	1	1 608	1 608	1 608	1 608
	S	DSI_60_N	1	2 252	2 252	2 252	2 252

		S	DSI_60_W	2	5 888	5 888	5 888	5 888
		F	DSWI_60_W	1	1 915	1 915	1 915	1 915
		S	BOXCOVER_DSI_W	2	951	951	951	951
DSI/5_90/82_2S/S		Celkem			17 706	18 477	18 446	17 706
		F	140/896_ST	1	1 195	1 540	1 258	1 195
		F	284/896_SI	2	4 283	4 708	4 957	4 283
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DSI_90_N	1	2 583	2 583	2 583	2 583
		S	DSI_90_W	2	6 762	6 762	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951	951	951
DSI/5_90/82_2SV/S	CRS	Celkem			18 508	20 251	18 694	18 475
		F	140/896_ST	1	1 195	1 540	1 258	1 195
		F	284/896_SIV	2	5 083	6 482	5 206	5 049
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DSI_90_N	1	2 583	2 583	2 583	2 583
		S	DSI_90_W	2	6 762	6 762	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951	951	951
	DI	Celkem				22 615	21 063	
		F	140/896_ST	1		1 540	1 258	
		F	284/896_SIV	2		8 846	7 575	
		K	DST/5_90/82	1		1 932	1 932	
		S	DSI_90_N	1		2 583	2 583	
		S	DSI_90_W	2		6 762	6 762	
		S	BOXCOVER_DSI_W	2		951	951	
	ELI	Celkem				22 986	21 429	
		F	140/896_ST	1		1 540	1 258	
		F	284/896_SIV	2		9 215	7 942	
		K	DST/5_90/82	1		1 932	1 932	
		S	DSI_90_N	1		2 583	2 583	
		S	DSI_90_W	2		6 762	6 762	
		S	BOXCOVER_DSI_W	2		951	951	
	GEM	Celkem			18 809			
		F	140/896_ST	1	1 195			
		F	284/896_SIV	2	5 383			
		K	DST/5_90/82	1	1 932			
		S	DSI_90_N	1	2 583			
		S	DSI_90_W	2	6 762			
		S	BOXCOVER_DSI_W	2	951			
	GRP	Celkem						22 283
		F	140/896_ST	1				1 195
		F	284/896_SIV	2				8 857
		K	DST/5_90/82	1				1 932
		S	DSI_90_N	1				2 583
		S	DSI_90_W	2				6 762
		S	BOXCOVER_DSI_W	2				951
DSI/5_90/82_S/3S		Celkem			19 271	20 515	19 795	19 271
		F	140/896_ST	3	3 588	4 620	3 775	3 588
		F	284/896_SI	1	2 142	2 354	2 478	2 142
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DSI_90_N	3	7 751	7 751	7 751	7 751
		S	DSI_90_W	1	3 380	3 380	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475	475	475
DSI/5_90/82_SV/3S	CRS	Celkem			19 671	21 403	19 920	19 654
		F	140/896_ST	3	3 588	4 620	3 775	3 588
		F	284/896_SIV	1	2 542	3 240	2 603	2 525
		K	DST/5_90/82	1	1 932	1 932	1 932	1 932
		S	DSI_90_N	3	7 751	7 751	7 751	7 751
		S	DSI_90_W	1	3 380	3 380	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475	475	475
	DI	Celkem				22 585	21 105	
		F	140/896_ST	3		4 620	3 775	
		F	284/896_SIV	1		4 423	3 788	
		K	DST/5_90/82	1		1 932	1 932	
		S	DSI_90_N	3		7 751	7 751	
		S	DSI_90_W	1		3 380	3 380	
		S	BOXCOVER_DSI_W	1		475	475	
	ELI	Celkem				22 769	21 288	
		F	140/896_ST	3		4 620	3 775	
		F	284/896_SIV	1		4 606	3 969	
		K	DST/5_90/82	1		1 932	1 932	
		S	DSI_90_N	3		7 751	7 751	
		S	DSI_90_W	1		3 380	3 380	

	S	BOXCOVER_DSI_W	1		475	475	
GEM	Celkem			19 822			
	F	140/896_ST	3	3 588			
	F	284/896_SIV	1	2 691			
	K	DST/5_90/82	1	1 932			
	S	DSI_90_N	3	7 751			
	S	DSI_90_W	1	3 380			
	S	BOXCOVER_DSI_W	1	475			
GRP	Celkem						21 558
	F	140/896_ST	3				3 588
	F	284/896_SIV	1				4 429
	K	DST/5_90/82	1				1 932
	S	DSI_90_N	3				7 751
	S	DSI_90_W	1				3 380
	S	BOXCOVER_DSI_W	1				475
DSWT/5_45/207_L/L	Celkem			31 480	31 520	31 503	31 480
	F	1247/446_LSW	1	4 466	4 465	4 406	4 466
	F	713/446_LSW	1	2 671	2 714	2 755	2 671
	K	DSWT/5_45/207	1	5 398	5 398	5 398	5 398
	S	DST_45_S	1	2 537	2 537	2 537	2 537
	S	DST_45_W	4	11 812	11 812	11 812	11 812
	S	DSWT_45_S	1	737	737	737	737
	S	DSWT_45_W	4	3 851	3 851	3 851	3 851
DSWI/5_45/207_L/L	Celkem			38 192	38 232	38 217	38 192
	F	1247/446_LSW	1	4 466	4 465	4 406	4 466
	F	713/446_LSW	1	2 671	2 714	2 755	2 671
	K	DSWT/5_45/207	1	5 398	5 398	5 398	5 398
	S	DSI_45_W	5	14 298	14 298	14 298	14 298
	S	DSWI_45_W	5	8 977	8 977	8 977	8 977
	S	BOXCOVER_DSI_W	5	2 377	2 377	2 377	2 377
G_30/57_L	Celkem			2 635	2 625	2 731	2 635
	F	570/296_L	1	1 662	1 652	1 757	1 662
	K	G_30/57	1	972	972	972	972
G_30/72_L	Celkem			3 129	3 142	3 242	3 129
	F	713/296_L	1	1 952	1 965	2 065	1 952
	K	G_30/72	1	1 177	1 177	1 177	1 177
G_30/95_L	Celkem			3 888	3 937	4 014	3 888
	F	943/296_L	1	2 434	2 482	2 560	2 434
	K	G_30/95	1	1 452	1 452	1 452	1 452
G_40/72_L	Celkem			3 746	3 783	3 843	3 746
	F	713/396_L	1	2 428	2 466	2 525	2 428
	K	G_40/72	1	1 317	1 317	1 317	1 317
G_40/95_L	Celkem			4 668	4 746	4 798	4 668
	F	943/396_L	1	3 040	3 118	3 169	3 040
	K	G_40/95	1	1 628	1 628	1 628	1 628
G_45/57_L	Celkem			3 372	3 405	3 505	3 372
	F	570/446_L	1	2 228	2 262	2 360	2 228
	K	G_45/57	1	1 143	1 143	1 143	1 143
G_45/72_L	Celkem			4 148	4 191	4 231	4 148
	F	713/446_L	1	2 671	2 714	2 755	2 671
	K	G_45/72	1	1 474	1 474	1 474	1 474
G_45/72_LV	CRS	Celkem		4 271	3 998	4 194	4 271
		F	713/446_LV	1	2 794	2 522	2 718
		K	G_45/72	1	1 474	1 474	1 474
	DI	Celkem			6 435	5 623	
		F	713/446_LV	1	4 958	4 148	
		K	G_45/72	1	1 474	1 474	
	ELI	Celkem			6 431	5 618	
		F	713/446_LV	1	4 955	4 143	
		K	G_45/72	1	1 474	1 474	
	GEM	Celkem		6 117			
		F	713/446_LV	1	4 642		
		K	G_45/72	1	1 474		
	GRP	Celkem					7 278
		F	713/446_LV	1			5 802
		K	G_45/72	1			1 474
G_45/95_L	Celkem			5 103	5 195	5 223	5 103
	F	943/446_L	1	3 340	3 434	3 460	3 340
	K	G_45/95	1	1 762	1 762	1 762	1 762
G_45/95_LV	CRS	Celkem		5 145	4 882	5 148	5 145
		F	943/446_LV	1	3 382	3 118	3 382
		K	G_45/95	1	1 762	1 762	1 762

	DI	Celkem			7 472	6 458	
		F 943/446_LV	1		5 711	4 695	
		K G_45/95	1		1 762	1 762	
	ELI	Celkem			7 654	6 640	
		F 943/446_LV	1		5 891	4 877	
		K G_45/95	1		1 762	1 762	
	GEM	Celkem		6 978			
		F 943/446_LV	1	5 217			
		K G_45/95	1	1 762			
	GRP	Celkem					8 205
		F 943/446_LV	1				6 442
		K G_45/95	1				1 762
G_60/57_L		Celkem		4 280	4 315	4 346	4 280
		F 570/596_L	1	2 851	2 886	2 918	2 851
		K G_60/57	1	1 428	1 428	1 428	1 428
G_60/57_L/P		Celkem		4 755	4 735	4 946	4 755
		F 570/296_L	1	1 662	1 652	1 757	1 662
		F 570/296_P	1	1 662	1 652	1 757	1 662
		K G_60/57	1	1 428	1 428	1 428	1 428
G_60/72_L		Celkem		5 106	5 186	5 169	5 106
		F 713/596_L	1	3 383	3 465	3 448	3 383
		K G_60/72	1	1 722	1 722	1 722	1 722
G_60/72_LV	CRS	Celkem		5 229	4 786	5 052	5 229
		F 713/596_LV	1	3 508	3 065	3 331	3 508
		K G_60/72	1	1 722	1 722	1 722	1 722
	DI	Celkem			7 411	6 417	
		F 713/596_LV	1		5 689	4 695	
		K G_60/72	1		1 722	1 722	
	ELI	Celkem			7 591	6 598	
		F 713/596_LV	1		5 869	4 877	
		K G_60/72	1		1 722	1 722	
	GEM	Celkem		6 862			
		F 713/596_LV	1	5 140			
		K G_60/72	1	1 722			
	GRP	Celkem					8 703
		F 713/596_LV	1				6 982
		K G_60/72	1				1 722
G_60/72_L/P		Celkem		5 625	5 652	5 851	5 625
		F 713/296_L	1	1 952	1 965	2 065	1 952
		F 713/296_P	1	1 952	1 965	2 065	1 952
		K G_60/72	1	1 722	1 722	1 722	1 722
G_60/95_L		Celkem		6 420	6 534	6 458	6 420
		F 943/596_L	1	4 286	4 402	4 325	4 286
		K G_60/95	1	2 132	2 132	2 132	2 132
G_60/95_LV	CRS	Celkem		6 389	5 900	6 255	6 389
		F 943/596_LV	1	4 257	3 768	4 122	4 257
		K G_60/95	1	2 132	2 132	2 132	2 132
	DI	Celkem			9 035	7 775	
		F 943/596_LV	1		6 902	5 642	
		K G_60/95	1		2 132	2 132	
	ELI	Celkem			9 215	7 958	
		F 943/596_LV	1		7 083	5 823	
		K G_60/95	1		2 132	2 132	
	GEM	Celkem		8 058			
		F 943/596_LV	1	5 926			
		K G_60/95	1	2 132			
	GRP	Celkem					10 125
		F 943/596_LV	1				7 991
		K G_60/95	1				2 132
G_60/95_L/P		Celkem		7 000	7 098	7 255	7 000
		F 943/296_L	1	2 434	2 482	2 560	2 434
		F 943/296_P	1	2 434	2 482	2 560	2 434
		K G_60/95	1	2 132	2 132	2 132	2 132
G_80/72_L/P		Celkem		6 892	6 969	7 088	6 892
		F 713/396_L	1	2 428	2 466	2 525	2 428
		F 713/396_P	1	2 428	2 466	2 525	2 428
		K G_80/72	1	2 035	2 035	2 035	2 035
G_80/95_L/P		Celkem		8 594	8 751	8 852	8 594
		F 943/396_L	1	3 040	3 118	3 169	3 040
		F 943/396_P	1	3 040	3 118	3 169	3 040
		K G_80/95	1	2 511	2 511	2 511	2 511
G_90/72_L/P		Celkem		7 542	7 628	7 709	7 542

		F	713/446_L	1	2 671	2 714	2 755	2 671
		F	713/446_P	1	2 671	2 714	2 755	2 671
		K	G_90/72	1	2 197	2 197	2 197	2 197
G_90/95_L/P		Celkem			9 392	9 580	9 634	9 392
		F	943/446_L	1	3 340	3 434	3 460	3 340
		F	943/446_P	1	3 340	3 434	3 460	3 340
		K	G_90/95	1	2 712	2 712	2 712	2 712
GB/5_90/72_L/P/B		Celkem			9 731	9 003	9 525	9 158
		F	140/896_E	1	1 217	1 540	1 285	1 217
		F	645/446_LGE	1	3 137	2 612	2 997	2 849
		F	645/446_PGE	1	3 137	2 612	2 997	2 849
		K	GB/5_90/72	1	2 240	2 240	2 240	2 240
GB/5_90/72_LV/PV/B	CRS	Celkem			10 645	8 648	9 157	8 575
		F	140/896_E	1	1 217	1 540	1 285	1 217
		F	645/446_LVE	1	3 592	2 434	2 814	2 558
		F	645/446_PVE	1	3 592	2 434	2 814	2 558
		K	GB/5_90/72	1	2 240	2 240	2 240	2 240
	DI	Celkem				12 946	11 105	
		F	140/896_E	1		1 540	1 285	
		F	645/446_LVE	1		4 582	3 789	
		F	645/446_PVE	1		4 582	3 789	
		K	GB/5_90/72	1		2 240	2 240	
	ELI	Celkem				13 462	11 615	
		F	140/896_E	1		1 540	1 285	
		F	645/446_LVE	1		4 840	4 043	
		F	645/446_PVE	1		4 840	4 043	
		K	GB/5_90/72	1		2 240	2 240	
	GEM	Celkem			14 257			
		F	140/896_E	1	1 217			
		F	645/446_LVE	1	5 398			
		F	645/446_PVE	1	5 398			
		K	GB/5_90/72	1	2 240			
	GRP	Celkem						14 529
		F	140/896_E	1				1 217
		F	645/446_LVE	1				5 535
		F	645/446_PVE	1				5 535
		K	GB/5_90/72	1				2 240
GBO/5_90/57_OV/B	CRS	Celkem			5 886	6 908		5 871
		F	140/896_E	1	1 217	1 540		1 217
		F	284/896_VO	1	2 542	3 238		2 525
		K	GBO/5_90/57	1	1 658	1 658		1 658
		K	ROZW_MAXI_A1	1	468	468		468
	CRS	Celkem					6 485	
		F	140/896_E	1			1 285	
		F	284/896_VO	1			2 603	
		K	GBO/5_90/57	1			1 658	
		K	ROZW_MAXI_A1	2			935	
	DI	Celkem				8 091		
		F	140/896_E	1		1 540		
		F	284/896_VO	1		4 423		
		K	GBO/5_90/57	1		1 658		
		K	ROZW_MAXI_A1	1		468		
	DI	Celkem					7 671	
		F	140/896_E	1			1 285	
		F	284/896_VO	1			3 789	
		K	GBO/5_90/57	1			1 658	
		K	ROZW_MAXI_A1	2			935	
	ELI	Celkem				8 275		
		F	140/896_E	1		1 540		
		F	284/896_VO	1		4 609		
		K	GBO/5_90/57	1		1 658		
		K	ROZW_MAXI_A1	1		468		
	ELI	Celkem					7 851	
		F	140/896_E	1			1 285	
		F	284/896_VO	1			3 969	
		K	GBO/5_90/57	1			1 658	
		K	ROZW_MAXI_A1	2			935	
	GEM	Celkem			6 037			
		F	140/896_E	1	1 217			
		F	284/896_VO	1	2 691			
		K	GBO/5_90/57	1	1 658			
		K	ROZW_MAXI_A1	1	468			

	GRP	Celkem					7 774
	F	140/896_E	1				1 217
	F	284/896_VO	1				4 429
	K	GBO/5_90/57	1				1 658
	K	ROZW_MAXI_A1	1				468
GC_45/72_L		Celkem		3 657	3 700	3 742	3 657
	F	713/446_L	1	2 671	2 714	2 755	2 671
	K	GC_45/72	1	985	985	985	985
GC_45/95_L		Celkem		4 657	4 751	4 778	4 657
	F	943/446_L	1	3 340	3 434	3 460	3 340
	K	GC_45/95	1	1 317	1 317	1 317	1 317
GC_60/72_L		Celkem		4 551	4 631	4 615	4 551
	F	713/596_L	1	3 383	3 465	3 448	3 383
	K	GC_60/72	1	1 166	1 166	1 166	1 166
GC_60/72_L/P		Celkem		5 071	5 097	5 297	5 071
	F	713/296_L	1	1 952	1 965	2 065	1 952
	F	713/296_P	1	1 952	1 965	2 065	1 952
	K	GC_60/72	1	1 166	1 166	1 166	1 166
GC_60/95_L		Celkem		5 860	5 975	5 897	5 860
	F	943/596_L	1	4 286	4 402	4 325	4 286
	K	GC_60/95	1	1 572	1 572	1 572	1 572
GC_60/95_L/P		Celkem		6 440	6 538	6 694	6 440
	F	943/296_L	1	2 434	2 482	2 560	2 434
	F	943/296_P	1	2 434	2 482	2 560	2 434
	K	GC_60/95	1	1 572	1 572	1 572	1 572
GC_80/72_L/P		Celkem		6 109	6 188	6 305	6 109
	F	713/396_L	1	2 428	2 466	2 525	2 428
	F	713/396_P	1	2 428	2 466	2 525	2 428
	K	GC_80/72	1	1 252	1 252	1 252	1 252
GC_80/95_L/P		Celkem		7 815	7 972	8 072	7 815
	F	943/396_L	1	3 040	3 118	3 169	3 040
	F	943/396_P	1	3 040	3 118	3 169	3 040
	K	GC_80/95	1	1 732	1 732	1 732	1 732
GC_90/72_L/P		Celkem		6 668	6 754	6 835	6 668
	F	713/446_L	1	2 671	2 714	2 755	2 671
	F	713/446_P	1	2 671	2 714	2 755	2 671
	K	GC_90/72	1	1 323	1 323	1 323	1 323
GC_90/95_L/P		Celkem		8 608	8 795	8 849	8 608
	F	943/446_L	1	3 340	3 434	3 460	3 340
	F	943/446_P	1	3 340	3 434	3 460	3 340
	K	GC_90/95	1	1 929	1 929	1 929	1 929
GI_5/72_B		Celkem		1 202	1 355	1 377	1 202
	F	713/50_I	1	538	694	715	538
	K	GI_5/72	1	662	662	662	662
GI_5/95_B		Celkem		1 463	1 746	1 725	1 463
	F	943/50_I	1	628	911	889	628
	K	GI_5/95	1	835	835	835	835
GL_30/72/95_L		Celkem		4 422	4 037	4 568	4 422
	F	943/296_LE	1	3 026	2 645	3 172	3 026
	K	GL_30/72/95	1	1 394	1 394	1 394	1 394
GNW_60/72_L/L		Celkem		6 505	7 734	6 589	6 505
	F	713/276_276-LN	1	3 477	4 708	3 562	3 477
	K	GNW_60/72	1	3 026	3 026	3 026	3 026
GNWU_60/72_L		Celkem		5 406	5 445	5 505	5 406
	F	713/396_L	1	2 428	2 466	2 525	2 428
	K	GNWU_60/72	1	2 978	2 978	2 978	2 978
GNWU_60/72_LV	CRS	Celkem		5 529	5 318	5 494	5 529
	F	713/396_LV	1	2 551	2 340	2 514	2 551
	K	GNWU_60/72	1	2 978	2 978	2 978	2 978
	DI	Celkem			7 538	6 788	
	F	713/396_LV	1		4 558	3 811	
	K	GNWU_60/72	1		2 978	2 978	
	ELI	Celkem			7 718	6 969	
	F	713/396_LV	1		4 738	3 991	
	K	GNWU_60/72	1		2 978	2 978	
	GEM	Celkem		7 408			
	F	713/396_LV	1	4 429			
	K	GNWU_60/72	1	2 978			
	GRP	Celkem					8 289
	F	713/396_LV	1				5 311
	K	GNWU_60/72	1				2 978
GNWU_60/95_L		Celkem		6 794	6 872	6 923	6 794

		F	943/396_L	1	3 040	3 118	3 169	3 040
		K	GNWU_60/95	1	3 752	3 752	3 752	3 752
GNWU_60/95_LV	CRS	Celkem			6 848	6 649	6 888	6 848
		F	943/396_LV	1	3 092	2 897	3 134	3 092
		K	GNWU_60/95	1	3 752	3 752	3 752	3 752
	DI	Celkem				9 151	8 203	
		F	943/396_LV	1		5 397	4 451	
		K	GNWU_60/95	1		3 752	3 752	
	ELI	Celkem				9 328	8 385	
		F	943/396_LV	1		5 575	4 631	
		K	GNWU_60/95	1		3 752	3 752	
	GEM	Celkem			8 663			
		F	943/396_LV	1	4 908			
		K	GNWU_60/95	1	3 752			
	GRP	Celkem						9 757
		F	943/396_LV	1				6 005
		K	GNWU_60/95	1				3 752
GNZRF_30/72_LRV	DI	Celkem				10 949	9 351	
		F	713/300_LRV	1		9 834	8 235	
		K	GNZRF_30/72	1		1 115	1 115	
	ELI	Celkem				11 135	9 537	
		F	713/300_LRV	1		10 020	8 422	
		K	GNZRF_30/72	1		1 115	1 115	
	GEM	Celkem			9 468			
		F	713/300_LRV	1	8 352			
		K	GNZRF_30/72	1	1 115			
	GRP	Celkem						10 349
		F	713/300_LRV	1				9 232
		K	GNZRF_30/72	1				1 115
GNZRF_30/95_LRV	DI	Celkem				12 766	10 971	
		F	943/300_LRV	1		11 386	9 589	
		K	GNZRF_30/95	1		1 382	1 382	
	ELI	Celkem				12 952	11 157	
		F	943/300_LRV	1		11 571	9 774	
		K	GNZRF_30/95	1		1 382	1 382	
	GEM	Celkem			11 395			
		F	943/300_LRV	1	10 012			
		K	GNZRF_30/95	1	1 382			
	GRP	Celkem						11 615
		F	943/300_LRV	1				10 234
		K	GNZRF_30/95	1				1 382
GNZUF_30/72_LV		Celkem					4 588	
		F	713/430_LV	1			3 138	
		K	GNZUF_30/72	1			1 448	
GNZUF_30/95_LV		Celkem					5 223	
		F	943/430_LV	1			3 511	
		K	GNZUF_30/95	1			1 711	
GO_45/36_O		Celkem			2 860	2 838	2 966	2 860
		F	355/446_O	1	1 614	1 592	1 720	1 614
		K	GO_45/36	1	778	778	778	778
		K	ROZW_MAXI_A1	1	468	468	468	468
GO_45/36_OV	CRS	Celkem			3 109	2 842	2 972	3 109
		F	355/446_VO	1	1 862	1 594	1 725	1 862
		K	GO_45/36	1	778	778	778	778
		K	ROZW_MAXI_A1	1	468	468	468	468
	DI	Celkem				4 522	4 075	
		F	355/446_VO	1		3 275	2 828	
		K	GO_45/36	1		778	778	
		K	ROZW_MAXI_A1	1		468	468	
	ELI	Celkem				4 522	4 075	
		F	355/446_VO	1		3 275	2 828	
		K	GO_45/36	1		778	778	
		K	ROZW_MAXI_A1	1		468	468	
	GEM	Celkem			4 877			
		F	355/446_VO	1	3 631			
		K	GO_45/36	1	778			
		K	ROZW_MAXI_A1	1	468			
	GRP	Celkem						4 492
		F	355/446_VO	1				3 243
		K	GO_45/36	1				778
		K	ROZW_MAXI_A1	1				468
GO_50/36_O		Celkem			3 026	3 022	3 149	3 026

		F	355/496_O	1	1 738	1 732	1 862	1 738
		K	GO_50/36	1	818	818	818	818
		K	ROZW_MAXI_A1	1	468	468	468	468
GO_60/36_O		Celkem			3 369	3 372	3 498	3 369
		F	355/596_O	1	2 009	2 014	2 142	2 009
		K	GO_60/36	1	889	889	889	889
		K	ROZW_MAXI_A1	1	468	468	468	468
GO_60/36_OV	CRS	Celkem			3 714	3 326	3 494	3 714
		F	355/596_VO	1	2 355	1 966	2 134	2 355
		K	GO_60/36	1	889	889	889	889
		K	ROZW_MAXI_A1	1	468	468	468	468
	DI	Celkem				5 155	4 591	
		F	355/596_VO	1		3 795	3 232	
		K	GO_60/36	1		889	889	
		K	ROZW_MAXI_A1	1		468	468	
	ELI	Celkem				5 334	4 771	
		F	355/596_VO	1		3 975	3 414	
		K	GO_60/36	1		889	889	
		K	ROZW_MAXI_A1	1		468	468	
	GEM	Celkem			5 134			
		F	355/596_VO	1	3 774			
		K	GO_60/36	1	889			
		K	ROZW_MAXI_A1	1	468			
	GRP	Celkem						5 086
		F	355/596_VO	1				3 728
		K	GO_60/36	1				889
		K	ROZW_MAXI_A1	1				468
GOO_60/50_O		Celkem			4 506	4 165	4 214	4 506
		F	500/596_O	1	2 932	2 592	2 640	2 932
		K	GOO_60/50	1	1 103	1 103	1 103	1 103
		K	ROZW_MAXI_A1	1	468	468	468	468
GL_30/72/95_L		Celkem			4 422	4 037	4 568	4 422
		F	943/296_LE	1	3 026	2 645	3 172	3 026
		K	GP_30/72/95	1	1 394	1 394	1 394	1 394
GS_30/14_2S		Celkem			1 718	1 835	1 735	1 718
		F	140/146_S	2	818	935	838	818
		K	GS_30/14	1	897	897	897	897
GS_45/14_3S		Celkem			2 511	2 688	2 542	2 511
		F	140/146_S	3	1 229	1 405	1 258	1 229
		K	GS_45/14	1	1 282	1 282	1 282	1 282
DM_45/57		Celkem			2 228	2 262	2 360	2 228
		F	570/446_M	1	2 228	2 262	2 360	2 228
DM_45/71		Celkem			2 671	2 714	2 755	2 671
		F	713/446_M	1	2 671	2 714	2 755	2 671
DM_60/57		Celkem			2 851	2 886	2 918	2 851
		F	570/596_M	1	2 851	2 886	2 918	2 851
DM_60/71		Celkem			3 383	3 465	3 448	3 383
		F	713/596_M	1	3 383	3 465	3 448	3 383
maskovací díl vnitřní		Celkem			754	754	754	754
		F	713/40	1	754	754	754	754
dvířko atyp		Celkem			12 742	12 742	12 742	12 742
		F	NT	1	12 742	12 742	12 742	12 742
dvířko atyp U1		Celkem			15 094	20 131	16 606	15 094
		F	NT_U1	1	15 094	20 131	16 606	15 094
dvířko atyp U2		Celkem						15 094
		F	NT_U2	1				15 094

dvířko: Nessa, Ambries

				Nessa	Ambries
skříňka	sklo	rozpis	počet	liliovník	olše orange
D_30/82_L		Celkem		4 157	3 846
		F	713/296	1	2 577
		K	D_30/82	1	1 578
D_40/82_L		Celkem		4 623	4 517
		F	713/396	1	2 932
		K	D_40/82	1	1 689
D_45/82_L		Celkem		4 888	4 888
		F	713/446	1	3 109
		K	D_45/82	1	1 778
D_45/207_L/L		Celkem		12 629	13 454

	F	1247/446	1	4 412	5 237
	F	713/446	1	3 109	3 109
	K	D_45/207	1	5 106	5 106
D_60/82_L	Celkem			5 735	6 034
	F	713/596	1	3 643	3 942
	K	D_60/82	1	2 091	2 091
D_60/82_L/P	Celkem			7 249	6 628
	F	713/296	2	5 157	4 535
	K	D_60/82	1	2 091	2 091
D_80/82_L/P	Celkem			8 269	8 055
	F	713/396	2	5 868	5 652
	K	D_80/82	1	2 403	2 403
D_90/82_L/P	Celkem			8 792	8 792
	F	713/446	2	6 218	6 218
	K	D_90/82	1	2 574	2 574
D1SM/5_30/82_L/S	Celkem			5 532	4 735
	F	140/296_SM	1	1 029	598
	F	570/296	1	2 295	1 931
	K	D1SM/5_30/82	1	1 585	1 585
	S	SM_140/296/500	1	171	171
	S	SM_320M5000	1	449	449
D1SM/5_45/82_L/S	Celkem			6 075	5 862
	F	140/446_SM	1	817	768
	F	570/446	1	2 754	2 588
	K	D1SM/5_45/82	1	1 795	1 795
	S	SM_140/446/500	1	260	260
	S	SM_320M5000	1	449	449
D1SM/5_60/82_L/S	Celkem			7 597	7 142
	F	140/596_SM	1	1 497	928
	F	570/596	1	3 195	3 309
	K	D1SM/5_60/82	1	2 091	2 091
	S	SM_140/596/500	1	360	360
	S	SM_320M5000	1	449	449
D1SM/5_60/82_L/P/S	Celkem			8 991	7 692
	F	140/596_SM	1	1 497	928
	F	570/296	2	4 591	3 862
	K	D1SM/5_60/82	1	2 091	2 091
	S	SM_140/596/500	1	360	360
	S	SM_320M5000	1	449	449
D1ST/5_30/82_L/S	Celkem			6 972	6 174
	F	140/296_ST	1	1 031	598
	F	570/296	1	2 295	1 931
	K	D1ST/5_30/82	1	1 585	1 585
	S	DST_30_N	1	2 060	2 060
D1ST/5_45/82_L/S	Celkem			7 511	7 294
	F	140/446_ST	1	817	768
	F	570/446	1	2 754	2 588
	K	D1ST/5_45/82	1	1 795	1 795
	S	DST_45_N	1	2 143	2 143
D1ST/5_60/82_L/S	Celkem			9 040	8 586
	F	140/596_ST	1	1 497	928
	F	570/596	1	3 195	3 311
	K	D1ST/5_60/82	1	2 091	2 091
	S	DST_60_N	1	2 252	2 252
D1ST/5_60/82_L/P/S	Celkem			10 435	9 135
	F	140/596_ST	1	1 497	928
	F	570/296	2	4 592	3 860
	K	D1ST/5_60/82	1	2 091	2 091
	S	DST_60_N	1	2 252	2 252
D1SI/5_30/82_L/S	Celkem			6 972	6 174
	F	140/296_ST	1	1 031	598
	F	570/296	1	2 295	1 931
	K	D1ST/5_30/82	1	1 585	1 585
	S	DSI_30_N	1	2 060	2 060
D1SI/5_45/82_L/S	Celkem			7 511	7 294
	F	140/446_ST	1	817	768
	F	570/446	1	2 754	2 588
	K	D1ST/5_45/82	1	1 795	1 795
	S	DSI_45_N	1	2 143	2 143
D1SI/5_60/82_L/S	Celkem			9 040	8 586
	F	140/596_ST	1	1 497	928
	F	570/596	1	3 195	3 311

	K	D1ST/5_60/82	1	2 091	2 091
	S	DSI_60_N	1	2 252	2 252
D1SI/5_60/82_L/P/S	Celkem			10 435	9 135
	F	140/596_ST	1	1 497	928
	F	570/296	2	4 592	3 860
	K	D1ST/5_60/82	1	2 091	2 091
	S	DSI_60_N	1	2 252	2 252
DC_30/207_C/C	Celkem				8 938
	F	1247/296_CC	1		3 697
	F	713/296_CC	1		1 814
	K	DC_30/207	1		3 426
DC_30/82_C	Celkem			3 935	3 169
	F	713/296_C	1	2 577	1 814
	K	DC_30/82	1	1 355	1 355
DCX_15/82_C	Celkem			2 875	2 269
	F	713/146_CX	1	1 711	1 106
	K	DCX_15/82	1	1 163	1 163
DI_5/82_B	Celkem			2 565	1 725
	F	713/50_I	1	1 449	609
	K	DI_5/82	1	1 114	1 114
DK_45/82_L	Celkem			4 662	4 662
	F	713/446	1	3 109	3 109
	K	DK_45/82	1	1 552	1 552
DK_60/82_L	Celkem			5 397	5 695
	F	713/596	1	3 643	3 942
	K	DK_60/82	1	1 752	1 752
DK_60/82_L/P	Celkem			6 909	6 289
	F	713/296	2	5 157	4 535
	K	DK_60/82	1	1 752	1 752
DK_80/82_L/P	Celkem			7 777	7 563
	F	713/396	2	5 868	5 652
	K	DK_80/82	1	1 911	1 911
DK_90/82_L/P	Celkem			8 255	8 255
	F	713/446	2	6 218	6 218
	K	DK_90/82	1	2 035	2 035
DKK/5_45/82_M	Celkem			4 618	4 618
	F	713/446_M	1	3 109	3 109
	K	DKSM/5_45/82	1	1 509	1 509
DKK/5_45/82_M/B	Celkem			5 082	4 865
	F	140/446_B	1	817	768
	F	570/446_SM	1	2 754	2 588
	K	DKSM/5_45/82	1	1 509	1 509
DKK/5_60/82_M	Celkem			5 268	5 566
	F	713/596_M	1	3 643	3 942
	K	DKSM/5_60/82	1	1 625	1 625
DKK/5_60/82_M/B	Celkem			6 317	5 863
	F	140/596_B	1	1 497	928
	F	570/596_SM	1	3 195	3 309
	K	DKSM/5_60/82	1	1 625	1 625
DKSM/5_45/82_S/B	Celkem			6 009	5 795
	F	140/446_B	1	817	768
	F	570/446_SM	1	2 754	2 588
	K	DKSM/5_45/82	1	1 509	1 509
	S	SMR_284/446/500	1	322	322
	S	SMR_320M5000	1	606	606
DKSM/5_60/82_S/B	Celkem			7 362	6 905
	F	140/596_B	1	1 497	928
	F	570/596_SM	1	3 195	3 309
	K	DKSM/5_60/82	1	1 625	1 625
	S	SMR_284/596/500	1	434	434
	S	SMR_320M5000	1	606	606
DKSM/5_90/82_S/B	Celkem			9 255	9 074
	F	140/896_B	1	1 962	1 280
	F	570/896_SM	1	4 109	4 611
	K	DKSM/5_90/82	1	1 900	1 900
	S	SMR_284/896/500	1	674	674
	S	SMR_320M5000	1	606	606
DKST/5_45/82_S/B	Celkem			8 034	7 817
	F	140/446_B	1	817	768
	F	570/446_ST	1	2 754	2 588
	K	DKST_45/82	1	1 509	1 509
	S	DST_45_W	1	2 952	2 952

DKST/5_60/82_S/B	Celkem		9 345	8 891
	F 140/596_B	1	1 497	928
	F 570/596_ST	1	3 195	3 311
	K DKST_60/82	1	1 625	1 625
	S DST_60_W	1	3 026	3 026
DKST/5_90/82_S/B	Celkem		11 495	11 314
	F 140/896_B	1	1 962	1 280
	F 570/896_ST	1	4 111	4 611
	K DKST_90/82	1	1 900	1 900
	S DST_90_W	1	3 522	3 522
DKSI/5_45/82_S/B	Celkem		8 415	8 198
	F 140/446_B	1	817	768
	F 570/446_SI	1	2 754	2 588
	K DKST_45/82	1	1 509	1 509
	S DSI_45_W	1	2 858	2 858
	S BOXCOVER_DSI_W	1	475	475
DKSI/5_60/82_S/B	Celkem		9 738	9 283
	F 140/596_B	1	1 497	928
	F 570/596_SI	1	3 195	3 311
	K DKST_60/82	1	1 625	1 625
	S DSI_60_W	1	2 945	2 945
	S BOXCOVER_DSI_W	1	475	475
DKSI/5_90/82_S/B	Celkem		11 831	11 648
	F 140/896_B	1	1 962	1 280
	F 570/896_SI	1	4 111	4 611
	K DKST_90/82	1	1 900	1 900
	S DSI_90_W	1	3 380	3 380
	S BOXCOVER_DSI_W	1	475	475
DL_60/207_L/L	Celkem		13 626	15 172
	F 1247/596	1	5 311	6 557
	F 713/596	1	3 643	3 942
	K DL_60/207	1	4 671	4 671
DLO_60/230_L/L/O	Celkem		16 463	17 552
	F 1081/596	1	4 791	5 775
	F 393/596_O	1	2 645	2 451
	F 713/596	1	3 643	3 942
	K DLO_60/230	1	4 912	4 912
	K ROZW_MAXI_A1	1	468	468
DL/NT160_60/207_L/L	Celkem		13 900	15 445
	F 1247/596	1	5 311	6 557
	F 713/596_NT	1	3 643	3 942
	K DL/NT160_60/207	1	4 945	4 945
DL/NT180_60/207_L/L	Celkem		13 900	15 445
	F 1247/596_NT	1	5 311	6 557
	F 713/596_NT	1	3 643	3 942
	K DL/NT180_60/207	1	4 945	4 945
DNW_90/82_L/L	Celkem		9 172	8 728
	F 713/321-N	1	5 052	4 609
	K DNW_90/82	1	4 118	4 118
DNW_105/82_L	Celkem		6 169	6 169
	F 713/446	1	3 109	3 109
	K DNW_105/82	1	3 060	3 060
DNW_120/82_L	Celkem		6 932	7 231
	F 713/596	1	3 643	3 942
	K DNW_120/82	1	3 288	3 288
DNWU_90/82_L	Celkem		7 129	7 137
	F 713/456	1	3 140	3 149
	K DNWU_90/82	1	3 988	3 988
DNWUST/5_90/82_2S/S	Celkem		21 617	20 205
	F 140/446_ST	1	817	768
	F 284/446_ST	2	4 105	2 742
	K DNWUST/5_90/82	1	2 049	2 049
	S DST_45_NU	1	4 498	4 498
	S DST_45_WU	2	10 145	10 145
DNWUST/5_90/82_S/3S	Celkem		25 126	24 295
	F 140/446_ST	3	2 454	2 305
	F 284/446_ST	1	2 052	1 371
	K DNWUST/5_90/82	1	2 049	2 049
	S DST_45_NU	3	13 495	13 495
	S DST_45_WU	1	5 071	5 071
DNWUSI/5_90/82_2S/S	Celkem		22 568	21 154
	F 140/446_ST	1	817	768

	F	284/446_SI	2	4 105	2 742
	K	DNWUST/5_90/82	1	2 049	2 049
	S	DSI_45_N650	1	4 498	4 498
	S	DSI_45_W650U	2	10 145	10 145
	S	BOXCOVER_DSI_W	2	951	951
DNWUSI/5_90/82_S/3S	Celkem			25 602	24 771
	F	140/446_ST	3	2 454	2 305
	F	284/446_SI	1	2 052	1 371
	K	DNWUST/5_90/82	1	2 049	2 049
	S	DSI_45_N650	3	13 495	13 495
	S	DSI_45_W650U	1	5 071	5 071
	S	BOXCOVER_DSI_W	1	475	475
DNZRF_30/82_L/LR	Celkem			18 951	14 409
	F	713/260	1	2 438	2 078
	F	713/300_R	1	14 326	10 145
	K	DNZRF_30/82	1	2 185	2 185
DP_60/82_K	Celkem			3 312	2 766
	F	110/596_K	1	1 326	780
	K	DP_60/82	1	1 986	1 986
DPSM_60/82_S	Celkem			4 257	3 709
	F	110/596_SM	1	1 326	780
	K	DPSX_60/82	1	1 891	1 891
	S	SM_110/596/500	1	363	363
	S	SM_320N5000	1	674	674
DPST_60/82_S	Celkem			5 811	5 263
	F	110/596_ST	1	1 326	780
	K	DPS_60/82	1	1 891	1 891
	S	DPST_60_P	1	2 592	2 592
DPSI_60/82_S	Celkem			5 811	5 263
	F	110/596_ST	1	1 326	780
	K	DPS_60/82	1	1 891	1 891
	S	DPSI_60_P	1	2 592	2 592
DP_60/207_L/L	Celkem			12 314	12 809
	F	643/596	1	3 417	3 614
	F	713/596	1	3 643	3 942
	K	DP_60/207	1	5 252	5 252
DPP370_60/207_L/O	Celkem			11 037	10 955
	F	393/596_O	1	2 645	2 451
	F	570/596	1	3 195	3 309
	K	DPP37_45O_60/207	1	4 725	4 725
	K	ROZW_MAXI_A1	1	468	468
DSM/5_15/82_2S/S	Celkem			5 945	4 875
	F	140/146_SM	1	795	429
	F	284/146_SM	2	2 060	1 357
	K	DSM/5_15/82	1	1 168	1 168
	S	SM_140/146/500	1	75	75
	S	SM_320M5000	1	449	449
	S	SMR_284/146/500	2	178	178
	S	SMR_320M5000	2	1 214	1 214
DSM/5_30/82_2S/S	Celkem			8 262	6 258
	F	140/296_SM	1	1 029	598
	F	284/296_SM	2	3 611	2 037
	K	DSM/5_30/82	1	1 372	1 372
	S	SM_140/296/500	1	171	171
	S	SM_320M5000	1	449	449
	S	SMR_284/296/500	2	412	412
	S	SMR_320M5000	2	1 214	1 214
DSM/5_30/82_S/3S	Celkem			8 946	6 863
	F	140/296_SM	3	3 091	1 797
	F	284/296_SM	1	1 805	1 018
	K	DSM/5_30/82	1	1 372	1 372
	S	SM_140/296/500	3	514	514
	S	SM_320M5000	3	1 346	1 346
	S	SMR_284/296/500	1	206	206
	S	SMR_320M5000	1	606	606
DSM/5_30/82_S/S	Celkem			6 934	6 138
	F	140/296_SM	1	1 029	598
	F	570/296_SM	1	2 295	1 931
	K	DSM/5_30/82	1	1 372	1 372
	S	SM_140/296/500	1	171	171
	S	SM_320M5000	2	897	897
	S	SMR_284/296/500	1	206	206

		S	SMR_320M5000	1	606	606
		S	SMW_86/296/500	1	354	354
DSM/5_45/82_2S/S		Celkem			8 994	7 583
		F	140/446_SM	1	817	768
		F	284/446_SM	2	4 106	2 743
		K	DSM/5_45/82	1	1 502	1 502
		S	SM_140/446/500	1	260	260
		S	SM_320M5000	1	449	449
		S	SMR_284/446/500	2	643	643
		S	SMR_320M5000	2	1 214	1 214
DSM/5_45/82_S/3S		Celkem			9 065	8 237
		F	140/446_SM	3	2 454	2 308
		F	284/446_SM	1	2 052	1 372
		K	DSM/5_45/82	1	1 502	1 502
		S	SM_140/446/500	3	778	778
		S	SM_320M5000	3	1 346	1 346
		S	SMR_284/446/500	1	322	322
		S	SMR_320M5000	1	606	606
DSM/5_60/82_2S/S		Celkem			10 611	8 848
		F	140/596_SM	1	1 497	928
		F	284/596_SM	2	4 611	3 415
		K	DSM/5_60/82	1	1 608	1 608
		S	SM_140/596/500	1	360	360
		S	SM_320M5000	1	449	449
		S	SMR_284/596/500	2	871	871
		S	SMR_320M5000	2	1 214	1 214
DSM/5_60/82_S/3S		Celkem			11 878	9 577
		F	140/596_SM	3	4 492	2 786
		F	284/596_SM	1	2 305	1 708
		K	DSM/5_60/82	1	1 608	1 608
		S	SM_140/596/500	3	1 083	1 083
		S	SM_320M5000	3	1 346	1 346
		S	SMR_284/596/500	1	434	434
		S	SMR_320M5000	1	606	606
DSM/5_90/82_2S/S		Celkem			13 138	11 598
		F	140/896_SM	1	1 962	1 280
		F	284/896_SM	2	5 672	4 812
		K	DSM/5_90/82	1	1 932	1 932
		S	SM_140/896/500	1	557	557
		S	SM_320M5000	1	449	449
		S	SMR_284/896/500	2	1 351	1 351
		S	SMR_320M5000	2	1 214	1 214
DSM/5_90/82_2SV/S	MAR	Celkem				16 112
		F	140/896_SM	1		1 280
		F	284/896_SMV	2		9 326
		K	DSM/5_90/82	1		1 932
		S	SM_140/896/500	1		557
		S	SM_320M5000	1		449
		S	SMR_284/896/500	2		1 351
		S	SMR_320M5000	2		1 214
	MRS	Celkem				12 355
		F	140/896_SM	1		1 280
		F	284/896_SMV	2		5 569
		K	DSM/5_90/82	1		1 932
		S	SM_140/896/500	1		557
		S	SM_320M5000	1		449
		S	SMR_284/896/500	2		1 351
		S	SMR_320M5000	2		1 214
DSM/5_90/82_S/3S		Celkem			14 958	12 483
		F	140/896_SM	3	5 885	3 842
		F	284/896_SM	1	2 835	2 406
		K	DSM/5_90/82	1	1 932	1 932
		S	SM_140/896/500	3	1 674	1 674
		S	SM_320M5000	3	1 346	1 346
		S	SMR_284/896/500	1	674	674
		S	SMR_320M5000	1	606	606
DSM/5_90/82_SV/3S	MAR	Celkem				14 740
		F	140/896_SM	3		3 842
		F	284/896_SMV	1		4 663
		K	DSM/5_90/82	1		1 932
		S	SM_140/896/500	3		1 674
		S	SM_320M5000	3		1 346

	S	SMR_284/896/500	1		674
	S	SMR_320M5000	1		606
MRS	Celkem				12 862
	F	140/896_SM	3		3 842
	F	284/896_SMV	1		2 785
	K	DSM/5_90/82	1		1 932
	S	SM_140/896/500	3		1 674
	S	SM_320M5000	3		1 346
	S	SMR_284/896/500	1		674
	S	SMR_320M5000	1		606
DST/5_30/82_2S/S	Celkem			13 729	11 725
	F	140/296_ST	1	1 031	598
	F	284/296_ST	2	3 609	2 037
	K	DST/5_30/82	1	1 372	1 372
	S	DST_30_N	1	2 060	2 060
	S	DST_30_W	2	5 654	5 654
DST/5_30/82_S/3S	Celkem			15 280	13 198
	F	140/296_ST	3	3 094	1 797
	F	284/296_ST	1	1 805	1 018
	K	DST/5_30/82	1	1 372	1 372
	S	DST_30_N	3	6 182	6 182
	S	DST_30_W	1	2 828	2 828
DST/5_30/82_S/S	Celkem			12 348	11 549
	F	140/296_ST	1	1 031	598
	F	570/296_ST	1	2 295	1 931
	K	DST/5_30/82	1	1 372	1 372
	S	DST_30_N	2	4 122	4 122
	S	DST_30_W	1	2 828	2 828
	S	DSWT_30_N	1	698	698
DST/5_45/82_2S/S	Celkem			14 475	13 063
	F	140/446_ST	1	817	768
	F	284/446_ST	2	4 105	2 742
	K	DST/5_45/82	1	1 502	1 502
	S	DST_45_N	1	2 143	2 143
	S	DST_45_W	2	5 906	5 906
DST/5_45/82_S/3S	Celkem			15 392	14 562
	F	140/446_ST	3	2 454	2 305
	F	284/446_ST	1	2 052	1 371
	K	DST/5_45/82	1	1 502	1 502
	S	DST_45_N	3	6 429	6 429
	S	DST_45_W	1	2 952	2 952
DST/5_45/82_S/S	Celkem			14 088	13 871
	F	140/446_ST	1	817	768
	F	570/446_ST	1	2 754	2 588
	K	DST/5_45/82	1	1 502	1 502
	S	DST_45_N	1	2 143	2 143
	S	DST_45_W	2	5 906	5 906
	S	DSWT_45_W	1	962	962
DST/5_60/82_2S/S	Celkem			16 026	14 258
	F	140/596_ST	1	1 497	928
	F	284/596_ST	2	4 612	3 414
	K	DST/5_60/82	1	1 608	1 608
	S	DST_60_N	1	2 252	2 252
	S	DST_60_W	2	6 054	6 054
DST/5_60/82_S/3S	Celkem			18 195	15 889
	F	140/596_ST	3	4 494	2 786
	F	284/596_ST	1	2 306	1 706
	K	DST/5_60/82	1	1 608	1 608
	S	DST_60_N	3	6 760	6 760
	S	DST_60_W	1	3 026	3 026
DST/5_60/82_S/S	Celkem			15 682	15 228
	F	140/596_ST	1	1 497	928
	F	570/596_ST	1	3 195	3 311
	K	DST/5_60/82	1	1 608	1 608
	S	DST_60_N	1	2 252	2 252
	S	DST_60_W	2	6 054	6 054
	S	DSWT_60_W	1	1 071	1 071
DST/5_90/82_2S/S	Celkem			19 197	17 654
	F	140/896_ST	1	1 962	1 280
	F	284/896_ST	2	5 674	4 812
	K	DST/5_90/82	1	1 932	1 932
	S	DST_90_N	1	2 583	2 583

		S	DST_90_W	2	7 043	7 043
DST/5_90/82_2SV/S	MAR	Celkem				22 166
		F	140/896_ST	1		1 280
		F	284/896_STV	2		9 325
		K	DST/5_90/82	1		1 932
		S	DST_90_N	1		2 583
		S	DST_90_W	2		7 043
	MRS	Celkem				18 409
		F	140/896_ST	1		1 280
		F	284/896_STV	2		5 568
		K	DST/5_90/82	1		1 932
		S	DST_90_N	1		2 583
		S	DST_90_W	2		7 043
DST/5_90/82_S/3S		Celkem			21 929	19 455
		F	140/896_ST	3	5 886	3 842
		F	284/896_ST	1	2 835	2 406
		K	DST/5_90/82	1	1 932	1 932
		S	DST_90_N	3	7 751	7 751
		S	DST_90_W	1	3 522	3 522
DST/5_90/82_SV/3S	MAR	Celkem				21 711
		F	140/896_ST	3		3 842
		F	284/896_STV	1		4 662
		K	DST/5_90/82	1		1 932
		S	DST_90_N	3		7 751
		S	DST_90_W	1		3 522
	MRS	Celkem				19 834
		F	140/896_ST	3		3 842
		F	284/896_STV	1		2 785
		K	DST/5_90/82	1		1 932
		S	DST_90_N	3		7 751
		S	DST_90_W	1		3 522
DSI/5_30/82_2S/S		Celkem			14 563	12 558
		F	140/296_ST	1	1 031	598
		F	284/296_SI	2	3 609	2 037
		K	DST/5_30/82	1	1 372	1 372
		S	DSI_30_N	1	2 060	2 060
		S	DSI_30_W	2	5 537	5 537
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_30/82_S/3S		Celkem			15 697	13 614
		F	140/296_ST	3	3 094	1 797
		F	284/296_SI	1	1 805	1 018
		K	DST/5_30/82	1	1 372	1 372
		S	DSI_30_N	3	6 182	6 182
		S	DSI_30_W	1	2 768	2 768
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_30/82_S/S		Celkem			13 212	12 414
		F	140/296_ST	1	1 031	598
		F	570/296_SI	1	2 295	1 931
		K	DST/5_30/82	1	1 372	1 372
		S	DSI_30_N	2	4 122	4 122
		S	DSI_30_W	1	2 768	2 768
		S	DSWI_30_N	1	1 148	1 148
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_45/82_2S/S		Celkem			15 240	13 828
		F	140/446_ST	1	817	768
		F	284/446_SI	2	4 105	2 742
		K	DST/5_45/82	1	1 502	1 502
		S	DSI_45_N	1	2 143	2 143
		S	DSI_45_W	2	5 718	5 718
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_45/82_S/3S		Celkem			15 774	14 943
		F	140/446_ST	3	2 454	2 305
		F	284/446_SI	1	2 052	1 371
		K	DST/5_45/82	1	1 502	1 502
		S	DSI_45_N	3	6 429	6 429
		S	DSI_45_W	1	2 858	2 858
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_45/82_S/S		Celkem			15 683	15 466
		F	140/446_ST	1	817	768
		F	570/446_SI	1	2 754	2 588
		K	DST/5_45/82	1	1 502	1 502
		S	DSI_45_N	1	2 143	2 143

		S	DSI_45_W	2	5 718	5 718
		S	DSWI_45_W	1	1 795	1 795
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_60/82_2S/S		Celkem			16 811	15 045
		F	140/596_ST	1	1 497	928
		F	284/596_SI	2	4 612	3 414
		K	DST/5_60/82	1	1 608	1 608
		S	DSI_60_N	1	2 252	2 252
		S	DSI_60_W	2	5 888	5 888
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_60/82_S/3S		Celkem			18 589	16 283
		F	140/596_ST	3	4 494	2 786
		F	284/596_SI	1	2 306	1 706
		K	DST/5_60/82	1	1 608	1 608
		S	DSI_60_N	3	6 760	6 760
		S	DSI_60_W	1	2 945	2 945
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_60/82_S/S		Celkem			17 312	16 857
		F	140/596_ST	1	1 497	928
		F	570/596_SI	1	3 195	3 311
		K	DST/5_60/82	1	1 608	1 608
		S	DSI_60_N	1	2 252	2 252
		S	DSI_60_W	2	5 888	5 888
		S	DSWI_60_W	1	1 915	1 915
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_90/82_2S/S		Celkem			19 865	18 323
		F	140/896_ST	1	1 962	1 280
		F	284/896_SI	2	5 674	4 812
		K	DST/5_90/82	1	1 932	1 932
		S	DSI_90_N	1	2 583	2 583
		S	DSI_90_W	2	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951
DSI/5_90/82_2SV/S	MAR	Celkem				22 835
		F	140/896_ST	1		1 280
		F	284/896_SIV	2		9 325
		K	DST/5_90/82	1		1 932
		S	DSI_90_N	1		2 583
		S	DSI_90_W	2		6 762
		S	BOXCOVER_DSI_W	2		951
	MRS	Celkem				19 078
		F	140/896_ST	1		1 280
		F	284/896_SIV	2		5 568
		K	DST/5_90/82	1		1 932
		S	DSI_90_N	1		2 583
		S	DSI_90_W	2		6 762
		S	BOXCOVER_DSI_W	2		951
DSI/5_90/82_S/3S		Celkem			22 263	19 789
		F	140/896_ST	3	5 886	3 842
		F	284/896_SI	1	2 835	2 406
		K	DST/5_90/82	1	1 932	1 932
		S	DSI_90_N	3	7 751	7 751
		S	DSI_90_W	1	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475
DSI/5_90/82_SV/3S	MAR	Celkem				22 045
		F	140/896_ST	3		3 842
		F	284/896_SIV	1		4 662
		K	DST/5_90/82	1		1 932
		S	DSI_90_N	3		7 751
		S	DSI_90_W	1		3 380
		S	BOXCOVER_DSI_W	1		475
	MRS	Celkem				20 168
		F	140/896_ST	3		3 842
		F	284/896_SIV	1		2 785
		K	DST/5_90/82	1		1 932
		S	DSI_90_N	3		7 751
		S	DSI_90_W	1		3 380
		S	BOXCOVER_DSI_W	1		475
DSWT/5_45/207_L/L		Celkem			31 863	32 689
		F	1247/446_LSW	1	4 412	5 237
		F	713/446_LSW	1	3 109	3 109
		K	DSWT/5_45/207	1	5 398	5 398
		S	DST_45_S	1	2 537	2 537

		S	DST_45_W	4	11 812	11 812
		S	DSWT_45_S	1	737	737
		S	DSWT_45_W	4	3 851	3 851
DSWI/5_45/207_L/L		Celkem			38 577	39 400
		F	1247/446_LSW	1	4 412	5 237
		F	713/446_LSW	1	3 109	3 109
		K	DSWT/5_45/207	1	5 398	5 398
		S	DSI_45_W	5	14 298	14 298
		S	DSWI_45_W	5	8 977	8 977
		S	BOXCOVER_DSI_W	5	2 377	2 377
G_30/57_L		Celkem			3 266	2 902
		F	570/296	1	2 295	1 931
		K	G_30/57	1	972	972
G_30/72_L		Celkem			3 754	3 445
		F	713/296	1	2 577	2 268
		K	G_30/72	1	1 177	1 177
G_30/95_L		Celkem			4 429	4 283
		F	943/296	1	2 974	2 828
		K	G_30/95	1	1 452	1 452
G_40/72_L		Celkem			4 251	4 143
		F	713/396	1	2 932	2 826
		K	G_40/72	1	1 317	1 317
G_40/95_L		Celkem			5 069	5 169
		F	943/396	1	3 442	3 542
		K	G_40/95	1	1 628	1 628
G_45/57_L		Celkem			3 897	3 731
		F	570/446	1	2 754	2 588
		K	G_45/57	1	1 143	1 143
G_45/72_L		Celkem			4 583	4 583
		F	713/446	1	3 109	3 109
		K	G_45/72	1	1 474	1 474
G_45/72_LV	ATE	Celkem			6 260	
		F	713/446_LV	1	4 783	
		K	G_45/72	1	1 474	
	MAR	Celkem				6 451
		F	713/446_LV	1		4 975
		K	G_45/72	1		1 474
	MRS	Celkem				5 515
		F	713/446_LV	1		4 040
		K	G_45/72	1		1 474
G_45/95_L		Celkem			5 429	5 658
		F	943/446	1	3 666	3 895
		K	G_45/95	1	1 762	1 762
G_45/95_LV	ATE	Celkem			7 445	
		F	943/446_LV	1	5 682	
		K	G_45/95	1	1 762	
	MAR	Celkem				8 298
		F	943/446_LV	1		6 535
		K	G_45/95	1		1 762
	MRS	Celkem				6 652
		F	943/446_LV	1		4 892
		K	G_45/95	1		1 762
G_60/57_L		Celkem			4 625	4 738
		F	570/596	1	3 195	3 309
		K	G_60/57	1	1 428	1 428
G_60/57_L/P		Celkem			6 018	5 289
		F	570/296	2	4 591	3 862
		K	G_60/57	1	1 428	1 428
G_60/72_L		Celkem			5 366	5 663
		F	713/596	1	3 643	3 942
		K	G_60/72	1	1 722	1 722
G_60/72_LV	ATE	Celkem			7 302	
		F	713/596_LV	1	5 580	
		K	G_60/72	1	1 722	
	MAR	Celkem				8 475
		F	713/596_LV	1		6 754
		K	G_60/72	1		1 722
	MRS	Celkem				6 646
		F	713/596_LV	1		4 925
		K	G_60/72	1		1 722
G_60/72_L/P		Celkem			6 878	6 258
		F	713/296	2	5 157	4 535

		K	G_60/72	1	1 722	1 722
G_60/95_L		Celkem			6 488	7 143
		F	943/596	1	4 355	5 011
		K	G_60/95	1	2 132	2 132
G_60/95_LV	ATE	Celkem			8 658	
		F	943/596_LV	1	6 525	
		K	G_60/95	1	2 132	
	MAR	Celkem				11 072
		F	943/596_LV	1		8 940
		K	G_60/95	1		2 132
	MRS	Celkem				8 169
		F	943/596_LV	1		6 034
		K	G_60/95	1		2 132
G_60/95_L/P		Celkem			8 082	7 791
		F	943/296	2	5 948	5 655
		K	G_60/95	1	2 132	2 132
G_80/72_L/P		Celkem			7 903	7 688
		F	713/396	2	5 868	5 652
		K	G_80/72	1	2 035	2 035
G_80/95_L/P		Celkem			9 394	9 598
		F	943/396	2	6 882	7 085
		K	G_80/95	1	2 511	2 511
G_90/72_L/P		Celkem			8 415	8 415
		F	713/446	2	6 218	6 218
		K	G_90/72	1	2 197	2 197
G_90/95_L/P		Celkem			10 048	10 505
		F	943/446	2	7 334	7 792
		K	G_90/95	1	2 712	2 712
GC_45/72_L		Celkem			4 095	4 095
		F	713/446	1	3 109	3 109
		K	GC_45/72	1	985	985
GC_45/95_L		Celkem			4 986	5 212
		F	943/446	1	3 666	3 895
		K	GC_45/95	1	1 317	1 317
GC_60/72_L		Celkem			4 811	5 109
		F	713/596	1	3 643	3 942
		K	GC_60/72	1	1 166	1 166
GC_60/72_L/P		Celkem			6 323	5 703
		F	713/296	2	5 157	4 535
		K	GC_60/72	1	1 166	1 166
GC_60/95_L		Celkem			5 928	6 585
		F	943/596	1	4 355	5 011
		K	GC_60/95	1	1 572	1 572
GC_60/95_L/P		Celkem			7 522	7 229
		F	943/296	2	5 948	5 655
		K	GC_60/95	1	1 572	1 572
GC_80/72_L/P		Celkem			7 120	6 905
		F	713/396	2	5 868	5 652
		K	GC_80/72	1	1 252	1 252
GC_80/95_L/P		Celkem			8 615	8 817
		F	943/396	2	6 882	7 085
		K	GC_80/95	1	1 732	1 732
GC_90/72_L/P		Celkem			7 542	7 542
		F	713/446	2	6 218	6 218
		K	GC_90/72	1	1 323	1 323
GC_90/95_L/P		Celkem			9 263	9 720
		F	943/446	2	7 334	7 792
		K	GC_90/95	1	1 929	1 929
GI_5/72_B		Celkem			2 111	1 272
		F	713/50_I	1	1 449	609
		K	GI_5/72	1	662	662
GI_5/95_B		Celkem			2 475	1 617
		F	943/50_I	1	1 638	783
		K	GI_5/95	1	835	835
GNW_60/72_L		Celkem				7 115
		F	713/280-N	1		4 088
		K	GNW_60/72	1		3 026
GNWU_60/72_L		Celkem			5 912	5 805
		F	713/396	1	2 932	2 826
		K	GNWU_60/72	1	2 978	2 978
GNWU_60/72_LV	ATE	Celkem			7 686	
		F	713/396_LV	1	4 708	

		K	GNWU_60/72	1	2 978	
MAR	Celkem					7 371
	F		713/396_LV	1		4 391
	K		GNWU_60/72	1		2 978
MRS	Celkem					6 723
	F		713/396_LV	1		3 746
	K		GNWU_60/72	1		2 978
GNWU_60/95_L	Celkem				7 194	7 297
	F		943/396	1	3 442	3 542
	K		GNWU_60/95	1	3 752	3 752
GNWU_60/95_LV	ATE	Celkem			9 162	
		F	943/396_LV	1	5 409	
		K	GNWU_60/95	1	3 752	
	MAR	Celkem				9 505
		F	943/396_LV	1		5 749
		K	GNWU_60/95	1		3 752
	MRS	Celkem				8 266
		F	943/396_LV	1		4 512
		K	GNWU_60/95	1		3 752
GNZRF_30/72_LRV	ATE	Celkem			16 166	
		F	713/300_LRV	1	15 051	
		K	GNZRF_30/72	1	1 115	
	MAR	Celkem				9 583
		F	713/300_LRV	1		8 468
		K	GNZRF_30/72	1		1 115
GNZRF_30/95_LRV	ATE	Celkem			17 323	
		F	943/300_LRV	1	15 940	
		K	GNZRF_30/95	1	1 382	
	MAR	Celkem				11 774
		F	943/300_LRV	1		10 391
		K	GNZRF_30/95	1		1 382
GO_45/36_O		Celkem			3 474	2 909
		F	355/446_O	1	2 226	1 662
		K	GO_45/36	1	778	778
		K	ROZW_MAXI_A1	1	468	468
GO_45/36_OV	ATE	Celkem			4 892	
		F	355/446_VO	1	3 643	
		K	GO_45/36	1	778	
		K	ROZW_MAXI_A1	1	468	
	MAR	Celkem				4 615
		F	355/446_VO	1		3 369
		K	GO_45/36	1		778
		K	ROZW_MAXI_A1	1		468
	MRS	Celkem				3 957
		F	355/446_VO	1		2 709
		K	GO_45/36	1		778
		K	ROZW_MAXI_A1	1		468
GO_50/36_O		Celkem			3 609	3 302
		F	355/496_O	1	2 320	2 014
		K	GO_50/36	1	818	818
		K	ROZW_MAXI_A1	1	468	468
GO_60/36_O		Celkem			3 889	3 674
		F	355/596_O	1	2 531	2 314
		K	GO_60/36	1	889	889
		K	ROZW_MAXI_A1	1	468	468
GO_60/36_OV	ATE	Celkem			5 777	
		F	355/596_VO	1	4 418	
		K	GO_60/36	1	889	
		K	ROZW_MAXI_A1	1	468	
	MAR	Celkem				5 312
		F	355/596_VO	1		3 954
		K	GO_60/36	1		889
		K	ROZW_MAXI_A1	1		468
	MRS	Celkem				4 546
		F	355/596_VO	1		3 186
		K	GO_60/36	1		889
		K	ROZW_MAXI_A1	1		468
GOO_60/50_O		Celkem			4 548	4 500
		F	500/596_O	1	2 974	2 928
		K	GOO_60/50	1	1 103	1 103
		K	ROZW_MAXI_A1	1	468	468
GS_30/14_2S		Celkem			2 489	1 755

	F	140/146_S	2	1 592	858
	K	GS-30_14	1	897	897
GS_45/14_3S	Celkem			3 671	2 571
	F	140/146_S	3	2 388	1 288
	K	GS-45_14	1	1 282	1 282
DM_45/57	Celkem			2 754	2 588
	F	570/446_M	1	2 754	2 588
DM_45/71	Celkem			3 109	3 109
	F	713/446_M	1	3 109	3 109
DM_60/57	Celkem			3 195	3 309
	F	570/596_M	1	3 195	3 309
DM_60/71	Celkem			3 643	3 942
	F	713/596_M	1	3 643	3 942
maskovací díl vnitřní	Celkem			754	754
	F	713/40	1	754	754
dvířko atyp	Celkem				14 423
	F	NT	1		14 423
dvířko atyp U1	Celkem				17 615
	F	NT_U1	1		17 615

dvířko: Gladio, Draggio, Camello

skříňka	sklo	rozpis	počet	Gladio	Draggo	Camello
				všechny barvy	všechny barvy	tmavě hnědá
D_30/82_L		Celkem		4 258	3 725	3 457
	F	713/296	1	2 678	2 145	1 877
	K	D_30/82	1	1 578	1 578	1 578
D_40/82_L		Celkem		4 949	4 237	3 972
	F	713/396	1	3 258	2 546	2 283
	K	D_40/82	1	1 689	1 689	1 689
D_45/82_L		Celkem		5 329	4 520	4 262
	F	713/446	1	3 549	2 740	2 480
	K	D_45/82	1	1 778	1 778	1 778
D_45/207_L/L		Celkem		14 477	12 240	11 537
	F	1247/446	1	5 820	4 392	3 951
	F	713/446	1	3 549	2 740	2 480
	K	D_45/207	1	5 106	5 106	5 106
D_60/82_L		Celkem		6 500	5 449	5 189
	F	713/596	1	4 408	3 357	3 097
	K	D_60/82	1	2 091	2 091	2 091
D_60/82_L/P		Celkem		7 451	6 383	5 848
	F	713/296	2	5 358	4 289	3 754
	K	D_60/82	1	2 091	2 091	2 091
D_80/82_L/P		Celkem		8 922	7 497	6 969
	F	713/396	2	6 520	5 094	4 568
	K	D_80/82	1	2 403	2 403	2 403
D_90/82_L/P		Celkem		9 675	8 055	7 535
	F	713/446	2	7 100	5 482	4 960
	K	D_90/82	1	2 574	2 574	2 574
D1SM/5_30/82_L/S		Celkem		5 180	4 651	4 332
	F	140/296_SM	1	680	622	526
	F	570/296	1	2 292	1 823	1 600
	K	D1SM/5_30/82	1	1 585	1 585	1 585
	S	SM_140/296/500	1	171	171	171
	S	SM_320M5000	1	449	449	449
D1SM/5_45/82_L/S		Celkem		6 291	5 708	5 283
	F	140/446_SM	1	889	818	669
	F	570/446	1	2 897	2 385	2 109
	K	D1SM/5_45/82	1	1 795	1 795	1 795
	S	SM_140/446/500	1	260	260	260
	S	SM_320M5000	1	449	449	449
D1SM/5_60/82_L/S		Celkem		7 743	6 754	6 328
	F	140/596_SM	1	1 098	1 022	823
	F	570/596	1	3 742	2 828	2 602
	K	D1SM/5_60/82	1	2 091	2 091	2 091
	S	SM_140/596/500	1	360	360	360
	S	SM_320M5000	1	449	449	449
D1SM/5_60/82_L/P/S		Celkem		8 589	7 572	6 926
	F	140/596_SM	1	1 098	1 022	823
	F	570/296	2	4 588	3 646	3 202

	K	D1SM/5_60/82	1	2 091	2 091	2 091
	S	SM_140/596/500	1	360	360	360
	S	SM_320M5000	1	449	449	449
D1ST/5_30/82_L/S	Celkem			6 620	6 092	5 772
	F	140/296_ST	1	680	623	526
	F	570/296	1	2 294	1 823	1 600
	K	D1ST/5_30/82	1	1 585	1 585	1 585
	S	DST_30_N	1	2 060	2 060	2 060
D1ST/5_45/82_L/S	Celkem			7 726	7 143	6 717
	F	140/446_ST	1	889	818	669
	F	570/446	1	2 897	2 385	2 108
	K	D1ST/5_45/82	1	1 795	1 795	1 795
	S	DST_45_N	1	2 143	2 143	2 143
D1ST/5_60/82_L/S	Celkem			9 186	8 197	7 771
	F	140/596_ST	1	1 098	1 023	825
	F	570/596	1	3 742	2 828	2 600
	K	D1ST/5_60/82	1	2 091	2 091	2 091
	S	DST_60_N	1	2 252	2 252	2 252
D1ST/5_60/82_L/P/S	Celkem			10 032	9 017	8 372
	F	140/596_ST	1	1 098	1 023	825
	F	570/296	2	4 588	3 648	3 200
	K	D1ST/5_60/82	1	2 091	2 091	2 091
	S	DST_60_N	1	2 252	2 252	2 252
D1SI/5_30/82_L/S	Celkem			6 620	6 092	5 772
	F	140/296_ST	1	680	623	526
	F	570/296	1	2 294	1 823	1 600
	K	D1ST/5_30/82	1	1 585	1 585	1 585
	S	DSI_30_N	1	2 060	2 060	2 060
D1SI/5_45/82_L/S	Celkem			7 726	7 143	6 717
	F	140/446_ST	1	889	818	669
	F	570/446	1	2 897	2 385	2 108
	K	D1ST/5_45/82	1	1 795	1 795	1 795
	S	DSI_45_N	1	2 143	2 143	2 143
D1SI/5_60/82_L/S	Celkem			9 186	8 197	7 771
	F	140/596_ST	1	1 098	1 023	825
	F	570/596	1	3 742	2 828	2 600
	K	D1ST/5_60/82	1	2 091	2 091	2 091
	S	DSI_60_N	1	2 252	2 252	2 252
D1SI/5_60/82_L/P/S	Celkem			10 032	9 017	8 372
	F	140/596_ST	1	1 098	1 023	825
	F	570/296	2	4 588	3 648	3 200
	K	D1ST/5_60/82	1	2 091	2 091	2 091
	S	DSI_60_N	1	2 252	2 252	2 252
DC_30/207_C/C	Celkem			9 655	8 292	7 817
	F	1247/296_CC	1	4 083	3 148	2 888
	F	713/296_CC	1	2 145	1 718	1 500
	K	DC_30/207	1	3 426	3 426	3 426
DC_30/82_C	Celkem			3 500	3 074	2 857
	F	713/296_C	1	2 145	1 718	1 500
	K	DC_30/82	1	1 355	1 355	1 355
DCX_15/82_C	Celkem			2 485	2 375	2 135
	F	713/146_CX	1	1 322	1 211	974
	K	DCX_15/82	1	1 163	1 163	1 163
DI_5/82_B	Celkem			1 808	1 752	1 615
	F	713/50_I	1	694	638	502
	K	DI_5/82	1	1 114	1 114	1 114
DK_45/82_L	Celkem			5 103	4 292	4 032
	F	713/446	1	3 549	2 740	2 480
	K	DK_45/82	1	1 552	1 552	1 552
DK_60/82_L	Celkem			6 158	5 109	4 851
	F	713/596	1	4 408	3 357	3 097
	K	DK_60/82	1	1 752	1 752	1 752
DK_60/82_L/P	Celkem			7 112	6 042	5 508
	F	713/296	2	5 358	4 289	3 754
	K	DK_60/82	1	1 752	1 752	1 752
DK_80/82_L/P	Celkem			8 429	7 005	6 478
	F	713/396	2	6 520	5 094	4 568
	K	DK_80/82	1	1 911	1 911	1 911
DK_90/82_L/P	Celkem			9 137	7 517	6 997
	F	713/446	2	7 100	5 482	4 960
	K	DK_90/82	1	2 035	2 035	2 035
DKK/5_45/82_M	Celkem			5 060	4 248	3 989

	F 713/446_M	1	3 549	2 740	2 480
	K DKSM/5_45/82	1	1 509	1 509	1 509
DKK/5_45/82_M/B	Celkem		5 295	4 714	4 288
	F 140/446_B	1	889	818	669
	F 570/446_SM	1	2 897	2 385	2 109
	K DKSM/5_45/82	1	1 509	1 509	1 509
DKK/5_60/82_M	Celkem		6 031	4 980	4 720
	F 713/596_M	1	4 408	3 357	3 097
	K DKSM/5_60/82	1	1 625	1 625	1 625
DKK/5_60/82_M/B	Celkem		6 463	5 474	5 049
	F 140/596_B	1	1 098	1 022	823
	F 570/596_SM	1	3 742	2 828	2 602
	K DKSM/5_60/82	1	1 625	1 625	1 625
DKSM/5_45/82_S/B	Celkem		6 225	5 642	5 217
	F 140/446_B	1	889	818	669
	F 570/446_SM	1	2 897	2 385	2 109
	K DKSM/5_45/82	1	1 509	1 509	1 509
	S SMR_284/446/500	1	322	322	322
	S SMR_320M5000	1	606	606	606
DKSM/5_60/82_S/B	Celkem		7 508	6 517	6 092
	F 140/596_B	1	1 098	1 022	823
	F 570/596_SM	1	3 742	2 828	2 602
	K DKSM/5_60/82	1	1 625	1 625	1 625
	S SMR_284/596/500	1	434	434	434
	S SMR_320M5000	1	606	606	606
DKSM/5_90/82_S/B	Celkem		9 840	8 482	7 878
	F 140/896_B	1	1 540	1 425	1 092
	F 570/896_SM	1	5 115	3 874	3 602
	K DKSM/5_90/82	1	1 900	1 900	1 900
	S SMR_284/896/500	1	674	674	674
	S SMR_320M5000	1	606	606	606
DKST/5_45/82_S/B	Celkem		8 249	7 665	7 240
	F 140/446_B	1	889	818	669
	F 570/446_ST	1	2 897	2 385	2 108
	K DKST_45/82	1	1 509	1 509	1 509
	S DST_45_W	1	2 952	2 952	2 952
DKST/5_60/82_S/B	Celkem		9 491	8 503	8 077
	F 140/596_B	1	1 098	1 023	825
	F 570/596_ST	1	3 742	2 828	2 600
	K DKST_60/82	1	1 625	1 625	1 625
	S DST_60_W	1	3 026	3 026	3 026
DKST/5_90/82_S/B	Celkem		12 080	10 722	10 117
	F 140/896_B	1	1 540	1 425	1 092
	F 570/896_ST	1	5 115	3 874	3 600
	K DKST_90/82	1	1 900	1 900	1 900
	S DST_90_W	1	3 522	3 522	3 522
DKSI/5_45/82_S/B	Celkem		8 632	8 049	7 623
	F 140/446_B	1	889	818	669
	F 570/446_SI	1	2 897	2 385	2 108
	K DKST_45/82	1	1 509	1 509	1 509
	S DSI_45_W	1	2 858	2 858	2 858
	S BOXCOVER_DSI_W	1	475	475	475
DKSI/5_60/82_S/B	Celkem		9 885	8 895	8 469
	F 140/596_B	1	1 098	1 023	825
	F 570/596_SI	1	3 742	2 828	2 600
	K DKST_60/82	1	1 625	1 625	1 625
	S DSI_60_W	1	2 945	2 945	2 945
	S BOXCOVER_DSI_W	1	475	475	475
DKSI/5_90/82_S/B	Celkem		12 414	11 057	10 451
	F 140/896_B	1	1 540	1 425	1 092
	F 570/896_SI	1	5 115	3 874	3 600
	K DKST_90/82	1	1 900	1 900	1 900
	S DSI_90_W	1	3 380	3 380	3 380
	S BOXCOVER_DSI_W	1	475	475	475
DL_60/207_L/L	Celkem		16 217	13 377	12 785
	F 1247/596	1	7 137	5 349	5 017
	F 713/596	1	4 408	3 357	3 097
	K DL_60/207	1	4 671	4 671	4 671
DLO_60/230_L/L/O	Celkem		18 949	15 723	14 837
	F 1081/596	1	6 317	4 758	4 435
	F 393/596_O	1	2 842	2 225	1 922
	F 713/596	1	4 408	3 357	3 097

	K	DLO_60/230	1	4 912	4 912	4 912
	K	ROZW_MAXI_A1	1	468	468	468
DL/NT160_60/207_L/L	Celkem			16 491	13 651	13 058
	F	1247/596	1	7 137	5 349	5 017
	F	713/596_NT	1	4 408	3 357	3 097
	K	DL/NT160_60/207	1	4 945	4 945	4 945
DL/NT180_60/207_L/L	Celkem			16 491	13 651	13 058
	F	1247/596_NT	1	7 137	5 349	5 017
	F	713/596_NT	1	4 408	3 357	3 097
	K	DL/NT180_60/207	1	4 945	4 945	4 945
DNW_90/82_L/L	Celkem			9 485	8 312	7 782
	F	713/317_N	1	5 366	4 194	3 663
	K	DNW_90/82	1	4 118	4 118	4 118
DNW_105/82_L	Celkem			6 611	5 800	5 540
	F	713/446	1	3 549	2 740	2 480
	K	DNW_105/82	1	3 060	3 060	3 060
DNW_120/82_L	Celkem			7 697	6 646	6 386
	F	713/596	1	4 408	3 357	3 097
	K	DNW_120/82	1	3 288	3 288	3 288
DNWU_90/82_L	Celkem			7 582	6 757	6 495
	F	713/456	1	3 592	2 769	2 508
	K	DNWU_90/82	1	3 988	3 988	3 988
DNWUST/5_90/82_2S/S	Celkem			20 986	20 528	20 020
	F	140/446_ST	1	889	818	669
	F	284/446_ST	2	3 402	3 015	2 658
	K	DNWUST/5_90/82	1	2 049	2 049	2 049
	S	DST_45_NU	1	4 498	4 498	4 498
	S	DST_45_WU	2	10 145	10 145	10 145
DNWUST/5_90/82_S/3S	Celkem			24 992	24 588	23 955
	F	140/446_ST	3	2 671	2 460	2 008
	F	284/446_ST	1	1 700	1 508	1 328
	K	DNWUST/5_90/82	1	2 049	2 049	2 049
	S	DST_45_NU	3	13 495	13 495	13 495
	S	DST_45_WU	1	5 071	5 071	5 071
DNWUSI/5_90/82_2S/S	Celkem			21 935	21 480	20 971
	F	140/446_ST	1	889	818	669
	F	284/446_SI	2	3 402	3 015	2 658
	K	DNWUST/5_90/82	1	2 049	2 049	2 049
	S	DSI_45_N650	1	4 498	4 498	4 498
	S	DSI_45_W650U	2	10 145	10 145	10 145
	S	BOXCOVER_DSI_W	2	951	951	951
DNWUSI/5_90/82_S/3S	Celkem			25 466	25 063	24 431
	F	140/446_ST	3	2 671	2 460	2 008
	F	284/446_SI	1	1 700	1 508	1 328
	K	DNWUST/5_90/82	1	2 049	2 049	2 049
	S	DSI_45_N650	3	13 495	13 495	13 495
	S	DSI_45_W650U	1	5 071	5 071	5 071
	S	BOXCOVER_DSI_W	1	475	475	475
DNZU2F_30/82_L/LU	Celkem			9 157	7 715	6 886
	F	713/260_300_U	1	6 969	5 529	4 698
	K	DNZU2F_30/82	1	2 185	2 185	2 185
DP_60/82_K	Celkem			2 902	2 842	2 683
	F	110/596_K	1	914	854	695
	K	DP_60/82	1	1 986	1 986	1 986
DPSM_60/82_S	Celkem			3 845	3 783	3 626
	F	110/596_SM	1	914	854	695
	K	DPSX_60/82	1	1 891	1 891	1 891
	S	SM_110/596/500	1	363	363	363
	S	SM_320N5000	1	674	674	674
DPST_60/82_S	Celkem			5 398	5 338	5 182
	F	110/596_ST	1	914	854	697
	K	DPS_60/82	1	1 891	1 891	1 891
	S	DPST_60_P	1	2 592	2 592	2 592
DPSI_60/82_S	Celkem			5 398	5 338	5 182
	F	110/596_ST	1	914	854	697
	K	DPS_60/82	1	1 891	1 891	1 891
	S	DPSI_60_P	1	2 592	2 592	2 592
DP_60/207_L/L	Celkem			13 723	11 695	11 212
	F	643/596	1	4 063	3 086	2 863
	F	713/596	1	4 408	3 357	3 097
	K	DP_60/207	1	5 252	5 252	5 252
DPP37O_60/207_L/O	Celkem			11 777	10 246	9 718

	F	393/596_O	1	2 842	2 225	1 922
	F	570/596	1	3 742	2 828	2 602
	K	DPP37_45O_60/207	1	4 725	4 725	4 725
	K	ROZW_MAXI_A1	1	468	468	468
DSM/5_15/82_2S/S	Celkem			4 926	4 751	4 500
	F	140/146_SM	1	468	412	363
	F	284/146_SM	2	1 369	1 249	1 049
	K	DSM/5_15/82	1	1 168	1 168	1 168
	S	SM_140/146/500	1	75	75	75
	S	SM_320M5000	1	449	449	449
	S	SMR_284/146/500	2	178	178	178
	S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_30/82_2S/S	Celkem			6 882	6 605	6 280
	F	140/296_SM	1	680	622	526
	F	284/296_SM	2	2 580	2 362	2 131
	K	DSM/5_30/82	1	1 372	1 372	1 372
	S	SM_140/296/500	1	171	171	171
	S	SM_320M5000	1	449	449	449
	S	SMR_284/296/500	2	412	412	412
	S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_30/82_S/3S	Celkem			7 382	7 097	6 694
	F	140/296_SM	3	2 043	1 868	1 580
	F	284/296_SM	1	1 289	1 180	1 065
	K	DSM/5_30/82	1	1 372	1 372	1 372
	S	SM_140/296/500	3	514	514	514
	S	SM_320M5000	3	1 346	1 346	1 346
	S	SMR_284/296/500	1	206	206	206
	S	SMR_320M5000	1	606	606	606
DSM/5_30/82_S/S	Celkem			6 585	6 054	5 735
	F	140/296_SM	1	680	622	526
	F	570/296_SM	1	2 292	1 823	1 600
	K	DSM/5_30/82	1	1 372	1 372	1 372
	S	SM_140/296/500	1	171	171	171
	S	SM_320M5000	2	897	897	897
	S	SMR_284/296/500	1	206	206	206
	S	SMR_320M5000	1	606	606	606
	S	SMW_86/296/500	1	354	354	354
DSM/5_45/82_2S/S	Celkem			8 360	7 908	7 397
	F	140/446_SM	1	889	818	669
	F	284/446_SM	2	3 400	3 017	2 658
	K	DSM/5_45/82	1	1 502	1 502	1 502
	S	SM_140/446/500	1	260	260	260
	S	SM_320M5000	1	449	449	449
	S	SMR_284/446/500	2	643	643	643
	S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_45/82_S/3S	Celkem			8 928	8 526	7 895
	F	140/446_SM	3	2 669	2 458	2 008
	F	284/446_SM	1	1 700	1 509	1 329
	K	DSM/5_45/82	1	1 502	1 502	1 502
	S	SM_140/446/500	3	778	778	778
	S	SM_320M5000	3	1 346	1 346	1 346
	S	SMR_284/446/500	1	322	322	322
	S	SMR_320M5000	1	606	606	606
DSM/5_60/82_2S/S	Celkem			9 788	9 214	8 551
	F	140/596_SM	1	1 098	1 022	823
	F	284/596_SM	2	4 183	3 688	3 225
	K	DSM/5_60/82	1	1 608	1 608	1 608
	S	SM_140/596/500	1	360	360	360
	S	SM_320M5000	1	449	449	449
	S	SMR_284/596/500	2	871	871	871
	S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_60/82_S/3S	Celkem			10 471	9 992	9 163
	F	140/596_SM	3	3 297	3 068	2 471
	F	284/596_SM	1	2 091	1 845	1 611
	K	DSM/5_60/82	1	1 608	1 608	1 608
	S	SM_140/596/500	3	1 083	1 083	1 083
	S	SM_320M5000	3	1 346	1 346	1 346
	S	SMR_284/596/500	1	434	434	434
	S	SMR_320M5000	1	606	606	606
DSM/5_90/82_2S/S	Celkem			12 852	11 926	10 949
	F	140/896_SM	1	1 540	1 425	1 092
	F	284/896_SM	2	5 809	4 997	4 352

		K	DSM/5_90/82	1	1 932	1 932	1 932
		S	SM_140/896/500	1	557	557	557
		S	SM_320M5000	1	449	449	449
		S	SMR_284/896/500	2	1 351	1 351	1 351
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_90/82_2SV/S	CRS	Celkem			13 291		11 254
		F	140/896_SM	1	1 540		1 092
		F	284/896_SMV	2	6 246		4 657
		K	DSM/5_90/82	1	1 932		1 932
		S	SM_140/896/500	1	557		557
		S	SM_320M5000	1	449		449
		S	SMR_284/896/500	2	1 351		1 351
		S	SMR_320M5000	2	1 214		1 214
	RMB	Celkem			16 426	15 757	13 514
		F	140/896_SM	1	1 540	1 425	1 092
		F	284/896_SMV	2	9 380	8 826	6 917
		K	DSM/5_90/82	1	1 932	1 932	1 932
		S	SM_140/896/500	1	557	557	557
		S	SM_320M5000	1	449	449	449
		S	SMR_284/896/500	2	1 351	1 351	1 351
		S	SMR_320M5000	2	1 214	1 214	1 214
DSM/5_90/82_S/3S		Celkem			13 762	13 009	11 692
		F	140/896_SM	3	4 620	4 274	3 278
		F	284/896_SM	1	2 903	2 498	2 175
		K	DSM/5_90/82	1	1 932	1 932	1 932
		S	SM_140/896/500	3	1 674	1 674	1 674
		S	SM_320M5000	3	1 346	1 346	1 346
		S	SMR_284/896/500	1	674	674	674
		S	SMR_320M5000	1	606	606	606
DSM/5_90/82_SV/3S	CRS	Celkem			13 980		11 843
		F	140/896_SM	3	4 620		3 278
		F	284/896_SMV	1	3 122		2 329
		K	DSM/5_90/82	1	1 932		1 932
		S	SM_140/896/500	3	1 674		1 674
		S	SM_320M5000	3	1 346		1 346
		S	SMR_284/896/500	1	674		674
		S	SMR_320M5000	1	606		606
	RMB	Celkem			15 548	14 925	12 974
		F	140/896_SM	3	4 620	4 274	3 278
		F	284/896_SMV	1	4 689	4 412	3 458
		K	DSM/5_90/82	1	1 932	1 932	1 932
		S	SM_140/896/500	3	1 674	1 674	1 674
		S	SM_320M5000	3	1 346	1 346	1 346
		S	SMR_284/896/500	1	674	674	674
		S	SMR_320M5000	1	606	606	606
DST/5_30/82_2S/S		Celkem			12 351	12 071	11 745
		F	140/296_ST	1	680	623	526
		F	284/296_ST	2	2 580	2 360	2 131
		K	DST/5_30/82	1	1 372	1 372	1 372
		S	DST_30_N	1	2 060	2 060	2 060
		S	DST_30_W	2	5 654	5 654	5 654
DST/5_30/82_S/3S		Celkem			13 717	13 431	13 026
		F	140/296_ST	3	2 043	1 869	1 580
		F	284/296_ST	1	1 289	1 180	1 065
		K	DST/5_30/82	1	1 372	1 372	1 372
		S	DST_30_N	3	6 182	6 182	6 182
		S	DST_30_W	1	2 828	2 828	2 828
DST/5_30/82_S/S		Celkem			11 995	11 466	11 148
		F	140/296_ST	1	680	623	526
		F	570/296_ST	1	2 294	1 823	1 600
		K	DST/5_30/82	1	1 372	1 372	1 372
		S	DST_30_N	2	4 122	4 122	4 122
		S	DST_30_W	1	2 828	2 828	2 828
		S	DSWT_30_N	1	698	698	698
DST/5_45/82_2S/S		Celkem			13 845	13 388	12 878
		F	140/446_ST	1	889	818	669
		F	284/446_ST	2	3 402	3 015	2 658
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DST_45_N	1	2 143	2 143	2 143
		S	DST_45_W	2	5 906	5 906	5 906
DST/5_45/82_S/3S		Celkem			15 257	14 854	14 222
		F	140/446_ST	3	2 671	2 460	2 008

		F	284/446_ST	1	1 700	1 508	1 328
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DST_45_N	3	6 429	6 429	6 429
		S	DST_45_W	1	2 952	2 952	2 952
DST/5_45/82_S/S		Celkem			14 303	13 720	13 294
		F	140/446_ST	1	889	818	669
		F	570/446_ST	1	2 897	2 385	2 108
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DST_45_N	1	2 143	2 143	2 143
		S	DST_45_W	2	5 906	5 906	5 906
		S	DSWT_45_W	1	962	962	962
DST/5_60/82_2S/S		Celkem			15 202	14 628	13 965
		F	140/596_ST	1	1 098	1 023	825
		F	284/596_ST	2	4 186	3 686	3 225
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DST_60_N	1	2 252	2 252	2 252
		S	DST_60_W	2	6 054	6 054	6 054
DST/5_60/82_S/3S		Celkem			16 788	16 309	15 482
		F	140/596_ST	3	3 298	3 069	2 472
		F	284/596_ST	1	2 091	1 843	1 612
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DST_60_N	3	6 760	6 760	6 760
		S	DST_60_W	1	3 026	3 026	3 026
DST/5_60/82_S/S		Celkem			15 829	14 840	14 412
		F	140/596_ST	1	1 098	1 023	825
		F	570/596_ST	1	3 742	2 828	2 600
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DST_60_N	1	2 252	2 252	2 252
		S	DST_60_W	2	6 054	6 054	6 054
		S	DSWT_60_W	1	1 071	1 071	1 071
DST/5_90/82_2S/S		Celkem			18 912	17 983	17 006
		F	140/896_ST	1	1 540	1 425	1 092
		F	284/896_ST	2	5 811	4 997	4 351
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DST_90_N	1	2 583	2 583	2 583
		S	DST_90_W	2	7 043	7 043	7 043
DST/5_90/82_2SV/S	CRS	Celkem			19 345		17 311
		F	140/896_ST	1	1 540		1 092
		F	284/896_STV	2	6 245		4 657
		K	DST/5_90/82	1	1 932		1 932
		S	DST_90_N	1	2 583		2 583
		S	DST_90_W	2	7 043		7 043
	RMB	Celkem			22 483	21 812	19 571
		F	140/896_ST	1	1 540	1 425	1 092
		F	284/896_STV	2	9 380	8 826	6 917
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DST_90_N	1	2 583	2 583	2 583
		S	DST_90_W	2	7 043	7 043	7 043
DST/5_90/82_S/3S		Celkem			20 732	19 982	18 663
		F	140/896_ST	3	4 620	4 275	3 280
		F	284/896_ST	1	2 905	2 498	2 175
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DST_90_N	3	7 751	7 751	7 751
		S	DST_90_W	1	3 522	3 522	3 522
DST/5_90/82_SV/3S	CRS	Celkem			20 948		18 815
		F	140/896_ST	3	4 620		3 280
		F	284/896_STV	1	3 122		2 326
		K	DST/5_90/82	1	1 932		1 932
		S	DST_90_N	3	7 751		7 751
		S	DST_90_W	1	3 522		3 522
	RMB	Celkem			22 517	21 897	19 946
		F	140/896_ST	3	4 620	4 275	3 280
		F	284/896_STV	1	4 689	4 412	3 458
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DST_90_N	3	7 751	7 751	7 751
		S	DST_90_W	1	3 522	3 522	3 522
DSI/5_30/82_2S/S		Celkem			13 183	12 905	12 578
		F	140/296_ST	1	680	623	526
		F	284/296_SI	2	2 580	2 360	2 131
		K	DST/5_30/82	1	1 372	1 372	1 372
		S	DSI_30_N	1	2 060	2 060	2 060
		S	DSI_30_W	2	5 537	5 537	5 537

		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_30/82_S/3S		Celkem			14 134	13 848	13 443
		F	140/296_ST	3	2 043	1 869	1 580
		F	284/296_SI	1	1 289	1 180	1 065
		K	DST/5_30/82	1	1 372	1 372	1 372
		S	DSI_30_N	3	6 182	6 182	6 182
		S	DSI_30_W	1	2 768	2 768	2 768
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/5_30/82_S/S		Celkem			12 862	12 332	12 012
		F	140/296_ST	1	680	623	526
		F	570/296_SI	1	2 294	1 823	1 600
		K	DST/5_30/82	1	1 372	1 372	1 372
		S	DSI_30_N	2	4 122	4 122	4 122
		S	DSI_30_W	1	2 768	2 768	2 768
		S	DSWI_30_N	1	1 148	1 148	1 148
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/5_45/82_2S/S		Celkem			14 609	14 151	13 643
		F	140/446_ST	1	889	818	669
		F	284/446_SI	2	3 402	3 015	2 658
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DSI_45_N	1	2 143	2 143	2 143
		S	DSI_45_W	2	5 718	5 718	5 718
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_45/82_S/3S		Celkem			15 640	15 235	14 605
		F	140/446_ST	3	2 671	2 460	2 008
		F	284/446_SI	1	1 700	1 508	1 328
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DSI_45_N	3	6 429	6 429	6 429
		S	DSI_45_W	1	2 858	2 858	2 858
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/5_45/82_S/S		Celkem			15 900	15 317	14 891
		F	140/446_ST	1	889	818	669
		F	570/446_SI	1	2 897	2 385	2 108
		K	DST/5_45/82	1	1 502	1 502	1 502
		S	DSI_45_N	1	2 143	2 143	2 143
		S	DSI_45_W	2	5 718	5 718	5 718
		S	DSWI_45_W	1	1 795	1 795	1 795
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_60/82_2S/S		Celkem			15 986	15 412	14 751
		F	140/596_ST	1	1 098	1 023	825
		F	284/596_SI	2	4 186	3 686	3 225
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DSI_60_N	1	2 252	2 252	2 252
		S	DSI_60_W	2	5 888	5 888	5 888
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_60/82_S/3S		Celkem			17 182	16 703	15 875
		F	140/596_ST	3	3 298	3 069	2 472
		F	284/596_SI	1	2 091	1 843	1 612
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DSI_60_N	3	6 760	6 760	6 760
		S	DSI_60_W	1	2 945	2 945	2 945
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/5_60/82_S/S		Celkem			17 458	16 469	16 043
		F	140/596_ST	1	1 098	1 023	825
		F	570/596_SI	1	3 742	2 828	2 600
		K	DST/5_60/82	1	1 608	1 608	1 608
		S	DSI_60_N	1	2 252	2 252	2 252
		S	DSI_60_W	2	5 888	5 888	5 888
		S	DSWI_60_W	1	1 915	1 915	1 915
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_90/82_2S/S		Celkem			19 580	18 652	17 674
		F	140/896_ST	1	1 540	1 425	1 092
		F	284/896_SI	2	5 811	4 997	4 351
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DSI_90_N	1	2 583	2 583	2 583
		S	DSI_90_W	2	6 762	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_90/82_2SV/S	CRS	Celkem			20 014		17 978
		F	140/896_ST	1	1 540		1 092
		F	284/896_SIV	2	6 245		4 657
		K	DST/5_90/82	1	1 932		1 932
		S	DSI_90_N	1	2 583		2 583

		S	DSI_90_W	2	6 762		6 762
		S	BOXCOVER_DSI_W	2	951		951
	RMB	Celkem			23 151	22 480	20 238
		F	140/896_ST	1	1 540	1 425	1 092
		F	284/896_SIV	2	9 380	8 826	6 917
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DSI_90_N	1	2 583	2 583	2 583
		S	DSI_90_W	2	6 762	6 762	6 762
		S	BOXCOVER_DSI_W	2	951	951	951
DSI/5_90/82_S/3S		Celkem			21 066	20 315	18 997
		F	140/896_ST	3	4 620	4 275	3 280
		F	284/896_SI	1	2 905	2 498	2 175
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DSI_90_N	3	7 751	7 751	7 751
		S	DSI_90_W	1	3 380	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475	475
DSI/5_90/82_SV/3S	CRS	Celkem			21 283		19 149
		F	140/896_ST	3	4 620		3 280
		F	284/896_SIV	1	3 122		2 326
		K	DST/5_90/82	1	1 932		1 932
		S	DSI_90_N	3	7 751		7 751
		S	DSI_90_W	1	3 380		3 380
		S	BOXCOVER_DSI_W	1	475		475
	RMB	Celkem			22 851	22 231	20 280
		F	140/896_ST	3	4 620	4 275	3 280
		F	284/896_SIV	1	4 689	4 412	3 458
		K	DST/5_90/82	1	1 932	1 932	1 932
		S	DSI_90_N	3	7 751	7 751	7 751
		S	DSI_90_W	1	3 380	3 380	3 380
		S	BOXCOVER_DSI_W	1	475	475	475
DSWT/5_45/207_L/L		Celkem			33 711	31 474	30 772
		F	1247/446_LSW	1	5 820	4 392	3 951
		F	713/446_LSW	1	3 549	2 740	2 480
		K	DSWT/5_45/207	1	5 398	5 398	5 398
		S	DST_45_S	1	2 537	2 537	2 537
		S	DST_45_W	4	11 812	11 812	11 812
		S	DSWT_45_S	1	737	737	737
		S	DSWT_45_W	4	3 851	3 851	3 851
DSWI/5_45/207_L/L		Celkem			40 423	38 186	37 486
		F	1247/446_LSW	1	5 820	4 392	3 951
		F	713/446_LSW	1	3 549	2 740	2 480
		K	DSWT/5_45/207	1	5 398	5 398	5 398
		S	DSI_45_W	5	14 298	14 298	14 298
		S	DSWI_45_W	5	8 977	8 977	8 977
		S	BOXCOVER_DSI_W	5	2 377	2 377	2 377
G_30/57_L		Celkem			3 265	2 794	2 572
		F	570/296	1	2 292	1 823	1 600
		K	G_30/57	1	972	972	972
G_30/72_L		Celkem			3 857	3 322	3 054
		F	713/296	1	2 678	2 145	1 877
		K	G_30/72	1	1 177	1 177	1 177
G_30/95_L		Celkem			4 782	4 125	3 786
		F	943/296	1	3 328	2 669	2 332
		K	G_30/95	1	1 452	1 452	1 452
G_40/72_L		Celkem			4 577	3 865	3 602
		F	713/396	1	3 258	2 546	2 283
		K	G_40/72	1	1 317	1 317	1 317
G_40/95_L		Celkem			5 674	4 766	4 482
		F	943/396	1	4 046	3 138	2 854
		K	G_40/95	1	1 628	1 628	1 628
G_45/57_L		Celkem			4 040	3 529	3 254
		F	570/446	1	2 897	2 385	2 109
		K	G_45/57	1	1 143	1 143	1 143
G_45/72_L		Celkem			5 025	4 215	3 957
		F	713/446	1	3 549	2 740	2 480
		K	G_45/72	1	1 474	1 474	1 474
G_45/72_LV	CRS	Celkem			4 706		3 951
		F	713/446_V	1	3 229		2 475
		K	G_45/72	1	1 474		1 474
	RMB	Celkem			7 608	7 197	6 849
		F	713/446_V	1	6 132	5 722	5 374
		K	G_45/72	1	1 474	1 474	1 474

G_45/95_L		Celkem		6 168	5 140	4 885
		F 943/446	1	4 405	3 378	3 122
		K G_45/95	1	1 762	1 762	1 762
G_45/95_LV	CRS	Celkem		5 715		4 842
		F 943/446_V	1	3 952		3 078
		K G_45/95	1	1 762		1 762
	RMB	Celkem		8 998	8 523	8 125
		F 943/446_V	1	7 235	6 762	6 363
		K G_45/95	1	1 762	1 762	1 762
G_60/57_L		Celkem		5 169	4 257	4 031
		F 570/596	1	3 742	2 828	2 602
		K G_60/57	1	1 428	1 428	1 428
G_60/57_L/P		Celkem		6 015	5 074	4 629
		F 570/296	2	4 588	3 646	3 202
		K G_60/57	1	1 428	1 428	1 428
G_60/72_L		Celkem		6 128	5 077	4 818
		F 713/596	1	4 408	3 357	3 097
		K G_60/72	1	1 722	1 722	1 722
G_60/72_LV	CRS	Celkem		5 612		4 748
		F 713/596_V	1	3 891		3 026
		K G_60/72	1	1 722		1 722
	RMB	Celkem		8 805	8 334	7 942
		F 713/596_V	1	7 083	6 612	6 220
		K G_60/72	1	1 722	1 722	1 722
G_60/72_L/P		Celkem		7 082	6 011	5 475
		F 713/296	2	5 358	4 289	3 754
		K G_60/72	1	1 722	1 722	1 722
G_60/95_L		Celkem		7 665	6 211	6 028
		F 943/596	1	5 532	4 077	3 894
		K G_60/95	1	2 132	2 132	2 132
G_60/95_LV	CRS	Celkem		6 917		5 905
		F 943/596_V	1	4 783		3 771
		K G_60/95	1	2 132		2 132
	RMB	Celkem		10 515	9 892	9 498
		F 943/596_V	1	8 382	7 758	7 366
		K G_60/95	1	2 132	2 132	2 132
G_60/95_L/P		Celkem		8 789	7 472	6 798
		F 943/296	2	6 657	5 340	4 665
		K G_60/95	1	2 132	2 132	2 132
G_80/72_L/P		Celkem		8 554	7 131	6 603
		F 713/396	2	6 520	5 094	4 568
		K G_80/72	1	2 035	2 035	2 035
G_80/95_L/P		Celkem		10 603	8 789	8 218
		F 943/396	2	8 092	6 277	5 706
		K G_80/95	1	2 511	2 511	2 511
G_90/72_L/P		Celkem		9 298	7 678	7 160
		F 713/446	2	7 100	5 482	4 960
		K G_90/72	1	2 197	2 197	2 197
G_90/95_L/P		Celkem		11 525	9 471	8 960
		F 943/446	2	8 811	6 757	6 246
		K G_90/95	1	2 712	2 712	2 712
GC_45/72_L		Celkem		4 535	3 726	3 466
		F 713/446	1	3 549	2 740	2 480
		K GC_45/72	1	985	985	985
GC_45/95_L		Celkem		5 723	4 695	4 440
		F 943/446	1	4 405	3 378	3 122
		K GC_45/95	1	1 317	1 317	1 317
GC_60/72_L		Celkem		5 575	4 525	4 265
		F 713/596	1	4 408	3 357	3 097
		K GC_60/72	1	1 166	1 166	1 166
GC_60/72_L/P		Celkem		6 526	5 457	4 923
		F 713/296	2	5 358	4 289	3 754
		K GC_60/72	1	1 166	1 166	1 166
GC_60/95_L		Celkem		7 105	5 651	5 466
		F 943/596	1	5 532	4 077	3 894
		K GC_60/95	1	1 572	1 572	1 572
GC_60/95_L/P		Celkem		8 228	6 914	6 238
		F 943/296	2	6 657	5 340	4 665
		K GC_60/95	1	1 572	1 572	1 572
GC_80/72_L/P		Celkem		7 772	6 346	5 820
		F 713/396	2	6 520	5 094	4 568
		K GC_80/72	1	1 252	1 252	1 252

GC_80/95_L/P		Celkem		9 825	8 011	7 440
		F 943/396	2	8 092	6 277	5 706
		K GC_80/95	1	1 732	1 732	1 732
GC_90/72_L/P		Celkem		8 425	6 805	6 285
		F 713/446	2	7 100	5 482	4 960
		K GC_90/72	1	1 323	1 323	1 323
GC_90/95_L/P		Celkem		10 738	8 686	8 174
		F 943/446	2	8 811	6 757	6 246
		K GC_90/95	1	1 929	1 929	1 929
GI_5/72_B		Celkem		1 355	1 300	1 163
		F 713/50_I	1	694	638	502
		K GI_5/72	1	662	662	662
GI_5/95_B		Celkem		1 746	1 672	1 429
		F 943/50_I	1	911	837	595
		K GI_5/95	1	835	835	835
GNW_60/72_L		Celkem		7 646	6 669	6 255
		F 713/276_276_N	1	4 618	3 642	3 228
		K GNW_60/72	1	3 026	3 026	3 026
GNWU_60/72_L		Celkem		6 238	5 525	5 262
		F 713/396	1	3 258	2 546	2 283
		K GNWU_60/72	1	2 978	2 978	2 978
GNWU_60/72_LV	CRS	Celkem		5 986		5 265
		F 713/396_V	1	3 006		2 288
		K GNWU_60/72	1	2 978		2 978
	RMB	Celkem		8 611	8 532	7 888
		F 713/396_V	1	5 631	5 555	4 908
		K GNWU_60/72	1	2 978	2 978	2 978
GNWU_60/95_L		Celkem		7 798	6 892	6 606
		F 943/396	1	4 046	3 138	2 854
		K GNWU_60/95	1	3 752	3 752	3 752
GNWU_60/95_LV	CRS	Celkem		7 445		6 600
		F 943/396_V	1	3 689		2 848
		K GNWU_60/95	1	3 752		3 752
	RMB	Celkem		10 535	10 092	9 691
		F 943/396_V	1	6 780	6 337	5 937
		K GNWU_60/95	1	3 752	3 752	3 752
GNZU2F_30/72_LUV	CRS	Celkem		5 402		4 529
		F 713/300_UV	1	4 286		3 414
		K GNZU2F_30/72	1	1 115		1 115
	RMB	Celkem		8 302	7 855	7 429
		F 713/300_UV	1	7 185	6 737	6 314
		K GNZU2F_30/72	1	1 115	1 115	1 115
GNZU2F_30/95_LUV	CRS	Celkem		6 829		5 560
		F 943/300_UV	1	5 448		4 178
		K GNZU2F_30/95	1	1 382		1 382
	RMB	Celkem		10 114	9 351	8 838
		F 943/300_UV	1	8 731	7 969	7 458
		K GNZU2F_30/95	1	1 382	1 382	1 382
GO_45/36_O		Celkem		3 255	2 972	2 772
		F 355/446_O	1	2 008	1 725	1 525
		K GO_45/36	1	778	778	778
		K ROZW_MAXI_A1	1	468	468	468
GO_45/36_OV	CRS	Celkem		3 332		2 786
		F 355/446_VO	1	2 086		1 540
		K GO_45/36	1	778		778
		K ROZW_MAXI_A1	1	468		468
	RMB	Celkem		4 180	3 874	3 632
		F 355/446_VO	1	2 932	2 626	2 385
		K GO_45/36	1	778	778	778
		K ROZW_MAXI_A1	1	468	468	468
GO_50/36_O		Celkem		3 652	3 154	2 909
		F 355/496_O	1	2 363	1 866	1 620
		K GO_50/36	1	818	818	818
		K ROZW_MAXI_A1	1	468	468	468
GO_60/36_O		Celkem		4 054	3 478	3 215
		F 355/596_O	1	2 695	2 122	1 858
		K GO_60/36	1	889	889	889
		K ROZW_MAXI_A1	1	468	468	468
GO_60/36_OV	CRS	Celkem		3 886		3 234
		F 355/596_VO	1	2 528		1 875
		K GO_60/36	1	889		889
		K ROZW_MAXI_A1	1	468		468

	RMB	Celkem		4 849	4 508	4 195
	F	355/596_VO	1	3 489	3 149	2 837
	K	GO_60/36	1	889	889	889
	K	ROZW_MAXI_A1	1	468	468	468
GOO_60/50_O		Celkem		4 920	4 155	3 922
	F	500/596_O	1	3 348	2 582	2 349
	K	GOO_60/50	1	1 103	1 103	1 103
	K	ROZW_MAXI_A1	1	468	468	468
GS_30/14_2S		Celkem		1 835	1 725	1 625
	F	140/146_S	2	935	828	725
	K	GS_30/14	1	897	897	897
GS_45/14_3S		Celkem		2 688	2 523	2 371
	F	140/146_S	3	1 405	1 240	1 089
	K	GS_45/14	1	1 282	1 282	1 282
DM_45/57		Celkem		2 897	2 385	2 109
	F	570/446_M	1	2 897	2 385	2 109
DM_45/71		Celkem		3 549	2 740	2 480
	F	713/446_M	1	3 549	2 740	2 480
DM_60/57		Celkem		3 742	2 828	2 602
	F	570/596_M	1	3 742	2 828	2 602
DM_60/71		Celkem		4 408	3 357	3 097
	F	713/596_M	1	4 408	3 357	3 097
maskovací díl vnitřní		Celkem		754	754	754
	F	713/40	1	754	754	754
dvířko atyp		Celkem		16 606	12 742	11 568
	F	NT	1	16 606	12 742	11 568
dvířko atyp U1		Celkem		20 131	18 454	15 094
	F	NT_U1	1	20 131	18 454	15 094
dvířko atyp U2		Celkem			18 454	
	F	NT_U2	1		18 454	

skříňky otevřené (bez dvířek)

skříňka	sklo	rozpis	počet	bez dvířek
D_15/82		Celkem		1 278
	K	D_15/82	1	1 278
DBNW45_4/82		Celkem		91
	K	DBNW45_4/82	1	91
DBNW60_5/82		Celkem		165
	K	DBNW60_5/82	1	165
DBZ_5/82		Celkem		123
	K	DBZ_5/82	1	123
DBZ_56/82		Celkem		497
	K	DBZ_56/82	1	497
DNZ_30/82		Celkem		1 648
	K	DNZ_30/82	1	1 648
DNZR_30/82		Celkem		1 648
	K	DNZR_30/82	1	1 648
DSY_45/82		Celkem		1 471
	K	DSY_45/82	1	1 471
DSY_60/82		Celkem		1 574
	K	DSY_60/82	1	1 574
G_15/72		Celkem		865
	K	G_15/72	1	865
G_15/95		Celkem		1 094
	K	G_15/95	1	1 094
GNZ_30/72		Celkem		1 038
	K	GNZ_30/72	1	1 038
GNZ_30/95		Celkem		1 335
	K	GNZ_30/95	1	1 335
GNZR_30/72		Celkem		1 038
	K	GNZR_30/72	1	1 038
GNZR_30/95		Celkem		1 335
	K	GNZR_30/95	1	1 335
GP35_60/43		Celkem		1 026
	K	GP35_60/43	1	1 026
TNZ_30/121		Celkem		1 605
	K	TNZ_30/121	1	1 605
TNZR_30/121		Celkem		1 605

		K	TNZR_30/121	1	1 605
TROL_60/121		Celkem			9 285
		K	TROL_60/121	1	9 285
TROL_60/121_STL		Celkem			9 998
		K	TROL_60/121_STL	1	9 998
TROL5-60/121-ALU		Celkem			18 857
		K	TROL5_60/121_ALU	1	18 857
TROL5-60/121/56-ALU		Celkem			19 975
		K	TROL5_60/121/56_A	1	19 975
TROL5-60/121-SKLO	BI	Celkem			30 866
		K	TROL5_60/121_SKLO	1	30 866
	ML	Celkem			30 866
		K	TROL5_60/121_SKLO	1	30 866
TROL5-60/121/56-SKLO	BI	Celkem			31 986
		K	TROL5_60/121/56_S	1	31 986
	ML	Celkem			31 986
		K	TROL5_60/121/56_S	1	31 986
KORPUS atyp		Celkem			2 851
		K	NT	1	2 851