

SENSO KITCHENS – SENTIMA – MO CENÍK 6/2019

(ceny včetně DPH)

fronty: Pierwsza Miłość					
skfinka	sklo	rozpis	mn.	dle vzorniku folii PVC	s patnou dle vzorniku folii PVC
D_30/82_L		Suma		2 355	2 784
		F 713/296	1	722	1 150
		K D 30/82	1	1 635	1 635
D_40/82_L		Suma		2 714	3 292
		F 713/396	1	964	1 541
		K D 40/82	1	1 750	1 750
D_45/82_L		Suma		2 931	3 577
		F 713/446	1	1 088	1 737
		K D 45/82	1	1 842	1 842
D_45/136_L		Suma		5 237	6 265
		F 1261/446	1	1 938	2 970
		K D 45/136	1	3 297	3 297
D_45/136_LV		Suma		5 237	6 265
		F 1261/446 V	1	1 938	2 970
		K D 45/136	1	3 297	3 297
D_45/207_L/L		Suma		8 272	10 054
		F 1247/446	1	1 902	3 035
		F 713/446	1	1 088	1 737
		K D 45/207	1	5 282	5 282
D_60/82_L		Suma		3 615	4 484
		F 713/596	1	1 451	2 320
		K D 60/82	1	2 167	2 167
D_60/82_L/P		Suma		3 784	4 642
		F 713/296	2	1 442	2 301
		K ZAWIASY_107ST+B_Pf	1	175	175
		K D 60/82	1	2 167	2 167
D_80/82_L/P		Suma		4 412	5 568
		F 713/396	2	1 928	3 082
		K D 80/82	1	2 485	2 485
D_90/82_L/P		Suma		4 840	6 134
		F 713/446	2	2 177	3 471
		K D 90/82	1	2 664	2 664
D1SM/5_30/82_L/S		Suma		3 004	3 430
		F 140/296 SM	1	147	227
		F 570/296	1	580	922
		K D1SM/5_30/82	1	1 640	1 640
		S SM 140/296/500	1	178	178
		S SM 320M5000	1	462	462
D1SM/5_45/82_L/S		Suma		3 678	4 318
		F 140/446 SM	1	220	341
		F 570/446	1	870	1 388
		K D1SM/5_45/82	1	1 858	1 858
		S SM 140/446/500	1	268	268
		S SM 320M5000	1	462	462
D1SM/5_60/82_L/S		Suma		4 454	5 314
		F 140/596 SM	1	287	452
		F 570/596	1	1 162	1 858
		K D1SM/5_60/82	1	2 167	2 167
		S SM 140/596/500	1	375	375
		S SM 320M5000	1	462	462
D1SM/5_60/82_L/P/S		Suma		4 622	5 475
		F 140/596 SM	1	287	452
		F 570/296	2	1 158	1 842
		K ZAWIASY_107ST+B_Pf	1	175	175
		K D1SM/5_60/82	1	2 167	2 167
		S SM 140/596/500	1	375	375
		S SM 320M5000	1	462	462
D1ST/5_30/82_L/S		Suma		4 498	4 920
		F 140/296 ST	1	147	227
		F 570/296	1	580	922
		K D1ST/5_30/82	1	1 640	1 640
		S DSI_30_N	1	2 132	2 132
D1ST/5_45/82_L/S		Suma		5 164	5 804
		F 140/446 ST	1	220	341
		F 570/446	1	870	1 388
		K D1ST/5_45/82	1	1 858	1 858
		S DSI_45_N	1	2 218	2 218
D1ST/5_60/82_L/S		Suma		5 947	6 808
		F 140/596 ST	1	287	452
		F 570/596	1	1 162	1 858
		K D1ST/5_60/82	1	2 167	2 167
		S DSI_60_N	1	2 332	2 332
D1ST/5_60/82_L/P/S		Suma		6 115	6 968
		F 140/596 ST	1	287	452
		F 570/296	2	1 158	1 842
		K ZAWIASY_107ST+B_Pf	1	175	175
		K D1ST/5_60/82	1	2 167	2 167
		S DSI_60_N	1	2 332	2 332

D1SI/5_30/82_L/S	Suma		4 498	4 920
	F 140/296_ST	1	147	227
	F 570/296	1	580	922
	K D1ST/5_30/82	1	1 640	1 640
	S DSI 30 N	1	2 132	2 132
D1SI/5_45/82_L/S	Suma		5 164	5 804
	F 140/446_ST	1	220	341
	F 570/446	1	870	1 388
	K D1ST/5_45/82	1	1 858	1 858
	S DSI 45 N	1	2 218	2 218
D1SI/5_60/82_L/S	Suma		5 947	6 808
	F 140/596_ST	1	287	452
	F 570/596	1	1 162	1 858
	K D1ST/5_60/82	1	2 167	2 167
	S DSI 60 N	1	2 332	2 332
D1SI/5_60/82_L/P/S	Suma		6 115	6 968
	F 140/596_ST	1	287	452
	F 570/296	2	1 158	1 842
	K ZAWIASY 107ST+B_Pf	1	175	175
	K D1ST/5_60/82	1	2 167	2 167
S DSI 60 N	1	2 332	2 332	
DC_15/82_C	Suma		1 562	1 772
	F 713/146_C	1	360	570
	K DC 15/82	1	1 204	1 204
DC_30/82_C	Suma		2 132	2 521
	F 713/296_C	1	728	1 117
	K DC 30/82	1	1 404	1 404
DC_30/207_C/C	Suma		5 548	6 614
	F 1247/296_GCC	1	1 274	1 948
	F 713/296_CC	1	728	1 117
	K DC 30/207	1	3 545	3 545
DC_30/230_C/C/L	Suma		6 904	8 097
	F 1081/296_C	1	1 111	1 700
	F 393/296_PL	1	401	615
	F 713/296_C	1	728	1 117
	K DC 30/230	1	4 667	4 667
DC_45/207_C/C	Suma		7 697	9 478
	F 1247/446_C	1	1 902	3 035
	F 713/446_C	1	1 088	1 737
	K DC 45/207	1	4 708	4 708
DC_45/207_L/L	Suma		7 697	9 478
	F 1247/446_LSW	1	1 902	3 035
	F 713/446_LSW	1	1 088	1 737
	K DC 45/207	1	4 708	4 708
DC_45/230_C/C/O	Suma		9 014	10 874
	F 1081/446_C	1	1 661	2 548
	F 393/446_O	1	601	924
	F 713/446_C	1	1 088	1 737
	K DC 45/230	1	5 087	5 087
	K Y00-05-HKXS	1	580	580
DC_45/230_L/L/O	Suma		9 014	10 874
	F 1081/446_LSW	1	1 661	2 548
	F 393/446_O	1	601	924
	F 713/446_LSW	1	1 088	1 737
	K DC 45/230	1	5 087	5 087
	K Y00-05-HKXS	1	580	580
DC_60/207_C/C	Suma		9 105	11 491
	F 1247/596_C	1	2 537	4 054
	F 713/596_C	1	1 451	2 320
	K DC 60/207	1	5 117	5 117
DC_60/207_L/L	Suma		9 105	11 491
	F 1247/596_LSW	1	2 537	4 054
	F 713/596_LSW	1	1 451	2 320
	K DC 60/207	1	5 117	5 117
DC_60/230_C/C/O	Suma		10 482	13 147
	F 1081/596_C	1	2 200	3 517
	F 393/596_O	1	802	1 280
	F 713/596_C	1	1 451	2 320
	K DC 60/230	1	5 450	5 450
	K Y00-05-HKXS	1	580	580
DC_60/230_L/L/O	Suma		10 482	13 147
	F 1081/596_LSW	1	2 200	3 517
	F 393/596_O	1	802	1 280
	F 713/596_LSW	1	1 451	2 320
	K DC 60/230	1	5 450	5 450
	K Y00-05-HKXS	1	580	580
DI_5/82_B	Suma		2 001	2 508
	F 713/50_I	1	847	1 358
	K DI 5/82	1	1 152	1 152

DK_45/82_L	Suma		2 692	3 341
	F 713/446	1	1 088	1 737
	K DK 45/82	1	1 607	1 607
DK_60/82_L	Suma		3 264	4 134
	F 713/596	1	1 451	2 320
	K DK 60/82	1	1 814	1 814
DK_60/82_L/P	Suma		3 432	4 290
	F 713/296	2	1 442	2 301
	K ZAWIASY 107ST+B P	1	175	175
	K DK 60/82	1	1 814	1 814
DK_80/82_L/P	Suma		3 904	5 060
	F 713/396	2	1 928	3 082
	K DK 80/82	1	1 977	1 977
DK_90/82_L/P	Suma		4 282	5 577
	F 713/446	2	2 177	3 471
	K DK 90/82	1	2 107	2 107
DKK_45/82_M	Suma		2 648	3 297
	F 713/446_M	1	1 088	1 737
	K DKSM/5_45/82	1	1 562	1 562
DKK_60/82_M	Suma		3 131	4 000
	F 713/596_M	1	1 451	2 320
	K DKSM/5_60/82	1	1 681	1 681
DKK/5_45/82_M/B	Suma		2 648	3 290
	F 140/446_B	1	220	341
	F 570/446_SM	1	870	1 388
	K DKSM/5_45/82	1	1 562	1 562
DKK/5_60/82_M/B	Suma		3 131	3 992
	F 140/596_B	1	287	452
	F 570/596_SM	1	1 162	1 858
	K DKSM/5_60/82	1	1 681	1 681
DKNW_90/82_L/L	Suma		5 548	6 478
	F 713/321_321_N	1	1 565	2 495
	K DKNW_90/82	1	3 981	3 981
DKNW_105/82_L	Suma		3 758	4 407
	F 713/446	1	1 088	1 737
	K DKNW_105/82	1	2 672	2 672
DKNW_120/82_L	Suma		4 295	5 164
	F 713/596	1	1 451	2 320
	K DKNW_120/82	1	2 844	2 844
DKNWU_90/82_L/L	Suma		4 652	5 317
	F 713/456	1	1 108	1 775
	K DKNWU_90/82	1	3 544	3 544
DKSM/5_45/82_S/B	Suma		3 611	4 251
	F 140/446_B	1	220	341
	F 570/446_SM	1	870	1 388
	K DKSM/5_45/82	1	1 562	1 562
	S SMR 284/446/500	1	334	334
	S SMR 320M5000	1	630	630
DKSM/5_60/82_S/B	Suma		4 207	5 071
	F 140/596_B	1	287	452
	F 570/596_SM	1	1 162	1 858
	K DKSM/5_60/82	1	1 681	1 681
	S SMR 284/596/500	1	450	450
	S SMR 320M5000	1	630	630
DKSM/5_90/82_S/B	Suma		5 467	6 768
	F 140/896_B	1	432	685
	F 570/896_SM	1	1 744	2 788
	K DKSM/5_90/82	1	1 967	1 967
	S SMR 284/896/500	1	700	700
	S SMR 320M5000	1	630	630
DKST/5_45/82_S/B	Suma		5 705	6 347
	F 140/446_B	1	220	341
	F 570/446_ST	1	870	1 388
	K DKST_45/82	1	1 562	1 562
	S DST 45_W	1	3 055	3 055
DKST/5_45/82_SP34/B	Suma		4 664	5 304
	F 140/446_B	1	220	341
	F 570/446_STP34	1	870	1 388
	K DKST_45/82	1	1 562	1 562
	S DSI 45_NX	1	2 014	2 014
DKST/5_60/82_S/B	Suma		6 264	7 124
	F 140/596_B	1	287	452
	F 570/596_ST	1	1 162	1 858
	K DKST_60/82	1	1 681	1 681
	S DST 60_W	1	3 131	3 131
DKST/5_60/82_SP34/B	Suma		5 024	5 885
	F 140/596_B	1	287	452
	F 570/596_STP34	1	1 162	1 858
	K DKST_45/82	1	1 562	1 562
	S DSI 45_NX	1	2 014	2 014
DKST/5_90/82_S/B	Suma		7 785	9 087
	F 140/896_B	1	432	685
	F 570/896_ST	1	1 744	2 788
	K DKST_90/82	1	1 967	1 967
	S DST 90_W	1	3 644	3 644

DKSI/5_45/82_S/B	Suma		6 100	6 741
	F 140/446_B	1	220	341
	F 570/446_SI	1	870	1 388
	K DKST_45/82	1	1 562	1 562
	S DSI_45_W	1	2 960	2 960
	S BOXCOVER_DSI_W	1	491	491
DKSI/5_45/82_SP34/B	Suma		4 664	5 304
	F 140/446_B	1	220	341
	F 570/446_STP34	1	870	1 388
	K DKST_45/82	1	1 562	1 562
	S DSI_45_NX	1	2 014	2 014
	S BOXCOVER_DSI_W	1	491	491
DKSI/5_60/82_S/B	Suma		6 668	7 531
	F 140/596_B	1	287	452
	F 570/596_SI	1	1 162	1 858
	K DKST_60/82	1	1 681	1 681
	S DSI_60_W	1	3 045	3 045
	S BOXCOVER_DSI_W	1	491	491
DKSI/5_60/82_SP34/B	Suma		5 167	6 027
	F 140/596_B	1	287	452
	F 570/596_STP34	1	1 162	1 858
	K DKST_60/82	1	1 681	1 681
	S DSI_60_NX	1	2 037	2 037
	S BOXCOVER_DSI_W	1	491	491
DKSI/5_90/82_S/B	Suma		8 130	9 431
	F 140/896_B	1	432	685
	F 570/896_SI	1	1 744	2 788
	K DKST_90/82	1	1 967	1 967
	S DSI_90_W	1	3 500	3 500
	S BOXCOVER_DSI_W	1	491	491
DL_60/136_L	Suma		5 892	7 277
	F 1261/596	1	2 587	3 971
	K DL_60/136	1	3 307	3 307
DL_60/207_L/L	Suma		8 822	11 208
	F 1247/596	1	2 537	4 054
	F 713/596	1	1 451	2 320
	K DL_60/207	1	4 834	4 834
DLO_60/230_L/L/O	Suma		10 117	12 781
	F 1081/596	1	2 200	3 517
	F 393/596_O	1	802	1 280
	F 713/596	1	1 451	2 320
	K DLO_60/230	1	5 084	5 084
	K Y00-05-HKXS	1	580	580
DL/NT160_60/207_L/L	Suma		9 105	11 491
	F 1247/596	1	2 537	4 054
	F 713/596_NT	1	1 451	2 320
	K DL/NT160_60/207	1	5 117	5 117
DL/NT160_60/230_L/L/O	Suma		10 512	12 987
	F 1261/596	1	2 587	3 971
	F 284/596_O	1	585	894
	F 643/596	1	1 314	2 094
	K DL/NT160_60/230	1	5 450	5 450
	K Y00-05-HKXS	1	580	580
DL/NT180_60/207_L/L	Suma		9 105	11 491
	F 1247/596_NT	1	2 537	4 054
	F 713/596_NT	1	1 451	2 320
	K DL/NT180_60/207	1	5 117	5 117
DL/NT180_60/230_L/L/O	Suma		10 512	12 987
	F 1261/596_NT	1	2 587	3 971
	F 284/596_O	1	585	894
	F 643/596	1	1 314	2 094
	K DL/NT180_60/230	1	5 450	5 450
	K Y00-05-HKXS	1	580	580
DNW_90/82_L/L	Suma		5 825	6 758
	F 713/321_321_N	1	1 565	2 495
	K DNW_90/82	1	4 261	4 261
DNW_105/82_L	Suma		4 254	4 902
	F 713/446	1	1 088	1 737
	K DNW_105/82	1	3 167	3 167
DNW_120/82_L	Suma		4 852	5 724
	F 713/596	1	1 451	2 320
	K DNW_120/82	1	3 404	3 404
DNWL_105/136_L/B	Suma		7 874	9 447
	F 1261/446	1	1 938	2 970
	F 500/596_B	1	1 031	1 572
	K DNWL_105/136	1	4 904	4 904
DNWU_90/82_L	Suma		5 237	5 900
	F 713/456	1	1 108	1 775
	K DNWU_90/82	1	4 127	4 127
DNZRF_30/82_L/LR	Suma		6 567	7 725
	F 713/260	1	631	1 012
	F 713/300_R	1	3 672	4 451
	K DNZRF_30/82	1	2 262	2 262
DNZUF_30/82_L/L	Suma		3 650	4 658
	F 713/296_396_Z	1	1 687	2 695
	K DNZUF_30/82	1	1 964	1 964
DO_45/230_L/L/O	Suma		9 465	11 324
	F 1081/446	1	1 661	2 548
	F 393/446_O	1	601	924
	F 713/446	1	1 088	1 737
	K DO_45/230	1	5 537	5 537
	K Y00-05-HKXS	1	580	580
DPSM_60/82_S	Suma		3 061	3 182
	F 110/596_SM	1	224	347
	K DPSMST_60/82	1	1 760	1 760
	S SM_110/596/500	1	377	377
	S SM_320N5000	1	700	700
DPST_60/82_S	Suma		4 667	4 791
	F 110/596_ST	1	224	347
	K DPS_60/82	1	1 760	1 760
	S DPST_60_P	1	2 682	2 682
DPSI_60/82_S	Suma		4 667	4 791
	F 110/596_ST	1	224	347
	K DPS_60/82	1	1 760	1 760
	S DPSI_60_P	1	2 682	2 682
DP_60/136_L/B	Suma		4 652	5 447
	F 570/596	1	1 162	1 858
	F 87/596_B	1	178	277
	K DP_60/136	1	3 312	3 312

DP_60/207_L/L	Suma		8 198	9 847
	F 643/596	1	1 314	2 094
	F 713/596	1	1 451	2 320
	K DP 60/207	1	5 437	5 437
DPP370_60/207_L/O	Suma		7 435	8 607
	F 393/596 O	1	802	1 280
	F 570/596	1	1 162	1 858
	K DPP37 45O 60/207	1	4 890	4 890
DP45_60/136_L/B	Suma		4 887	5 838
	F 713/596	1	1 451	2 320
	F 75/596 B	1	157	237
	K DP45 60/136	1	3 281	3 281
DPP450_60/207_L/O	Suma		7 285	8 324
	F 316/596 O	1	652	997
	F 570/596	1	1 162	1 858
	K DPP37 45O 60/207	1	4 890	4 890
DSM/5_15/82_2S/S	Suma		3 561	3 764
	F 140/146 SM	1	74	112
	F 284/146 SM	2	292	452
	K DSM/5 15/82	1	1 210	1 210
	S SM 140/146/500	1	80	80
	S SM 320M5000	1	462	462
	S SMR 284/146/500	2	188	188
	S SMR 320M5000	2	1 257	1 257
	Suma		4 474	4 884
DSM/5_30/82_2S/S	Suma		4 474	4 884
	F 140/296 SM	1	147	227
	F 284/296 SM	2	582	911
	K DSM/5 30/82	1	1 420	1 420
	S SM 140/296/500	1	178	178
	S SM 320M5000	1	462	462
	S SMR 284/296/500	2	430	430
	S SMR 320M5000	2	1 257	1 257
	Suma		4 474	4 884

DSM/5_30/82_S/3S	Suma		4 912	5 322
	F 140/296 SM	3	437	681
	F 284/296 SM	1	292	455
	K DSM/5_30/82	1	1 420	1 420
	S SM 140/296/500	3	531	531
	S SM 320M5000	3	1 391	1 391
	S SMR 284/296/500	1	214	214
	S SMR 320M5000	1	630	630
DSM/5_30/82_S/S	Suma		4 458	4 881
	F 140/296 SM	1	147	227
	F 570/296 SM	1	580	922
	K DSM/5_30/82	1	1 420	1 420
	S SM 140/296/500	1	178	178
	S SM 320M5000	2	927	927
	S SMR 284/296/500	1	214	214
	S SMR 320M5000	1	630	630
	S SMW 86/296/500	1	367	367
DSM/5_45/82_2S/S	Suma		5 294	5 934
	F 140/446 SM	1	220	341
	F 284/446 SM	2	865	1 381
	K DSM/5_45/82	1	1 555	1 555
	S SM 140/446/500	1	268	268
	S SM 320M5000	1	462	462
	S SMR 284/446/500	2	665	665
	S SMR 320M5000	2	1 257	1 257
DSM/5_45/82_S/3S	Suma		5 801	6 430
	F 140/446 SM	3	655	1 022
	F 284/446 SM	1	432	691
	K DSM/5_45/82	1	1 555	1 555
	S SM 140/446/500	3	805	805
	S SM 320M5000	3	1 391	1 391
	S SMR 284/446/500	1	334	334
	S SMR 320M5000	1	630	630
DSM/5_60/82_2S/S	Suma		6 102	6 958
	F 140/596 SM	1	287	452
	F 284/596 SM	2	1 158	1 848
	K DSM/5_60/82	1	1 664	1 664
	S SM 140/596/500	1	375	375
	S SM 320M5000	1	462	462
	S SMR 284/596/500	2	898	898
	S SMR 320M5000	2	1 257	1 257
DSM/5_60/82_S/3S	Suma		6 697	7 541
	F 140/596 SM	3	862	1 360
	F 284/596 SM	1	580	924
	K DSM/5_60/82	1	1 664	1 664
	S SM 140/596/500	3	1 124	1 124
	S SM 320M5000	3	1 391	1 391
	S SMR 284/596/500	1	450	450
	S SMR 320M5000	1	630	630
DSM/5_90/82_2S/S	Suma		7 865	9 157
	F 140/896 SM	1	432	685
	F 284/896 SM	2	1 738	2 775
	K DSM/5_90/82	1	2 001	2 001
	S SM 140/896/500	1	580	580
	S SM 320M5000	1	462	462
	S SMR 284/896/500	2	1 400	1 400
	S SMR 320M5000	2	1 257	1 257
DSM/5_90/82_2SV/S	Suma		7 878	9 077
	F 140/896 SM	1	432	685
	F 284/896 SMV	2	1 751	2 695
	K DSM/5_90/82	1	2 001	2 001
	S SM 140/896/500	1	580	580
	S SM 320M5000	1	462	462
	S SMR 284/896/500	2	1 400	1 400
	S SMR 320M5000	2	1 257	1 257

DSM/5_90/82_S/3S	Suma		8 615	9 895
	F 140/896 SM	3	1 292	2 055
	F 284/896 SM	1	870	1 388
	K DSM/5_90/82	1	2 001	2 001
	S SM 140/896/500	3	1 737	1 737
	S SM 320M5000	3	1 391	1 391
	S SMR 284/896/500	1	700	700
	S SMR 320M5000	1	630	630
DSM/5_90/82_SV/3S	Suma		8 620	9 854
	F 140/896 SM	3	1 292	2 055
	F 284/896 SMV	1	875	1 347
	K DSM/5_90/82	1	2 001	2 001
	S SM 140/896/500	3	1 737	1 737
	S SM 320M5000	3	1 391	1 391
	S SMR 284/896/500	1	700	700
	S SMR 320M5000	1	630	630
DST/5_30/82_2S/S	Suma		10 132	10 541
	F 140/296 ST	1	147	227
	F 284/296 ST	2	582	911
	K DST/5_30/82	1	1 420	1 420
	S DSI 30 N	1	2 132	2 132
	S DST 30 W	2	5 851	5 851
DST/5_30/82_S/3S	Suma		11 470	11 877
	F 140/296 ST	3	437	681
	F 284/296 ST	1	292	455
	K DST/5_30/82	1	1 420	1 420
	S DSI 30 N	3	6 395	6 395
	S DST 30 W	1	2 927	2 927
DST/5_30/82_S/S	Suma		10 057	10 482
	F 140/296 ST	1	147	227
	F 570/296 ST	1	580	922
	K DST/5_30/82	1	1 420	1 420
	S DSI 30 N	2	4 264	4 264
	S DST 30 W	1	2 927	2 927
	S DSWT 30 N	1	725	725
DST/5_45/82_2S/S	Suma		10 967	11 607
	F 140/446 ST	1	220	341
	F 284/446 ST	2	865	1 381
	K DST/5_45/82	1	1 555	1 555
	S DSI 45 N	1	2 218	2 218
	S DST 45 W	2	6 110	6 110
DST/5_45/82_S/3S	Suma		12 351	12 978
	F 140/446 ST	3	655	1 022
	F 284/446 ST	1	432	691
	K DST/5_45/82	1	1 555	1 555
	S DSI 45 N	3	6 652	6 652
	S DST 45 W	1	3 055	3 055
DST/5_45/82_S/S	Suma		11 968	12 611
	F 140/446 ST	1	220	341
	F 570/446 ST	1	870	1 388
	K DST/5_45/82	1	1 555	1 555
	S DSI 45 N	1	2 218	2 218
	S DST 45 W	2	6 110	6 110
	S DSWT 45 W	1	997	997
DST/5_60/82_2S/S	Suma		11 702	12 561
	F 140/596 ST	1	287	452
	F 284/596 ST	2	1 158	1 848
	K DST/5_60/82	1	1 664	1 664
	S DSI 60 N	1	2 332	2 332
	S DST 60 W	2	6 264	6 264
DST/5_60/82_S/3S	Suma		13 232	14 075
	F 140/596 ST	3	862	1 360
	F 284/596 ST	1	580	924
	K DST/5_60/82	1	1 664	1 664
	S DSI 60 N	3	6 997	6 997
	S DST 60 W	1	3 131	3 131
DST/5_60/82_S/S	Suma		12 818	13 681
	F 140/596 ST	1	287	452
	F 570/596 ST	1	1 162	1 858
	K DST/5_60/82	1	1 664	1 664
	S DSI 60 N	1	2 332	2 332
	S DST 60 W	2	6 264	6 264
	S DSWT 60 W	1	1 108	1 108

DST/5_90/82_2S/S	Suma		14 132	15 421
	F 140/896 ST	1	432	685
	F 284/896 ST	2	1 738	2 775
	K DST/5_90/82	1	2 001	2 001
	S DSI 90 N	1	2 675	2 675
	S DST 90 W	2	7 290	7 290
DST/5_90/82_2SV/S	Suma		14 145	15 344
	F 140/896 ST	1	432	685
	F 284/896 STV	2	1 751	2 695
	K DST/5_90/82	1	2 001	2 001
	S DSI 90 N	1	2 675	2 675
	S DST 90 W	2	7 290	7 290
DST/5_90/82_S/3S	Suma		15 825	17 107
	F 140/896 ST	3	1 292	2 055
	F 284/896 ST	1	870	1 388
	K DST/5_90/82	1	2 001	2 001
	S DSI 90 N	3	8 021	8 021
	S DST 90 W	1	3 644	3 644
DST/5_90/82_SV/3S	Suma		15 834	17 068
	F 140/896 ST	3	1 292	2 055
	F 284/896 STV	1	875	1 347
	K DST/5_90/82	1	2 001	2 001
	S DSI 90 N	3	8 021	8 021
	S DST 90 W	1	3 644	3 644
DSI/5_30/82_2S/S	Suma		10 992	11 402
	F 140/296 ST	1	147	227
	F 284/296 SI	2	582	911
	K DST/5_30/82	1	1 420	1 420
	S DSI 30 N	1	2 132	2 132
	S DSI 30 W	2	5 730	5 730
S BOXCOVER DSI W	2	984	984	
DSI/5_30/82_S/3S	Suma		11 902	12 310
	F 140/296 ST	3	437	681
	F 284/296 SI	1	292	455
	K DST/5_30/82	1	1 420	1 420
	S DSI 30 N	3	6 395	6 395
	S DSI 30 W	1	2 864	2 864
S BOXCOVER DSI W	1	491	491	
DSI/5_30/82_S/S	Suma		10 954	11 380
	F 140/296 ST	1	147	227
	F 570/296 SI	1	580	922
	K DST/5_30/82	1	1 420	1 420
	S DSI 30 N	2	4 264	4 264
	S DSI 30 W	1	2 864	2 864
S DSWI 30 N	1	1 190	1 190	
S BOXCOVER DSI W	1	491	491	
DSI/5_45/82_2S/S	Suma		11 758	12 398
	F 140/446 ST	1	220	341
	F 284/446 SI	2	865	1 381
	K DST/5_45/82	1	1 555	1 555
	S DSI 45 N	1	2 218	2 218
	S DSI 45 W	2	5 918	5 918
S BOXCOVER DSI W	2	984	984	
DSI/5_45/82_S/3S	Suma		12 745	13 372
	F 140/446 ST	3	655	1 022
	F 284/446 SI	1	432	691
	K DST/5_45/82	1	1 555	1 555
	S DSI 45 N	3	6 652	6 652
	S DSI 45 W	1	2 960	2 960
S BOXCOVER DSI W	1	491	491	
DSI/5_45/82_S/S	Suma		13 620	14 262
	F 140/446 ST	1	220	341
	F 570/446 SI	1	870	1 388
	K DST/5_45/82	1	1 555	1 555
	S DSI 45 N	1	2 218	2 218
	S DSI 45 W	2	5 918	5 918
S DSWI 45 W	1	1 858	1 858	
S BOXCOVER DSI W	2	984	984	
DSI/5_60/82_2S/S	Suma		12 517	13 372
	F 140/596 ST	1	287	452
	F 284/596 SI	2	1 158	1 848
	K DST/5_60/82	1	1 664	1 664
	S DSI 60 N	1	2 332	2 332
	S DSI 60 W	2	6 092	6 092
S BOXCOVER DSI W	2	984	984	

DSI/5_60/82_S/3S	Suma		13 637	14 482
	F 140/596_ST	3	862	1 360
	F 284/596_SI	1	580	924
	K DST/5_60/82	1	1 664	1 664
	S DSI 60_N	3	6 997	6 997
	S DSI 60_W	1	3 045	3 045
	S BOXCOVER_DSI_W	1	491	491
DSI/5_60/82_S/S	Suma		14 505	15 367
	F 140/596_ST	1	287	452
	F 570/596_SI	1	1 162	1 858
	K DST/5_60/82	1	1 664	1 664
	S DSI 60_N	1	2 332	2 332
	S DSI 60_W	2	6 092	6 092
	S DSWI 60_W	1	1 982	1 982
S BOXCOVER_DSI_W	2	984	984	
DSI/5_90/82_2S/S	Suma		14 822	16 114
	F 140/896_ST	1	432	685
	F 284/896_SI	2	1 738	2 775
	K DST/5_90/82	1	2 001	2 001
	S DSI 90_N	1	2 675	2 675
	S DSI 90_W	2	6 997	6 997
	S BOXCOVER_DSI_W	2	984	984
DSI/5_90/82_2SV/S	Suma		14 835	16 032
	F 140/896_ST	1	432	685
	F 284/896_SIV	2	1 751	2 695
	K DST/5_90/82	1	2 001	2 001
	S DSI 90_N	1	2 675	2 675
	S DSI 90_W	2	6 997	6 997
	S BOXCOVER_DSI_W	2	984	984
DSI/5_90/82_S/3S	Suma		16 172	17 451
	F 140/896_ST	3	1 292	2 055
	F 284/896_SI	1	870	1 388
	K DST/5_90/82	1	2 001	2 001
	S DSI 90_N	3	8 021	8 021
	S DSI 90_W	1	3 500	3 500
	S BOXCOVER_DSI_W	1	491	491
DSI/5_90/82_SV/3S	Suma		16 178	17 412
	F 140/896_ST	3	1 292	2 055
	F 284/896_SIV	1	875	1 347
	K DST/5_90/82	1	2 001	2 001
	S DSI 90_N	3	8 021	8 021
	S DSI 90_W	1	3 500	3 500
	S BOXCOVER_DSI_W	1	491	491
DSWT/5_45/207_L/L	Suma		28 175	29 954
	F 1247/446_LSW	1	1 902	3 035
	F 713/446_LSW	1	1 088	1 737
	K DSWT/5_45/207	1	5 587	5 587
	S DST 45_S	1	2 625	2 625
	S DSI 45_W	4	12 221	12 221
	S DSWT 45_S	1	764	764
S DSWT 45_W	4	3 987	3 987	
DSWI/5_45/207_L/L	Suma		35 120	36 901
	F 1247/446_LSW	1	1 902	3 035
	F 713/446_LSW	1	1 088	1 737
	K DSWT/5_45/207	1	5 587	5 587
	S DSI 45_W	5	14 794	14 794
	S DSWI 45_W	5	9 290	9 290
	S BOXCOVER_DSI_W	5	2 460	2 460
G_30/57_L	Suma		1 582	1 928
	F 570/296	1	580	922
	K G 30/57	1	1 005	1 005
G_30/72_L	Suma		1 941	2 368
	F 713/296	1	722	1 150
	K G 30/72	1	1 218	1 218
G_30/95_L	Suma		2 460	3 027
	F 943/296	1	955	1 524
	K G 30/95	1	1 505	1 505
G_40/72_L	Suma		2 327	2 905
	F 713/396	1	964	1 541
	K G 40/72	1	1 362	1 362
G_40/95_L	Suma		2 960	3 720
	F 943/396	1	1 274	2 034
	K G 40/95	1	1 684	1 684
G_45/57_L	Suma		2 052	2 571
	F 570/446	1	870	1 388
	K G 45/57	1	1 184	1 184
G_45/72_L	Suma		2 615	3 264
	F 713/446	1	1 088	1 737
	K G 45/72	1	1 527	1 527
G_45/72_LV	Suma		2 615	3 264
	F 713/446_V	1	1 088	1 737
	K G 45/72	1	1 527	1 527
G_45/95_L	Suma		3 261	4 120
	F 943/446	1	1 438	2 294
	K G 45/95	1	1 824	1 824

G_45/95_LV	Suma		3 261	4 120
	F 943/446_V	1	1 438	2 294
	K G_45/95	1	1 824	1 824
G_60/57_L	Suma		2 641	3 335
	F 570/596	1	1 162	1 858
	K G_60/57	1	1 480	1 480
G_60/57_L/P	Suma		2 810	3 497
	F 570/296	2	1 158	1 842
	K ZAWIASY_107ST+B_Pf	1	175	175
	K G_60/57	1	1 480	1 480
G_60/72_L	Suma		3 232	4 101
	F 713/596	1	1 451	2 320
	K G_60/72	1	1 782	1 782
G_60/72_LV	Suma		3 232	4 101
	F 713/596_V	1	1 451	2 320
	K G_60/72	1	1 782	1 782
G_60/72_L/P	Suma		3 401	4 260
	F 713/296	2	1 442	2 301
	K ZAWIASY_107ST+B_Pf	1	175	175
	K G_60/72	1	1 782	1 782
G_60/95_L	Suma		4 127	5 272
	F 943/596	1	1 920	3 067
	K G_60/95	1	2 208	2 208
G_60/95_LV	Suma		4 127	5 272
	F 943/596_V	1	1 920	3 067
	K G_60/95	1	2 208	2 208
G_60/95_L/P	Suma		4 292	5 428
	F 943/296	2	1 910	3 045
	K ZAWIASY_107ST+B_Pf	1	175	175
	K G_60/95	1	2 208	2 208
G_80/72_L/P	Suma		4 034	5 190
	F 713/396	2	1 928	3 082
	K G_80/72	1	2 107	2 107
G_80/95_L/P	Suma		5 151	6 668
	F 943/396	2	2 550	4 070
	K G_80/95	1	2 600	2 600
G_90/72_L/P	Suma		4 451	5 745
	F 713/446	2	2 177	3 471
	K G_90/72	1	2 275	2 275
G_90/95_L/P	Suma		5 682	7 397
	F 943/446	2	2 874	4 588
	K G_90/95	1	2 807	2 807
GC_45/72_L	Suma		2 107	2 755
	F 713/446	1	1 088	1 737
	K GC_45/72	1	1 021	1 021
GC_45/95_L	Suma		2 802	3 657
	F 943/446	1	1 438	2 294
	K GC_45/95	1	1 362	1 362
GC_60/72_L	Suma		2 660	3 528
	F 713/596	1	1 451	2 320
	K GC_60/72	1	1 207	1 207
GC_60/72_L/P	Suma		2 828	3 684
	F 713/296	2	1 442	2 301
	K ZAWIASY_107ST+B_Pf	1	175	175
	K GC_60/72	1	1 207	1 207
GC_60/95_L	Suma		3 548	4 694
	F 943/596	1	1 920	3 067
	K GC_60/95	1	1 627	1 627
GC_60/95_L/P	Suma		3 712	4 850
	F 943/296	2	1 910	3 045
	K ZAWIASY_107ST+B_Pf	1	175	175
	K GC_60/95	1	1 627	1 627
GC_80/72_L/P	Suma		3 224	4 381
	F 713/396	2	1 928	3 082
	K GC_80/72	1	1 298	1 298
GC_80/95_L/P	Suma		4 344	5 864
	F 943/396	2	2 550	4 070
	K GC_80/95	1	1 792	1 792
GC_90/72_L/P	Suma		3 545	4 840
	F 713/446	2	2 177	3 471
	K GC_90/72	1	1 371	1 371
GC_90/95_L/P	Suma		4 871	6 585
	F 943/446	2	2 874	4 588
	K GC_90/95	1	1 995	1 995
GI_5/72_B	Suma		1 531	2 042
	F 713/50_I	1	847	1 358
	K GI_5/72	1	685	685
GI_5/95_B	Suma		1 772	2 311
	F 943/50_I	1	907	1 445
	K GI_5/95	1	865	865
GNW_60/72_L/L	Suma		4 508	5 241
	F 713/280_N	1	1 375	2 110
	K GNW_60/72	1	3 134	3 134
GNW_60/95_L/L	Suma		5 698	6 668
	F 943/280_N	1	1 821	2 788
	K GNW_60/95	1	3 878	3 878
GNWU_60/72_L	Suma		4 047	4 624
	F 713/396	1	964	1 541
	K GNWU_60/72	1	3 082	3 082
GNWU_60/72_LV	Suma		4 047	4 624
	F 713/396_V	1	964	1 541
	K GNWU_60/72	1	3 082	3 082

GNWU_60/95_L	Suma		5 158	5 918
	F 943/396	1	1 274	2 034
	K GNWU 60/95	1	3 882	3 882
GNWU_60/95_LV	Suma		5 158	5 918
	F 943/396_V	1	1 274	2 034
	K GNWU 60/95	1	3 882	3 882
GNZRF_30/72_LRV	Suma		5 171	6 022
	F 713/300_RV	1	4 015	4 865
	K GNZRF 30/72	1	1 155	1 155
GNZUF_30/72_LV	Suma		2 548	3 172
	F 713/430_V	1	1 050	1 674
	K GNZUF 30/72	1	1 500	1 500
GNZUF_30/95_LV	Suma		3 157	3 984
	F 943/430_V	1	1 387	2 211
	K GNZUF 30/95	1	1 772	1 772
GO_45/36_O	Suma		1 928	2 247
	F 355/446_O	1	544	862
	K GO 45/36	1	805	805
	K Y00-05-HKXS	1	580	580
GO_45/36_OV	Suma		1 928	2 247
	F 355/446_VO	1	544	862
	K GO 45/36	1	805	805
	K Y00-05-HKXS	1	580	580
GO_50/36_O	Suma		2 027	2 387
	F 355/496_O	1	601	958
	K GO 50/36	1	850	850
	K Y00-05-HKXS	1	580	580
GO_60/36_O	Suma		2 227	2 654
	F 355/596_O	1	725	1 152
	K GO 60/36	1	922	922
	K Y00-05-HKXS	1	580	580
GO_60/36_OV	Suma		2 227	2 654
	F 355/596_VO	1	725	1 152
	K GO 60/36	1	922	922
	K Y00-05-HKXS	1	580	580
GOO_60/50_O	Suma		3 322	3 932
	F 500/596_O	1	1 021	1 630
	K GOO_60/50	1	1 142	1 142
	K Y00-05-HKXS	2	1 161	1 161
GS_30/14_2S	Suma		1 075	1 152
	F 140/146_S	2	147	224
	K GS 30/14	1	930	930
GS_45/14_3S	Suma		1 547	1 664
	F 140/146_S	3	220	335
	K GS 45/14	1	1 327	1 327
TI_5/121_B	Suma		1 865	2 405
	F 1198/50_I	1	907	1 445
	K TI 5/121	1	961	961
TSM/5_45/121_S/LV	Suma		4 445	5 437
	F 1055/446_V	1	1 622	2 488
	F 140/446_SM	1	220	341
	K TSMST/5_45/121	1	1 957	1 957
	S SM 140/446/270	1	185	185
	S SM 320M2700	1	462	462
TSM/5_60/121_S/LV	Suma		5 415	6 738
	F 1055/596_V	1	2 167	3 321
	F 140/596_SM	1	287	452
	K TSMST/5_60/121	1	2 241	2 241
	S SM 140/596/270	1	258	258
	S SM 320M2700	1	462	462
TST/5_45/121_S/LV	Suma		6 240	7 231
	F 1055/446_V	1	1 622	2 488
	F 140/446_ST	1	220	341
	K TSMST/5_45/121	1	1 957	1 957
	S TST 45 N	1	2 441	2 441
TST/5_60/121_S/LV	Suma		7 210	8 530
	F 1055/596_V	1	2 167	3 321
	F 140/596_ST	1	287	452
	K TSMST/5_60/121	1	2 241	2 241
	S TST 60 N	1	2 514	2 514
TSI/5_45/121_S/LV	Suma		6 240	7 231
	F 1055/446_V	1	1 622	2 488
	F 140/446_ST	1	220	341
	K TSMST/5_45/121	1	1 957	1 957
	S TSI 45 N	1	2 441	2 441
TSI/5_60/121_S/LV	Suma		7 210	8 530
	F 1055/596_V	1	2 167	3 321
	F 140/596_ST	1	287	452
	K TSMST/5_60/121	1	2 241	2 241
	S TSI 60 N	1	2 514	2 514

DM_45/57	Suma			870	1 388
	F 570/446 M		1	870	1 388
DM_45/71	Suma			1 088	1 737
	F 713/446 M		1	1 088	1 737
DM_60/57	Suma			1 162	1 858
	F 570/596 M		1	1 162	1 858
DM_60/71	Suma			1 451	2 320
	F 713/596 M		1	1 451	2 320
BLENDĄ NAROŻNA WEWN.	Suma			274	417
	F 713/40		1	274	417
KORONA_150/14	Suma			725	1 108
	F 1500/140 K		1	725	1 108
FRONT NIETYPOWY	Suma			5 122	10 565
	F NTP		1	5 122	10 565



fronty: Kasetta

skřínka	sklo	rozpis	mn.	Kasetta	
				dle vzorníku folii PVC	s patynou dle vzorníku folii PVC
D_30/82_L		Suma		2 444	2 947
		F 713/296	1	811	1 314
		K D_30/82	1	1 635	1 635
D_40/82_L		Suma		2 832	3 504
		F 713/396	1	1 085	1 757
		K D_40/82	1	1 750	1 750
D_45/82_L		Suma		3 064	3 821
		F 713/446	1	1 220	1 977
		K D_45/82	1	1 842	1 842
D_45/136_L		Suma		5 457	6 795
		F 1261/446	1	2 158	3 500
		K D_45/136	1	3 297	3 297
D_45/136_LV		Suma		5 457	6 795
		F 1261/446 V	1	2 158	3 500
		K D_45/136	1	3 297	3 297
D_45/207_L/L		Suma		8 641	10 721
		F 1247/446	1	2 135	3 461
		F 713/446	1	1 220	1 977
		K D_45/207	1	5 282	5 282
D_60/82_L		Suma		3 797	4 808
		F 713/596	1	1 632	2 644
		K D_60/82	1	2 167	2 167
D_60/82_L/P		Suma		3 961	4 964
		F 713/296	2	1 620	2 625
		K ZAWIASY_107ST+B Pf	1	175	175
		K D_60/82	1	2 167	2 167
D_80/82_L/P		Suma		4 652	5 998
		F 713/396	2	2 170	3 512
		K D_80/82	1	2 485	2 485
D_90/82_L/P		Suma		5 107	6 621
		F 713/446	2	2 441	3 955
		K D_90/82	1	2 664	2 664
D1SM/5_30/82_L/S		Suma		3 087	3 587
		F 140/296 SM	1	160	258
		F 570/296	1	647	1 050
		K D1SM/5_30/82	1	1 640	1 640
		S SM 140/296/500	1	178	178
		S SM 320M5000	1	462	462
D1SM/5_45/82_L/S		Suma		3 805	4 560
		F 140/446 SM	1	240	388
		F 570/446	1	977	1 581
		K D1SM/5_45/82	1	1 858	1 858
		S SM 140/446/500	1	268	268
		S SM 320M5000	1	462	462
D1SM/5_60/82_L/S		Suma		4 627	5 635
		F 140/596 SM	1	321	520
		F 570/596	1	1 305	2 112
		K D1SM/5_60/82	1	2 167	2 167
		S SM 140/596/500	1	375	375
		S SM 320M5000	1	462	462
D1SM/5_60/82_L/P/S		Suma		4 795	5 797
		F 140/596 SM	1	321	520
		F 570/296	2	1 295	2 100
		K ZAWIASY_107ST+B Pf	1	175	175
		K D1SM/5_60/82	1	2 167	2 167
		S SM 140/596/500	1	375	375
		S SM 320M5000	1	462	462
D1ST/5_30/82_L/S		Suma		4 578	5 078
		F 140/296 ST	1	160	258
		F 570/296	1	647	1 050
		K D1ST/5_30/82	1	1 640	1 640
		S DSI 30 N	1	2 132	2 132
D1ST/5_45/82_L/S		Suma		5 291	6 045
		F 140/446 ST	1	240	388
		F 570/446	1	977	1 581
		K D1ST/5_45/82	1	1 858	1 858
		S DSI 45 N	1	2 218	2 218
D1ST/5_60/82_L/S		Suma		6 121	7 130
		F 140/596 ST	1	321	520
		F 570/596	1	1 305	2 112
		K D1ST/5_60/82	1	2 167	2 167
		S DSI 60 N	1	2 332	2 332
D1ST/5_60/82_L/P/S		Suma		6 290	7 290
		F 140/596 ST	1	321	520
		F 570/296	2	1 295	2 100
		K ZAWIASY_107ST+B Pf	1	175	175
		K D1ST/5_60/82	1	2 167	2 167
		S DSI 60 N	1	2 332	2 332

D1SI/5_30/82_L/S	Suma		4 578	5 078
	F 140/296 ST	1	160	258
	F 570/296	1	647	1 050
	K D1ST/5_30/82	1	1 640	1 640
	S DSI 30 N	1	2 132	2 132
D1SI/5_45/82_L/S	Suma		5 291	6 045
	F 140/446 ST	1	240	388
	F 570/446	1	977	1 581
	K D1ST/5_45/82	1	1 858	1 858
	S DSI 45 N	1	2 218	2 218
D1SI/5_60/82_L/S	Suma		6 121	7 130
	F 140/596 ST	1	321	520
	F 570/596	1	1 305	2 112
	K D1ST/5_60/82	1	2 167	2 167
	S DSI 60 N	1	2 332	2 332
D1SI/5_60/82_L/P/S	Suma		6 290	7 290
	F 140/596 ST	1	321	520
	F 570/296	2	1 295	2 100
	K ZAWIASY 107ST+B_P	1	175	175
	S DSI 60 N	1	2 332	2 332
DB/5_90/82_L/P/B	Suma		5 322	6 937
	F 140/896 E	1	481	780
	F 620/446 LDE	1	1 062	1 721
	F 620/446 PDE	1	1 062	1 721
	K DB/5_90/82	1	2 717	2 717
DBK/5_90/82_L/P/B	Suma		4 757	6 372
	F 140/896 E	1	481	780
	F 620/446 LDE	1	1 062	1 721
	F 620/446 PDE	1	1 062	1 721
	K DBK/5_90/82	1	2 151	2 151
DBSM/5_90/82_SV/B	Suma		5 320	6 224
	F 140/896 E	1	481	780
	F 284/896 SMV	1	977	1 582
	K DBSMST/5_90/82	1	2 535	2 535
	S SMR 284/896/500	1	700	700
DBST/5_90/82_SV/B	Suma		7 637	8 542
	F 140/896 E	1	481	780
	F 284/896 STV	1	977	1 582
	K DBSMST/5_90/82	1	2 535	2 535
	S DST 90 W	1	3 644	3 644
DBSI/5_90/82_SV/B	Suma		7 982	8 890
	F 140/896 E	1	481	780
	F 284/896 SIV	1	977	1 582
	K DBSMST/5_90/82	1	2 535	2 535
	S DSI 90 W	1	3 500	3 500
DC_15/82_C	Suma		1 604	1 850
	F 713/146 C	1	401	647
	K DC 15/82	1	1 204	1 204
DC_30/82_C	Suma		2 214	2 717
	F 713/296 C	1	811	1 314
	K DC 30/82	1	1 404	1 404
DC_30/207_C/C	Suma		5 774	7 155
	F 1247/296 GCC	1	1 417	2 297
	K DC 30/207	1	3 545	3 545
DC_30/230_C/C/L	Suma		7 158	8 705
	F 1081/296 C	1	1 232	2 001
	F 393/296 PL	1	450	728
	F 713/296 C	1	811	1 314
	K DC 30/230	1	4 667	4 667
DC_45/207_C/C	Suma		8 065	10 145
	F 1247/446 C	1	2 135	3 461
	K DC 45/207	1	4 708	4 708
DC_45/207_L/L	Suma		8 065	10 145
	F 1247/446 LSW	1	2 135	3 461
	K DC 45/207	1	4 708	4 708
DC_45/230_C/C/O	Suma		9 411	11 734
	F 1081/446 C	1	1 852	2 998
	F 393/446 O	1	672	1 091
	F 713/446 C	1	1 220	1 977
	K Y00-05-HKXS	1	580	580
DC_45/230_L/L/O	Suma		9 411	11 734
	F 1081/446 LSW	1	1 852	2 998
	F 393/446 O	1	672	1 091
	F 713/446 LSW	1	1 220	1 977
	K Y00-05-HKXS	1	580	580
DC_60/207_C/C	Suma		9 600	12 382
	F 1247/596 C	1	2 854	4 622
	K DC 60/207	1	5 117	5 117
DC_60/207_L/L	Suma		9 600	12 382
	F 1247/596 LSW	1	2 854	4 622
	K DC 60/207	1	5 117	5 117

DC_60/230_C/C/O	Suma		11 034	14 138	
	F 1081/596_C	1	2 475	4 007	
	F 393/596_O	1	898	1 457	
	F 713/596_C	1	1 632	2 644	
	K DC 60/230	1	5 450	5 450	
	K Y00-05-HKXS	1	580	580	
DC_60/230_L/L/O	Suma		11 034	14 138	
	F 1081/596_LSW	1	2 475	4 007	
	F 393/596_O	1	898	1 457	
	F 713/596_LSW	1	1 632	2 644	
	K DC 60/230	1	5 450	5 450	
	K Y00-05-HKXS	1	580	580	
DI_5/82_B	Suma		1 918	2 377	
	F 713/50_I	1	764	1 222	
	K DI 5/82	1	1 152	1 152	
DK_45/82_L	Suma		2 828	3 585	
	F 713/446	1	1 220	1 977	
	K DK 45/82	1	1 607	1 607	
DK_60/82_L	Suma		3 445	4 455	
	F 713/596	1	1 632	2 644	
	K DK 60/82	1	1 814	1 814	
DK_60/82_L/P	Suma		3 608	4 614	
	F 713/296	2	1 620	2 625	
	K ZAWIASY 107ST+B P	1	175	175	
	K DK 60/82	1	1 814	1 814	
DK_80/82_L/P	Suma		4 145	5 491	
	F 713/396	2	2 170	3 512	
	K DK 80/82	1	1 977	1 977	
DK_90/82_L/P	Suma		4 550	6 064	
	F 713/446	2	2 441	3 955	
	K DK 90/82	1	2 107	2 107	
DKK_45/82_M	Suma		2 784	3 541	
	F 713/446_M	1	1 220	1 977	
	K DKSM/5_45/82	1	1 562	1 562	
DKK_60/82_M	Suma		3 312	4 324	
	F 713/596_M	1	1 632	2 644	
	K DKSM/5_60/82	1	1 681	1 681	
DKK/5_45/82_M/B	Suma		2 775	3 531	
	F 140/446_B	1	240	388	
	F 570/446_SM	1	977	1 581	
	K DKSM/5_45/82	1	1 562	1 562	
DKK/5_60/82_M/B	Suma		3 305	4 314	
	F 140/596_B	1	321	520	
	F 570/596_SM	1	1 305	2 112	
	K DKSM/5_60/82	1	1 681	1 681	
DKNW_90/82_L/L	Suma		5 724	6 802	
	F 713/318_318_N	1	1 741	2 820	
	K DKNW 90/82	1	3 981	3 981	
DKNW_105/82_L	Suma		3 894	4 651	
	F 713/446	1	1 220	1 977	
	K DKNW 105/82	1	2 672	2 672	
DKNW_120/82_L	Suma		4 477	5 488	
	F 713/596	1	1 632	2 644	
	K DKNW 120/82	1	2 844	2 844	
DKNWU_90/82_L/L	Suma		4 792	5 565	
	F 713/456	1	1 248	2 021	
	K DKNWU 90/82	1	3 544	3 544	

DKSM/5_45/82_S/B	Suma		3 738	4 492	
	F 140/446_B	1	240	388	
	F 570/446_SM	1	977	1 581	
	K DKSM/5_45/82	1	1 562	1 562	
	S SMR 284/446/500	1	334	334	
	S SMR 320M5000	1	630	630	
DKSM/5_60/82_S/B	Suma		4 384	5 390	
	F 140/596_B	1	321	520	
	F 570/596_SM	1	1 305	2 112	
	K DKSM/5_60/82	1	1 681	1 681	
	S SMR 284/596/500	1	450	450	
	S SMR 320M5000	1	630	630	
DKSM/5_90/82_S/B	Suma		5 737	7 251	
	F 140/896_B	1	481	780	
	F 570/896_SM	1	1 961	3 178	
	K DKSM/5_90/82	1	1 967	1 967	
	S SMR 284/896/500	1	700	700	
	S SMR 320M5000	1	630	630	
DKST/5_45/82_S/B	Suma		5 832	6 587	
	F 140/446_B	1	240	388	
	F 570/446_ST	1	977	1 581	
	K DKST 45/82	1	1 562	1 562	
	S DST 45_W	1	3 055	3 055	
DKST/5_45/82_SP34/B	Suma		4 791	5 545	
	F 140/446_B	1	240	388	
	F 570/446_STP34	1	977	1 581	
	K DKST 45/82	1	1 562	1 562	
	S DSI 45_NX	1	2 014	2 014	
DKST/5_60/82_S/B	Suma		6 437	7 445	
	F 140/596_B	1	321	520	
	F 570/596_ST	1	1 305	2 112	
	K DKST 60/82	1	1 681	1 681	
	S DST 60_W	1	3 131	3 131	
DKST/5_60/82_SP34/B	Suma		5 200	6 207	
	F 140/596_B	1	321	520	
	F 570/596_STP34	1	1 305	2 112	
	K DKST 45/82	1	1 562	1 562	
	S DSI 45_NX	1	2 014	2 014	
DKST/5_90/82_S/B	Suma		8 055	9 570	
	F 140/896_B	1	481	780	
	F 570/896_ST	1	1 961	3 178	
	K DKST 90/82	1	1 967	1 967	
	S DST 90_W	1	3 644	3 644	
DKSI/5_45/82_S/B	Suma		6 227	6 981	
	F 140/446_B	1	240	388	
	F 570/446_SI	1	977	1 581	
	K DKST 45/82	1	1 562	1 562	
	S DSI 45_W	1	2 960	2 960	
	S BOXCOVER DSI W	1	491	491	
DKSI/5_45/82_SP34/B	Suma		4 791	5 545	
	F 140/446_B	1	240	388	
	F 570/446_STP34	1	977	1 581	
	K DKST 45/82	1	1 562	1 562	
	S DSI 45_NX	1	2 014	2 014	
DKSI/5_60/82_S/B	Suma		6 844	7 850	
	F 140/596_B	1	321	520	
	F 570/596_SI	1	1 305	2 112	
	K DKST 60/82	1	1 681	1 681	
	S DSI 60_W	1	3 045	3 045	
	S BOXCOVER DSI W	1	491	491	
DKSI/5_60/82_SP34/B	Suma		5 340	6 348	
	F 140/596_B	1	321	520	
	F 570/596_STP34	1	1 305	2 112	
	K DKST 60/82	1	1 681	1 681	
	S DSI 60_NX	1	2 037	2 037	
DKSI/5_90/82_S/B	Suma		8 400	9 914	
	F 140/896_B	1	481	780	
	F 570/896_SI	1	1 961	3 178	
	K DKST 90/82	1	1 967	1 967	
	S DSI 90_W	1	3 500	3 500	
	S BOXCOVER DSI W	1	491	491	
DL_60/136_L	Suma		6 194	7 982	
	F 1261/596	1	2 887	4 677	
	K DL 60/136	1	3 307	3 307	
DL_60/207_L/L	Suma		9 318	12 100	
	F 1247/596	1	2 854	4 622	
	F 713/596	1	1 632	2 644	
	K DL 60/207	1	4 834	4 834	
DLO_60/230_L/L/O	Suma		10 668	13 772	
	F 1081/596	1	2 475	4 007	
	F 393/596_O	1	898	1 457	
	F 713/596	1	1 632	2 644	
	K DLO 60/230	1	5 084	5 084	
	K Y00-05-HKXS	1	580	580	
DL/NT160_60/207_L/L	Suma		9 600	12 382	
	F 1247/596	1	2 854	4 622	
	F 713/596_NT	1	1 632	2 644	
	K DL/NT160_60/207	1	5 117	5 117	
DL/NT160_60/230_L/L/O	Suma		11 037	14 142	
	F 1261/596	1	2 887	4 677	
	F 284/596_O	1	650	1 054	
	F 643/596	1	1 471	2 384	
	K DL/NT160_60/230	1	5 450	5 450	
	K Y00-05-HKXS	1	580	580	

DL/NT180_60/207_L/L	Suma		9 600	12 382	
	F 1247/596_NT	1	2 854	4 622	
	F 713/596_NT	1	1 632	2 644	
	K DL/NT180_60/207	1	5 117	5 117	
DL/NT180_60/230_L/L/O	Suma		11 037	14 142	
	F 1261/596_NT	1	2 887	4 677	
	F 284/596_O	1	650	1 054	
	F 643/596	1	1 471	2 384	
	K DL/NT180_60/230	1	5 450	5 450	
DNW_90/82_L/L	Suma		6 004	7 082	
	F 713/321-321-N	1	1 741	2 820	
DNW_105/82_L	Suma		4 388	5 145	
	F 713/446	1	1 220	1 977	
DNW_120/82_L	Suma		5 034	6 045	
	F 713/596	1	1 632	2 644	
DNWL_105/136_L/B	Suma		8 208	10 257	
	F 1261/446	1	2 158	3 500	
	F 500/596_B	1	1 145	1 852	
	K DNWL_105/136	1	4 904	4 904	
DNWU_90/82_L	Suma		5 374	6 150	
	F 713/456	1	1 248	2 021	
	K DNWU_90/82	1	4 127	4 127	
DNZRF_30/82_L/LR	Suma		7 365	8 858	
	F 713/260	1	712	1 152	
	F 713/300_R	1	4 394	5 444	
DNZUF_30/82_L/L	Suma		3 857	5 031	
	F 713/296_396-Z	1	1 894	3 068	
	K DNZUF_30/82	1	1 964	1 964	
DO_45/230_L/L/O	Suma		9 862	12 182	
	F 1081/446	1	1 852	2 998	
	F 393/446_O	1	672	1 091	
	F 713/446	1	1 220	1 977	
	K DO_45/230	1	5 537	5 537	
DPSM_60/82_S	Suma		3 087	3 242	
	F 110/596_SM	1	252	408	
	K DPSMST_60/82	1	1 760	1 760	
	S SM_110/596/500	1	377	377	
DPST_60/82_S	Suma		4 694	4 850	
	F 110/596_ST	1	252	408	
	K DPS_60/82	1	1 760	1 760	
DPSI_60/82_S	Suma		4 694	4 850	
	F 110/596_ST	1	252	408	
	K DPS_60/82	1	1 760	1 760	
	S DPSI_60_P	1	2 682	2 682	
DP_60/136_L/B	Suma		4 817	5 747	
	F 570/596	1	1 305	2 112	
	F 87/596_B	1	198	322	
	K DP_60/136	1	3 312	3 312	
DP_60/207_L/L	Suma		8 537	10 461	
	F 643/596	1	1 471	2 384	
	F 713/596	1	1 632	2 644	
	K DP_60/207	1	5 437	5 437	
DPP370_60/207_L/O	Suma		7 674	9 040	
	F 393/596_O	1	898	1 457	
	F 570/596	1	1 305	2 112	
	K DPP37_45O_60/207	1	4 890	4 890	
	Suma		580	580	
	K Y00-05-HKXS	1	580	580	

DP45_60/136_L/B	Suma		5 084	6 201
	F	713/596	1	1 632
	F	75/596_B	1	172
	K	DP45_60/136	1	3 281
DPP450_60/207_L/O	Suma		7 497	8 755
	F	316/596_O	1	722
	F	570/596	1	1 305
	K	DPP37_45O_60/207	1	4 890
DSM/5_15/82_2S/S	K	Y00-05-HKXS	1	580
	Suma		3 595	3 840
	F	140/146_SM	1	80
	F	284/146_SM	2	318
	K	DSM/5_15/82	1	1 210
	S	SM_140/146/500	1	80
DSM/5_30/82_2S/S	S	SMR_284/146/500	2	188
	S	SMR_320M5000	2	1 257
	Suma		4 552	5 050
	F	140/296_SM	1	160
	F	284/296_SM	2	647
	K	DSM/5_30/82	1	1 420
DSM/5_30/82_S/3S	S	SM_140/296/500	1	178
	S	SM_320M5000	1	462
	S	SMR_284/296/500	2	430
	S	SMR_320M5000	2	1 257
	Suma		4 985	5 480
	F	140/296_SM	3	475
DSM/5_30/82_S/S	F	284/296_SM	1	322
	K	DSM/5_30/82	1	1 420
	S	SM_140/296/500	3	531
	S	SM_320M5000	3	1 391
	S	SMR_284/296/500	1	214
	S	SMR_320M5000	1	630
DSM/5_45/82_2S/S	S	SMW_86/296/500	1	367
	Suma		4 540	5 040
	F	140/296_SM	1	160
	F	570/296_SM	1	647
	K	DSM/5_30/82	1	1 420
	S	SM_140/296/500	1	178
DSM/5_45/82_S/3S	S	SM_320M5000	2	927
	S	SMR_284/296/500	1	214
	S	SMR_320M5000	1	630
	Suma		5 422	6 175
	F	140/446_SM	1	240
	F	284/446_SM	2	974
DSM/5_60/82_2S/S	K	DSM/5_45/82	1	1 555
	S	SM_140/446/500	1	268
	S	SM_320M5000	1	462
	S	SMR_284/446/500	2	665
	S	SMR_320M5000	2	1 257
	Suma		5 918	6 668
DSM/5_60/82_S/3S	F	140/446_SM	3	720
	F	284/446_SM	1	487
	K	DSM/5_45/82	1	1 555
	S	SM_140/446/500	3	805
	S	SM_320M5000	3	1 391
	S	SMR_284/446/500	1	334
DSM/5_90/82_2S/S	S	SMR_320M5000	1	630
	Suma		6 278	7 285
	F	140/596_SM	1	321
	F	284/596_SM	2	1 301
	K	DSM/5_60/82	1	1 664
	S	SM_140/596/500	1	375
DSM/5_90/82_S/3S	S	SM_320M5000	1	462
	S	SMR_284/596/500	2	898
	S	SMR_320M5000	2	1 257
	Suma		6 867	7 868
	F	140/596_SM	3	961
	F	284/596_SM	1	650
DSM/5_90/82_2S/S	K	DSM/5_60/82	1	1 664
	S	SM_140/596/500	3	1 124
	S	SM_320M5000	3	1 391
	S	SMR_284/596/500	1	450
	S	SMR_320M5000	1	630
	Suma		8 132	9 644
DSM/5_90/82_2S/S	F	140/896_SM	1	481
	F	284/896_SM	2	1 954
	K	DSM/5_90/82	1	2 001
	S	SM_140/896/500	1	580
	S	SM_320M5000	1	462
	S	SMR_284/896/500	2	1 400
DSM/5_90/82_2S/S	S	SMR_320M5000	2	1 257

DSM/5_90/82_2SV/S	Suma		8 132	9 644	
	F 140/896 SM	1	481	780	
	F 284/896 SMV	2	1 954	3 167	
	K DSM/5_90/82	1	2 001	2 001	
	S SM 140/896/500	1	580	580	
	S SM 320M5000	1	462	462	
	S SMR 284/896/500	2	1 400	1 400	
	S SMR 320M5000	2	1 257	1 257	
DSM/5_90/82_S/3S	Suma		8 874	10 378	
	F 140/896 SM	3	1 442	2 340	
	F 284/896 SM	1	977	1 582	
	K DSM/5_90/82	1	2 001	2 001	
	S SM 140/896/500	3	1 737	1 737	
	S SM 320M5000	3	1 391	1 391	
	S SMR 284/896/500	1	700	700	
	S SMR 320M5000	1	630	630	
DSM/5_90/82_SV/3S	Suma		8 874	10 378	
	F 140/896 SM	3	1 442	2 340	
	F 284/896 SMV	1	977	1 582	
	K DSM/5_90/82	1	2 001	2 001	
	S SM 140/896/500	3	1 737	1 737	
	S SM 320M5000	3	1 391	1 391	
	S SMR 284/896/500	1	700	700	
	S SMR 320M5000	1	630	630	
DST/5_30/82_2S/S	Suma		10 207	10 707	
	F 140/296 ST	1	160	258	
	F 284/296 ST	2	647	1 047	
	K DST/5_30/82	1	1 420	1 420	
	S DSI 30_N	1	2 132	2 132	
	S DST 30_W	2	5 851	5 851	
DST/5_30/82_S/3S	Suma		11 542	12 038	
	F 140/296 ST	3	475	774	
	F 284/296 ST	1	322	522	
	K DST/5_30/82	1	1 420	1 420	
	S DSI 30_N	3	6 395	6 395	
	S DST 30_W	1	2 927	2 927	
DST/5_30/82_S/S	Suma		10 140	10 640	
	F 140/296 ST	1	160	258	
	F 570/296 ST	1	647	1 050	
	K DST/5_30/82	1	1 420	1 420	
	S DSI 30_N	2	4 264	4 264	
	S DST 30_W	1	2 927	2 927	
	S DSWT 30_N	1	725	725	
DST/5_45/82_2S/S	Suma		11 097	11 848	
	F 140/446 ST	1	240	388	
	F 284/446 ST	2	974	1 578	
	K DST/5_45/82	1	1 555	1 555	
	S DSI 45_N	1	2 218	2 218	
	S DST 45_W	2	6 110	6 110	
DST/5_45/82_S/3S	Suma		12 468	13 217	
	F 140/446 ST	3	720	1 165	
	F 284/446 ST	1	487	790	
	K DST/5_45/82	1	1 555	1 555	
	S DSI 45_N	3	6 652	6 652	
	S DST 45_W	1	3 055	3 055	
DST/5_45/82_S/S	Suma		12 094	12 850	
	F 140/446 ST	1	240	388	
	F 570/446 ST	1	977	1 581	
	K DST/5_45/82	1	1 555	1 555	
	S DSI 45_N	1	2 218	2 218	
	S DST 45_W	2	6 110	6 110	
	S DSWT 45_W	1	997	997	
DST/5_60/82_2S/S	Suma		11 882	12 885	
	F 140/596 ST	1	321	520	
	F 284/596 ST	2	1 301	2 107	
	K DST/5_60/82	1	1 664	1 664	
	S DSI 60_N	1	2 332	2 332	
	S DST 60_W	2	6 264	6 264	
DST/5_60/82_S/3S	Suma		13 404	14 402	
	F 140/596 ST	3	961	1 557	
	F 284/596 ST	1	650	1 054	
	K DST/5_60/82	1	1 664	1 664	
	S DSI 60_N	3	6 997	6 997	
	S DST 60_W	1	3 131	3 131	
DST/5_60/82_S/S	Suma		12 994	14 001	
	F 140/596 ST	1	321	520	
	F 570/596 ST	1	1 305	2 112	
	K DST/5_60/82	1	1 664	1 664	
	S DSI 60_N	1	2 332	2 332	
	S DST 60_W	2	6 264	6 264	
	S DSWT 60_W	1	1 108	1 108	

DST/5_90/82_2S/S	Suma		14 397	15 908	
	F 140/896 ST	1	481	780	
	F 284/896 ST	2	1 954	3 167	
	K DST/5_90/82	1	2 001	2 001	
	S DSI 90 N	1	2 675	2 675	
	S DST 90 W	2	7 290	7 290	
DST/5_90/82_2SV/S	Suma		14 397	15 908	
	F 140/896 ST	1	481	780	
	F 284/896 STV	2	1 954	3 167	
	K DST/5_90/82	1	2 001	2 001	
	S DSI 90 N	1	2 675	2 675	
	S DST 90 W	2	7 290	7 290	
DST/5_90/82_S/3S	Suma		16 088	17 588	
	F 140/896 ST	3	1 442	2 340	
	F 284/896 ST	1	977	1 582	
	K DST/5_90/82	1	2 001	2 001	
	S DSI 90 N	3	8 021	8 021	
	S DST 90 W	1	3 644	3 644	
DST/5_90/82_SV/3S	Suma		16 088	17 588	
	F 140/896 ST	3	1 442	2 340	
	F 284/896 STV	1	977	1 582	
	K DST/5_90/82	1	2 001	2 001	
	S DSI 90 N	3	8 021	8 021	
	S DST 90 W	1	3 644	3 644	
DSI/5_30/82_2S/S	Suma		11 071	11 568	
	F 140/296 ST	1	160	258	
	F 284/296 SI	2	647	1 047	
	K DST/5_30/82	1	1 420	1 420	
	S DSI 30 N	1	2 132	2 132	
	S DSI 30 W	2	5 730	5 730	
S BOXCOVER DSI W	2	984	984		
DSI/5_30/82_S/3S	Suma		11 972	12 471	
	F 140/296 ST	3	475	774	
	F 284/296 SI	1	322	522	
	K DST/5_30/82	1	1 420	1 420	
	S DSI 30 N	3	6 395	6 395	
	S DSI 30 W	1	2 864	2 864	
S BOXCOVER DSI W	1	491	491		
DSI/5_30/82_S/S	Suma		11 037	11 537	
	F 140/296 ST	1	160	258	
	F 570/296 SI	1	647	1 050	
	K DST/5_30/82	1	1 420	1 420	
	S DSI 30 N	2	4 264	4 264	
	S DSI 30 W	1	2 864	2 864	
S DSWI 30 N	1	1 190	1 190		
S BOXCOVER DSI W	1	491	491		
DSI/5_45/82_2S/S	Suma		11 887	12 640	
	F 140/446 ST	1	240	388	
	F 284/446 SI	2	974	1 578	
	K DST/5_45/82	1	1 555	1 555	
	S DSI 45 N	1	2 218	2 218	
	S DSI 45 W	2	5 918	5 918	
S BOXCOVER DSI W	2	984	984		
DSI/5_45/82_S/3S	Suma		12 865	13 611	
	F 140/446 ST	3	720	1 165	
	F 284/446 SI	1	487	790	
	K DST/5_45/82	1	1 555	1 555	
	S DSI 45 N	3	6 652	6 652	
	S DSI 45 W	1	2 960	2 960	
S BOXCOVER DSI W	1	491	491		
DSI/5_45/82_S/S	Suma		13 748	14 501	
	F 140/446 ST	1	240	388	
	F 570/446 SI	1	977	1 581	
	K DST/5_45/82	1	1 555	1 555	
	S DSI 45 N	1	2 218	2 218	
	S DSI 45 W	2	5 918	5 918	
S DSWI 45 W	1	1 858	1 858		
S BOXCOVER DSI W	2	984	984		
DSI/5_60/82_2S/S	Suma		12 694	13 700	
	F 140/596 ST	1	321	520	
	F 284/596 SI	2	1 301	2 107	
	K DST/5_60/82	1	1 664	1 664	
	S DSI 60 N	1	2 332	2 332	
	S DSI 60 W	2	6 092	6 092	
S BOXCOVER DSI W	2	984	984		
DSI/5_60/82_S/3S	Suma		13 808	14 810	
	F 140/596 ST	3	961	1 557	
	F 284/596 SI	1	650	1 054	
	K DST/5_60/82	1	1 664	1 664	
	S DSI 60 N	3	6 997	6 997	
	S DSI 60 W	1	3 045	3 045	
S BOXCOVER DSI W	1	491	491		
DSI/5_60/82_S/S	Suma		14 680	15 685	
	F 140/596 ST	1	321	520	
	F 570/596 SI	1	1 305	2 112	
	K DST/5_60/82	1	1 664	1 664	
	S DSI 60 N	1	2 332	2 332	
	S DSI 60 W	2	6 092	6 092	
S DSWI 60 W	1	1 982	1 982		
S BOXCOVER DSI W	2	984	984		

DSI/5_90/82_2S/S	Suma		15 090	16 601
	F	140/896 ST	1	481
	F	284/896 SI	2	1 954
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	1	2 675
	S	DSI 90 W	2	6 997
	S	BOXCOVER DSI W	2	984
DSI/5_90/82_2SV/S	Suma		15 090	16 601
	F	140/896 ST	1	481
	F	284/896 SIV	2	1 954
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	1	2 675
	S	DSI 90 W	2	6 997
	S	BOXCOVER DSI W	2	984
DSI/5_90/82_S/3S	Suma		16 432	17 937
	F	140/896 ST	3	1 442
	F	284/896 SI	1	977
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	3	8 021
	S	DSI 90 W	1	3 500
	S	BOXCOVER DSI W	1	491
DSI/5_90/82_SV/3S	Suma		16 432	17 937
	F	140/896 ST	3	1 442
	F	284/896 SIV	1	977
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	3	8 021
	S	DSI 90 W	1	3 500
	S	BOXCOVER DSI W	1	491
DSWT/5_45/207_L/L	Suma		28 541	30 622
	F	1247/446 LSW	1	2 135
	F	713/446 LSW	1	1 220
	K	DSWT/5_45/207	1	5 587
	S	DST 45 S	1	2 625
	S	DSI 45 W	4	12 221
	S	DSWT 45 S	1	764
DSWI/5_45/207_L/L	Suma		35 487	37 570
	F	1247/446 LSW	1	2 135
	F	713/446 LSW	1	1 220
	K	DSWT/5_45/207	1	5 587
	S	DSI 45 W	5	14 794
	S	DSWI 45 W	5	9 290
	S	BOXCOVER DSI W	5	2 460
G_30/57_L	Suma		1 652	2 055
	F	570/296	1	647
	K	G 30/57	1	1 005
G_30/72_L	Suma		2 030	2 530
	F	713/296	1	811
	K	G 30/72	1	1 218
G_30/95_L	Suma		2 577	3 240
	F	943/296	1	1 072
	K	G 30/95	1	1 505
G_40/72_L	Suma		2 447	3 121
	F	713/396	1	1 085
	K	G 40/72	1	1 362
G_40/95_L	Suma		3 118	4 007
	F	943/396	1	1 432
	K	G 40/95	1	1 684
G_45/57_L	Suma		2 158	2 765
	F	570/446	1	977
	K	G 45/57	1	1 184
G_45/72_L	Suma		2 747	3 504
	F	713/446	1	1 220
	K	G 45/72	1	1 527
G_45/72_LV	Suma		2 747	3 504
	F	713/446 V	1	1 220
	K	G 45/72	1	1 527
G_45/95_L	Suma		3 440	4 441
	F	943/446	1	1 614
	K	G 45/95	1	1 824
G_45/95_LFV	Suma		3 440	4 441
	F	943/446 LV	1	1 614
	K	G 45/95	1	1 824
G_45/95_LV	Suma		3 440	4 441
	F	943/446 V	1	1 614
	K	G 45/95	1	1 824
G_60/57_L	Suma		2 784	3 592
	F	570/596	1	1 305
	K	G 60/57	1	1 480
G_60/57_L/P	Suma		2 950	3 754
	F	570/296	2	1 295
	K	ZAWIASY 107ST+B PF	1	175
	K	G 60/57	1	1 480
G_60/72_L	Suma		3 414	4 425
	F	713/596	1	1 632
	K	G 60/72	1	1 782
G_60/72_LV	Suma		3 414	4 425
	F	713/596 V	1	1 632
	K	G 60/72	1	1 782
G_60/72_L/P	Suma		3 577	4 581
	F	713/296	2	1 620
	K	ZAWIASY 107ST+B PF	1	175
	K	G 60/72	1	1 782
G_60/95_L	Suma		4 365	5 704
	F	943/596	1	2 158
	K	G 60/95	1	2 208
G_60/95_LFV	Suma		4 365	5 704
	F	943/596 LV	1	2 158
	K	G 60/95	1	2 208
G_60/95_LV	Suma		4 365	5 704
	F	943/596 V	1	2 158
	K	G 60/95	1	2 208

G_60/95_L/P	Suma		4 525	5 857
	F 943/296	2	2 144	3 474
	K ZAWIASY_107ST+B_P	1	175	175
	K G_60/95	1	2 208	2 208
G_80/72_L/P	Suma		4 274	5 618
	F 713/396	2	2 170	3 512
	K G_80/72	1	2 107	2 107
G_80/95_L/P	Suma		5 467	7 244
	F 943/396	2	2 867	4 645
	K G_80/95	1	2 600	2 600
G_90/72_L/P	Suma		4 718	6 230
	F 713/446	2	2 441	3 955
	K G_90/72	1	2 275	2 275
G_90/95_L/P	Suma		6 038	8 040
	F 943/446	2	3 230	5 231
	K G_90/95	1	2 807	2 807
GB/5_90/72_L/P/B	Suma		4 922	6 538
	F 140/896_E	1	481	780
	F 620/446_LGE	1	1 062	1 721
	F 620/446_PGE	1	1 062	1 721
	K GB/5_90/72	1	2 320	2 320
GB/5_90/72_LV/PV/B	Suma		4 922	6 538
	F 140/896_E	1	481	780
	F 620/446_LVE	1	1 062	1 721
	F 620/446_PVE	1	1 062	1 721
	K GB/5_90/72	1	2 320	2 320
GC_45/72_L	Suma		2 241	2 998
	F 713/446	1	1 220	1 977
	K GC_45/72	1	1 021	1 021
GC_45/95_L	Suma		2 978	3 980
	F 943/446	1	1 614	2 615
	K GC_45/95	1	1 362	1 362
GC_60/72_L	Suma		2 841	3 852
	F 713/596	1	1 632	2 644
	K GC_60/72	1	1 207	1 207
GC_60/72_L/P	Suma		3 004	4 007
	F 713/296	2	1 620	2 625
	K ZAWIASY_107ST+B_P	1	175	175
	K GC_60/72	1	1 207	1 207
GC_60/95_L	Suma		3 787	5 125
	F 943/596	1	2 158	3 497
	K GC_60/95	1	1 627	1 627
GC_60/95_L/P	Suma		3 945	5 275
	F 943/296	2	2 144	3 474
	K ZAWIASY_107ST+B_P	1	175	175
	K GC_60/95	1	1 627	1 627
GC_80/72_L/P	Suma		3 465	4 808
	F 713/396	2	2 170	3 512
	K GC_80/72	1	1 298	1 298
GC_80/95_L/P	Suma		4 661	6 440
	F 943/396	2	2 867	4 645
	K GC_80/95	1	1 792	1 792
GC_90/72_L/P	Suma		3 812	5 325
	F 713/446	2	2 441	3 955
	K GC_90/72	1	1 371	1 371
GC_90/95_L/P	Suma		5 227	7 228
	F 943/446	2	3 230	5 231
	K GC_90/95	1	1 995	1 995
GI_5/72_B	Suma		1 451	1 910
	F 713/50_I	1	764	1 222
	K GI_5/72	1	685	685
GI_5/95_B	Suma		1 655	2 130
	F 943/50_I	1	792	1 267
	K GI_5/95	1	865	865
GL_30/72/95_L	Suma		2 514	3 178
	F 943/296_LE	1	1 072	1 737
	K GL_30/72/95	1	1 442	1 442
GNW_60/72_L/L	Suma		4 651	5 590
	F 713/280-N	1	1 515	2 457
	K GNW_60/72	1	3 134	3 134
GNW_60/95_L/L	Suma		5 885	7 127
	F 943/280-N	1	2 005	3 251
	K GNW_60/95	1	3 878	3 878
GNWU_60/72_L	Suma		4 165	4 837
	F 713/396	1	1 085	1 757
	K GNWU_60/72	1	3 082	3 082
GNWU_60/72_LV	Suma		4 165	4 837
	F 713/396_V	1	1 085	1 757
	K GNWU_60/72	1	3 082	3 082
GNWU_60/95_L	Suma		5 317	6 207
	F 943/396	1	1 432	2 322
	K GNWU_60/95	1	3 882	3 882
GNWU_60/95_LFV	Suma		5 317	6 207
	F 943/396_LFV	1	1 432	2 322
	K GNWU_60/95	1	3 882	3 882
GNWU_60/95_LV	Suma		5 317	6 207
	F 943/396_V	1	1 432	2 322
	K GNWU_60/95	1	3 882	3 882
GNZRF_30/72_LRV	Suma		5 548	6 600
	F 713/300_RV	1	4 394	5 444
	K GNZRF_30/72	1	1 155	1 155
GNZUF_30/72_LV	Suma		2 677	3 405
	F 713/430_V	1	1 178	1 907
	K GNZUF_30/72	1	1 500	1 500

GNZUF_30/95_LV	Suma		3 328	4 292	
	F 943/430_V	1	1 557	2 521	
	K GNZUF_30/95	1	1 772	1 772	
GO_45/36_O	Suma		1 992	2 371	
	F 355/446_O	1	608	984	
	K GO_45/36	1	805	805	
	K Y00-05-HKXS	1	580	580	
GO_45/36_OV	Suma		1 992	2 371	
	F 355/446_VO	1	608	984	
	K GO_45/36	1	805	805	
	K Y00-05-HKXS	1	580	580	
GO_50/36_O	Suma		2 104	2 524	
	F 355/496_O	1	675	1 095	
	K GO_50/36	1	850	850	
	K Y00-05-HKXS	1	580	580	
GO_60/36_O	Suma		2 314	2 817	
	F 355/596_O	1	812	1 317	
	K GO_60/36	1	922	922	
	K Y00-05-HKXS	1	580	580	
GO_60/36_OV	Suma		2 314	2 817	
	F 355/596_VO	1	812	1 317	
	K GO_60/36	1	922	922	
	K Y00-05-HKXS	1	580	580	
GO2/5_90/72_OV/LP	Suma		5 871	7 384	
	F 284/896_VO	1	977	1 582	
	F 426/446	1	730	1 181	
	F 426/446	1	730	1 181	
	K GO2/5_90/72	1	2 275	2 275	
	K Y00-05-HKXS	2	1 161	1 161	
GOO_60/50_O	Suma		3 447	4 158	
	F 500/596_O	1	1 145	1 852	
	K GOO_60/50	1	1 142	1 142	
	K Y00-05-HKXS	2	1 161	1 161	
GS_30/14_2S	Suma		1 085	1 184	
	F 140/146_S	2	157	252	
	K GS_30/14	1	930	930	
GS_45/14_3S	Suma		1 562	1 708	
	F 140/146_S	3	235	380	
	K GS_45/14	1	1 327	1 327	
TI_5/121_B	Suma		1 778	2 268	
	F 1198/50_I	1	818	1 308	
	K TI_5/121	1	961	961	
TSM/5_45/121_S/LV	Suma		4 652	5 921	
	F 1055/446_V	1	1 807	2 927	
	F 140/446_SM	1	240	388	
	K TSMST/5_45/121	1	1 957	1 957	
	S SM_140/446/270	1	185	185	
	S SM_320M2700	1	462	462	
TSM/5_60/121_S/LV	Suma		5 698	7 394	
	F 1055/596_V	1	2 415	3 911	
	F 140/596_SM	1	321	520	
	K TSMST/5_60/121	1	2 241	2 241	
	S SM_140/596/270	1	258	258	
	S SM_320M2700	1	462	462	
TST/5_45/121_S/LV	Suma		6 445	7 715	
	F 1055/446_V	1	1 807	2 927	
	F 140/446_ST	1	240	388	
	K TSMST/5_45/121	1	1 957	1 957	
	S TST_45_N	1	2 441	2 441	
TST/5_60/121_S/LV	Suma		7 490	9 185	
	F 1055/596_V	1	2 415	3 911	
	F 140/596_ST	1	321	520	
	K TSMST/5_60/121	1	2 241	2 241	
	S TST_60_N	1	2 514	2 514	
TSI/5_45/121_S/LV	Suma		6 445	7 715	
	F 1055/446_V	1	1 807	2 927	
	F 140/446_ST	1	240	388	
	K TSMST/5_45/121	1	1 957	1 957	
	S TSI_45_N	1	2 441	2 441	
TSI/5_60/121_S/LV	Suma		7 490	9 185	
	F 1055/596_V	1	2 415	3 911	
	F 140/596_ST	1	321	520	
	K TSMST/5_60/121	1	2 241	2 241	
	S TSI_60_N	1	2 514	2 514	
DM_45/57	Suma		977	1 581	
	F 570/446_M	1	977	1 581	
DM_45/71	Suma		1 220	1 977	
	F 713/446_M	1	1 220	1 977	
DM_60/57	Suma		1 305	2 112	
	F 570/596_M	1	1 305	2 112	
DM_60/71	Suma		1 632	2 644	
	F 713/596_M	1	1 632	2 644	
BLENDÁ NARÓŽNA WEWN.	Suma		280	380	
	F 713/40	1	280	380	
KORONA_150/14	Suma		872	1 397	
	F 1500/140_K	1	872	1 397	
FRONT NIETYPOWY	Suma		4 417	7 152	
	F NT	1	4 417	7 152	

fronty: Tuzin Róż					
skřínka	sklo	rozpis	mn.	dle vzorníku folii PVC	s patynou dle vzorníku folii PVC
D_30/82_L		Suma		2 241	2 618
		F 713/296 (-L)	1	608	984
		K D 30/82	1	1 635	1 635
D_40/82_L		Suma		2 564	3 067
		F 713/396 (-L)	1	812	1 317
		K D 40/82	1	1 750	1 750
D_45/82_L		Suma		2 758	3 325
		F 713/446 (-L)	1	917	1 484
		K D 45/82	1	1 842	1 842
D_45/136_L		Suma		4 915	5 921
		F 1261/446 (-L)	1	1 620	2 622
		K D 45/136	1	3 297	3 297
D_45/136_LV		Suma		4 915	5 921
		F 1261/446 V	1	1 620	2 622
		K D 45/136	1	3 297	3 297
D_45/207_L/L		Suma		7 801	9 361
		F 1247/446 (-L)	1	1 601	2 594
		F 713/446 (-L)	1	917	1 484
		K D 45/207	1	5 282	5 282
D_60/82_L		Suma		3 391	4 148
		F 713/596 (-L)	1	1 222	1 982
		K D 60/82	1	2 167	2 167
D_60/82_L/P		Suma		3 557	4 308
		F 713/296 (-L)	1	608	984
		F 713/296 (-P)	1	608	984
		K ZAWIASY_107ST+B PF	1	175	175
		K D 60/82	1	2 167	2 167
D_80/82_L/P		Suma		4 111	5 120
		F 713/396 (-L)	1	812	1 317
		F 713/396 (-P)	1	812	1 317
		K D 80/82	1	2 485	2 485
D_90/82_L/P		Suma		4 495	5 631
		F 713/446 (-L)	1	917	1 484
		F 713/446 (-P)	1	917	1 484
		K D 90/82	1	2 664	2 664
D1SM/5_30/82_L/S		Suma		2 887	3 261
		F 140/296 SM	1	121	194
		F 570/296 (-L)	1	487	787
		K D1SM/5_30/82	1	1 640	1 640
		S SM 140/296/500	1	178	178
		S SM 320M5000	1	462	462
D1SM/5_45/82_L/S		Suma		3 502	4 067
		F 140/446 SM	1	181	292
		F 570/446 (-L)	1	732	1 187
		K D1SM/5_45/82	1	1 858	1 858
		S SM 140/446/500	1	268	268
		S SM 320M5000	1	462	462
D1SM/5_60/82_L/S		Suma		4 222	4 977
		F 140/596 SM	1	240	391
		F 570/596 (-L)	1	980	1 585
		K D1SM/5_60/82	1	2 167	2 167
		S SM 140/596/500	1	375	375
		S SM 320M5000	1	462	462
D1SM/5_60/82_L/P/S		Suma		4 391	5 142
		F 140/596 SM	1	240	391
		F 570/296 (-L)	1	487	787
		F 570/296 (-P)	1	487	787
		K ZAWIASY_107ST+B PF	1	175	175
		K D1SM/5_60/82	1	2 167	2 167
		S SM 140/596/500	1	375	375
		S SM 320M5000	1	462	462
D1ST/5_30/82_L/S		Suma		4 378	4 751
		F 140/296 ST	1	121	194
		F 570/296 (-L)	1	487	787
		K D1ST/5_30/82	1	1 640	1 640
		S DSI_30_N	1	2 132	2 132
D1ST/5_45/82_L/S		Suma		4 988	5 552
		F 140/446 ST	1	181	292
		F 570/446 (-L)	1	732	1 187
		K D1ST/5_45/82	1	1 858	1 858
		S DSI_45_N	1	2 218	2 218
D1ST/5_60/82_L/S		Suma		5 717	6 471
		F 140/596 ST	1	240	391
		F 570/596 (-L)	1	980	1 585
		K D1ST/5_60/82	1	2 167	2 167
		S DSI_60_N	1	2 332	2 332

D1ST/5_60/82_L/P/S	Suma		5 885	6 637
	F 140/596 ST	1	240	391
	F 570/296 (-L)	1	487	787
	F 570/296 (-P)	1	487	787
	K ZAWIASY 107ST+B PF	1	175	175
	K D1ST/5_60/82	1	2 167	2 167
S DSI 60 N	1	2 332	2 332	
D1SI/5_30/82_L/S	Suma		4 378	4 751
	F 140/296 ST	1	121	194
	F 570/296 (-L)	1	487	787
	K D1ST/5_30/82	1	1 640	1 640
	S DSI 30 N	1	2 132	2 132
D1SI/5_45/82_L/S	Suma		4 988	5 552
	F 140/446 ST	1	181	292
	F 570/446 (-L)	1	732	1 187
	K D1ST/5_45/82	1	1 858	1 858
	S DSI 45 N	1	2 218	2 218
D1SI/5_60/82_L/S	Suma		5 717	6 471
	F 140/596 ST	1	240	391
	F 570/596 (-L)	1	980	1 585
	K D1ST/5_60/82	1	2 167	2 167
	S DSI 60 N	1	2 332	2 332
D1SI/5_60/82_L/P/S	Suma		5 885	6 637
	F 140/596 ST	1	240	391
	F 570/296 (-L)	1	487	787
	F 570/296 (-P)	1	487	787
	K ZAWIASY 107ST+B PF	1	175	175
	K D1ST/5_60/82	1	2 167	2 167
S DSI 60 N	1	2 332	2 332	
DB/5_90/82_L/P/B	Suma		4 671	5 882
	F 140/896 E	1	362	585
	F 620/446 LDE	1	798	1 290
	F 620/446 PDE	1	798	1 290
	K DB/5_90/82	1	2 717	2 717
DBK/5_90/82_L/P/B	Suma		4 105	5 317
	F 140/896 E	1	362	585
	F 620/446 LDE	1	798	1 290
	F 620/446 PDE	1	798	1 290
	K DBK/5_90/82	1	2 151	2 151
DBSM/5_90/82_SV/B	Suma		4 957	5 635
	F 140/896 E	1	362	585
	F 284/896 SMV	1	732	1 187
	K DBSMST/5_90/82	1	2 535	2 535
	S SMR 284/896/500	1	700	700
	S SMR 320M5000	1	630	630
DBST/5_90/82_SV/B	Suma		7 274	7 951
	F 140/896 E	1	362	585
	F 284/896 STV	1	732	1 187
	K DBSMST/5_90/82	1	2 535	2 535
	S DST 90 W	1	3 644	3 644
DBSI/5_90/82_SV/B	Suma		7 620	8 298
	F 140/896 E	1	362	585
	F 284/896 SIV	1	732	1 187
	K DBSMST/5_90/82	1	2 535	2 535
	S DSI 90 W	1	3 500	3 500
	S BOXCOVER DSI W	1	491	491
DC_15/82_C	Suma		1 502	1 690
	F 713/146 C	1	300	487
	K DC 15/82	1	1 204	1 204
DC_30/82_C	Suma		2 011	2 390
	F 713/296 C	1	608	984
	K DC 30/82	1	1 404	1 404
DC_30/207_C/C	Suma		5 218	6 252
	F 1247/296 GCC	1	1 064	1 722
	F 713/296 CC	1	608	984
	K DC 30/207	1	3 545	3 545
DC_30/230_C/C/L	Suma		6 535	7 694
	F 1081/296 C	1	927	1 500
	F 393/296 PL	1	335	545
	F 713/296 C	1	608	984
	K DC 30/230	1	4 667	4 667
DC_45/207_C/C	Suma		7 225	8 787
	F 1247/446 C	1	1 601	2 594
	F 713/446 C	1	917	1 484
	K DC 45/207	1	4 708	4 708
DC_45/207_L/L	Suma		7 225	8 787
	F 1247/446 LSW	1	1 601	2 594
	F 713/446 LSW	1	917	1 484
	K DC 45/207	1	4 708	4 708
DC_45/230_C/C/O	Suma		8 475	10 217
	F 1081/446 C	1	1 388	2 250
	F 393/446 O	1	504	818
	F 713/446 C	1	917	1 484
	K DC 45/230	1	5 087	5 087
	K Y00-05-HKXS	1	580	580
DC_45/230_L/L/O	Suma		8 475	10 217
	F 1081/446 LSW	1	1 388	2 250
	F 393/446 O	1	504	818
	F 713/446 LSW	1	917	1 484
	K DC 45/230	1	5 087	5 087
	K Y00-05-HKXS	1	580	580

DC_60/207_C/C	Suma		8 480	10 565
	F 1247/596_C	1	2 141	3 468
	F 713/596_C	1	1 222	1 982
	K DC_60/207	1	5 117	5 117
DC_60/207_L/L	Suma		8 480	10 565
	F 1247/596_LSW	1	2 141	3 468
	F 713/596_LSW	1	1 222	1 982
	K DC_60/207	1	5 117	5 117
DC_60/230_C/C/O	Suma		9 784	12 110
	F 1081/596_C	1	1 855	3 007
	F 393/596_O	1	675	1 092
	F 713/596_C	1	1 222	1 982
	K DC_60/230	1	5 450	5 450
	K Y00-05-HKXS	1	580	580
DC_60/230_L/L/O	Suma		9 784	12 110
	F 1081/596_LSW	1	1 855	3 007
	F 393/596_O	1	675	1 092
	F 713/596_LSW	1	1 222	1 982
	K DC_60/230	1	5 450	5 450
	K Y00-05-HKXS	1	580	580
DI_5/82_B	Suma		1 728	2 071
	F 713/50_I	1	574	920
	K DI_5/82	1	1 152	1 152
DK_45/82_L	Suma		2 521	3 090
	F 713/446 (-L)	1	917	1 484
	K DK_45/82	1	1 607	1 607
DK_60/82_L	Suma		3 038	3 795
	F 713/596 (-L)	1	1 222	1 982
	K DK_60/82	1	1 814	1 814
DK_60/82_L/P	Suma		3 204	3 958
	F 713/296 (-L)	1	608	984
	F 713/296 (-P)	1	608	984
	K ZAWIASY 107ST+B P	1	175	175
	K DK_60/82	1	1 814	1 814
DK_80/82_L/P	Suma		3 602	4 611
	F 713/396 (-L)	1	812	1 317
	F 713/396 (-P)	1	812	1 317
	K DK_80/82	1	1 977	1 977

DK_90/82_L/P	Suma		3 937	5 072
	F 713/446 (-L)	1	917	1 484
	F 713/446 (-P)	1	917	1 484
	K DK_90/82	1	2 107	2 107
DKK_45/82_M	Suma		2 478	3 045
	F 713/446 M	1	917	1 484
	K DKSM/5_45/82	1	1 562	1 562
DKK_60/82_M	Suma		2 905	3 662
	F 713/596 M	1	1 222	1 982
	K DKSM/5_60/82	1	1 681	1 681
DKK/5_45/82_M/B	Suma		2 472	3 038
	F 140/446 B	1	181	292
	F 570/446 SM	1	732	1 187
	K DKSM/5_45/82	1	1 562	1 562
DKK/5_60/82_M/B	Suma		2 900	3 655
	F 140/596 B	1	240	391
	F 570/596 SM	1	980	1 585
	K DKSM/5_60/82	1	1 681	1 681
DKNW_90/82_L/L	Suma		5 288	6 097
	F 713/320_320_N	1	1 305	2 117
	K DKNW_90/82	1	3 981	3 981
DKNW_105/82_L	Suma		3 587	4 155
	F 713/446	1	917	1 484
	K DKNW_105/82	1	2 672	2 672
DKNW_120/82_L	Suma		4 067	4 827
	F 713/596	1	1 222	1 982
	K DKNW_120/82	1	2 844	2 844
DKNWU_90/82_L/L	Suma		4 480	5 060
	F 713/456	1	938	1 515
	K DKNWU_90/82	1	3 544	3 544
DKSM/5_45/82_S/B	Suma		3 434	4 000
	F 140/446 B	1	181	292
	F 570/446 SM	1	732	1 187
	K DKSM/5_45/82	1	1 562	1 562
	S SMR 284/446/500	1	334	334
	S SMR 320M5000	1	630	630
DKSM/5_60/82_S/B	Suma		3 977	4 734
	F 140/596 B	1	240	391
	F 570/596 SM	1	980	1 585
	K DKSM/5_60/82	1	1 681	1 681
	S SMR 284/596/500	1	450	450
	S SMR 320M5000	1	630	630
DKSM/5_90/82_S/B	Suma		5 128	6 264
	F 140/896 B	1	362	585
	F 570/896 SM	1	1 471	2 381
	K DKSM/5_90/82	1	1 967	1 967
	S SMR 284/896/500	1	700	700
	S SMR 320M5000	1	630	630
DKST/5_45/82_S/B	Suma		5 530	6 095
	F 140/446 B	1	181	292
	F 570/446 ST	1	732	1 187
	K DKST_45/82	1	1 562	1 562
	S DST_45_W	1	3 055	3 055
DKST/5_45/82_SP34/B	Suma		4 487	5 052
	F 140/446 B	1	181	292
	F 570/446 STP34	1	732	1 187
	K DKST_45/82	1	1 562	1 562
	S DSI_45_NX	1	2 014	2 014
DKST/5_60/82_S/B	Suma		6 032	6 787
	F 140/596 B	1	240	391
	F 570/596 ST	1	980	1 585
	K DKST_60/82	1	1 681	1 681
	S DST_60_W	1	3 131	3 131
DKST/5_60/82_SP34/B	Suma		4 792	5 548
	F 140/596 B	1	240	391
	F 570/596 STP34	1	980	1 585
	K DKST_45/82	1	1 562	1 562
	S DSI_45_NX	1	2 014	2 014
DKST/5_90/82_S/B	Suma		7 442	8 578
	F 140/896 B	1	362	585
	F 570/896 ST	1	1 471	2 381
	K DKST_90/82	1	1 967	1 967
	S DST_90_W	1	3 644	3 644
DKSI/5_45/82_S/B	Suma		5 924	6 488
	F 140/446 B	1	181	292
	F 570/446 SI	1	732	1 187
	K DKST_45/82	1	1 562	1 562
	S DSI_45_W	1	2 960	2 960
	S BOXCOVER DSI W	1	491	491
DKSI/5_45/82_SP34/B	Suma		4 487	5 052
	F 140/446 B	1	181	292
	F 570/446 STP34	1	732	1 187
	K DKST_45/82	1	1 562	1 562
	S DSI_45_NX	1	2 014	2 014
DKSI/5_60/82_S/B	Suma		6 437	7 194
	F 140/596 B	1	240	391
	F 570/596 SI	1	980	1 585
	K DKST_60/82	1	1 681	1 681
	S DSI_60_W	1	3 045	3 045
	S BOXCOVER DSI W	1	491	491

DKSI/5_60/82_SP34/B	Suma		4 935	5 690
	F 140/596_B	1	240	391
	F 570/596_STP34	1	980	1 585
	K DKST_60/82	1	1 681	1 681
	S DSI_60_NX	1	2 037	2 037
DKSI/5_90/82_S/B	Suma		7 791	8 927
	F 140/896_B	1	362	585
	F 570/896_SI	1	1 471	2 381
	K DKST_90/82	1	1 967	1 967
	S DSI_90_W	1	3 500	3 500
	S BOXCOVER_DSI_W	1	491	491
DL_60/136_L	Suma		5 472	6 812
	F 1261/596 (-L)	1	2 164	3 507
	K DL_60/136	1	3 307	3 307
DL_60/207_L/L	Suma		8 198	10 282
	F 1247/596 (-L)	1	2 141	3 468
	F 713/596 (-L)	1	1 222	1 982
DLO_60/230_L/L/O	Suma		9 418	11 744
	F 1081/596 (-L)	1	1 855	3 007
	F 393/596_O	1	675	1 092
	F 713/596 (-L)	1	1 222	1 982
	K DLO_60/230	1	5 084	5 084
DL/NT160_60/207_L/L	Suma		8 480	10 565
	F 1247/596 (-L)	1	2 141	3 468
	F 713/596_NT (-LNT)	1	1 222	1 982
	K DL/NT160_60/207	1	5 117	5 117
	DL/NT160_60/230_L/L/O	Suma		9 784
F 1261/596 (-L)		1	2 164	3 507
F 284/596_O		1	490	790
F 643/596 (-L)		1	1 104	1 788
K DL/NT160_60/230		1	5 450	5 450
K Y00-05-HKXS		1	580	580
DL/NT180_60/207_L/L	Suma		8 480	10 565
	F 1247/596_NT (-LNT)	1	2 141	3 468
	F 713/596_NT (-LNT)	1	1 222	1 982
	K DL/NT180_60/207	1	5 117	5 117
	DL/NT180_60/230_L/L/O	Suma		9 784
F 1261/596_NT (-LNT)		1	2 164	3 507
F 284/596_O		1	490	790
F 643/596 (-L)		1	1 104	1 788
K DL/NT180_60/230		1	5 450	5 450
K Y00-05-HKXS		1	580	580
DNW_90/82_L/L	Suma		5 568	6 377
	F 713/320-N (-LN)	1	0	0
	F 713/321-LN	1	1 305	2 117
	K DNW_90/82	1	4 261	4 261
DNW_105/82_L	Suma		4 082	4 651
	F 713/446 (-L)	1	917	1 484
	K DNW_105/82	1	3 167	3 167
DNW_120/82_L	Suma		4 627	5 387
	F 713/596 (-L)	1	1 222	1 982
	K DNW_120/82	1	3 404	3 404
DNWL_105/136_L/B	Suma		7 381	8 918
	F 1261/446 (-L)	1	1 620	2 622
	F 500/596_B	1	857	1 391
DNWU_90/82_L	Suma		5 062	5 644
	F 713/456 (-L)	1	938	1 515
	K DNWU_90/82	1	4 127	4 127
DNZRF_30/82_L/LR	Suma		6 090	7 210
	F 713/260 (-L)	1	532	865
	F 713/300_R (-LR)	1	3 294	4 082
	K DNZRF_30/82	1	2 262	2 262
DNZUF_30/82_L/L	Suma		3 385	4 264
	F 713/296_Z (-LZ)	1	1 420	2 301
	K DNZUF_30/82	1	1 964	1 964

DO_45/230_L/O	Suma		8 927	10 665
	F 1081/446 (-L)	1	1 388	2 250
	F 393/446 O	1	504	818
	F 713/446 (-L)	1	917	1 484
	K DO 45/230	1	5 537	5 537
	K Y00-05-HKXS	1	580	580
DPSM_60/82_S	Suma		3 025	3 141
	F 110/596 SM	1	188	307
	K DPSMST 60/82	1	1 760	1 760
	S SM 110/596/500	1	377	377
	S SM 320M5000	1	700	700
DPST_60/82_S	Suma		4 632	4 750
	F 110/596 ST	1	188	307
	K DPS 60/82	1	1 760	1 760
	S DPST 60 P	1	2 682	2 682
DPSI_60/82_S	Suma		4 632	4 750
	F 110/596 ST	1	188	307
	K DPS 60/82	1	1 760	1 760
	S DPSI 60 P	1	2 682	2 682
DP_60/136_L/B	Suma		4 441	5 141
	F 570/596 (-L)	1	980	1 585
	F 87/596 B	1	150	242
	K DP 60/136	1	3 312	3 312
DP_60/207_L/L	Suma		7 762	9 207
	F 643/596 (-L)	1	1 104	1 788
	F 713/596 (-L)	1	1 222	1 982
	K DP 60/207	1	5 437	5 437
DPP370_60/207_L/O	Suma		7 124	8 148
	F 393/596 O	1	675	1 092
	F 570/596 (-L)	1	980	1 585
	K DPP37 45O 60/207	1	4 890	4 890
	K Y00-05-HKXS	1	580	580
DP45_60/136_L/B	Suma		4 632	5 472
	F 713/596 (-L)	1	1 222	1 982
	F 75/596 B	1	128	210
	K DP45 60/136	1	3 281	3 281
DPP450_60/207_L/O	Suma		6 992	7 932
	F 316/596 O	1	544	878
	F 570/596 (-L)	1	980	1 585
	K DPP37 45O 60/207	1	4 890	4 890
	K Y00-05-HKXS	1	580	580
DSM/5_15/82_2S/S	Suma		3 494	3 681
	F 140/146 SM	1	58	95
	F 284/146 SM	2	240	388
	K DSM/5_15/82	1	1 210	1 210
	S SM 140/146/500	1	80	80
	S SM 320M5000	1	462	462
	S SMR 284/146/500	2	188	188
	S SMR 320M5000	2	1 257	1 257
DSM/5_30/82_2S/S	Suma		4 350	4 722
	F 140/296 SM	1	121	194
	F 284/296 SM	2	484	784
	K DSM/5_30/82	1	1 420	1 420
	S SM 140/296/500	1	178	178
	S SM 320M5000	1	462	462
	S SMR 284/296/500	2	430	430
	S SMR 320M5000	2	1 257	1 257
DSM/5_30/82_S/3S	Suma		4 785	5 157
	F 140/296 SM	3	360	580
	F 284/296 SM	1	242	392
	K DSM/5_30/82	1	1 420	1 420
	S SM 140/296/500	3	531	531
	S SM 320M5000	3	1 391	1 391
	S SMR 284/296/500	1	214	214
	S SMR 320M5000	1	630	630
DSM/5_30/82_S/S	Suma		4 340	4 712
	F 140/296 SM	1	121	194
	F 570/296 SM	1	487	787
	K DSM/5_30/82	1	1 420	1 420
	S SM 140/296/500	1	178	178
	S SM 320M5000	2	927	927
	S SMR 284/296/500	1	214	214
	S SMR 320M5000	1	630	630
	S SMW 86/296/500	1	367	367
DSM/5_45/82_2S/S	Suma		5 120	5 685
	F 140/446 SM	1	181	292
	F 284/446 SM	2	730	1 184
	K DSM/5_45/82	1	1 555	1 555
	S SM 140/446/500	1	268	268
	S SM 320M5000	1	462	462
	S SMR 284/446/500	2	665	665
	S SMR 320M5000	2	1 257	1 257
DSM/5_45/82_S/3S	Suma		5 618	6 178
	F 140/446 SM	3	541	875
	F 284/446 SM	1	364	592
	K DSM/5_45/82	1	1 555	1 555
	S SM 140/446/500	3	805	805
	S SM 320M5000	3	1 391	1 391
	S SMR 284/446/500	1	334	334
	S SMR 320M5000	1	630	630
DSM/5_60/82_2S/S	Suma		5 874	6 627
	F 140/596 SM	1	240	391
	F 284/596 SM	2	977	1 581
	K DSM/5_60/82	1	1 664	1 664
	S SM 140/596/500	1	375	375
	S SM 320M5000	1	462	462
	S SMR 284/596/500	2	898	898
S SMR 320M5000	2	1 257	1 257	
DSM/5_60/82_S/3S	Suma		6 465	7 215
	F 140/596 SM	3	722	1 168
	F 284/596 SM	1	490	790
	K DSM/5_60/82	1	1 664	1 664
	S SM 140/596/500	3	1 124	1 124
	S SM 320M5000	3	1 391	1 391
	S SMR 284/596/500	1	450	450
	S SMR 320M5000	1	630	630

DSM/5_90/82_2S/S	Suma		7 524	8 657	
	F	140/896 SM	1	362	585
	F	284/896 SM	2	1 467	2 374
	K	DSM/5_90/82	1	2 001	2 001
	S	SM 140/896/500	1	580	580
	S	SM 320M5000	1	462	462
	S	SMR 284/896/500	2	1 400	1 400
	S	SMR 320M5000	2	1 257	1 257
DSM/5_90/82_2SV/S	Suma		7 524	8 657	
	F	140/896 SM	1	362	585
	F	284/896 SMV	2	1 467	2 374
	K	DSM/5_90/82	1	2 001	2 001
	S	SM 140/896/500	1	580	580
	S	SM 320M5000	1	462	462
	S	SMR 284/896/500	2	1 400	1 400
	S	SMR 320M5000	2	1 257	1 257
DSM/5_90/82_S/3S	Suma		8 270	9 398	
	F	140/896 SM	3	1 082	1 757
	F	284/896 SM	1	732	1 187
	K	DSM/5_90/82	1	2 001	2 001
	S	SM 140/896/500	3	1 737	1 737
	S	SM 320M5000	3	1 391	1 391
	S	SMR 284/896/500	1	700	700
	S	SMR 320M5000	1	630	630
DSM/5_90/82_SV/3S	Suma		8 270	9 398	
	F	140/896 SM	3	1 082	1 757
	F	284/896 SMV	1	732	1 187
	K	DSM/5_90/82	1	2 001	2 001
	S	SM 140/896/500	3	1 737	1 737
	S	SM 320M5000	3	1 391	1 391
	S	SMR 284/896/500	1	700	700
	S	SMR 320M5000	1	630	630
DST/5_30/82_2S/S	Suma		10 007	10 381	
	F	140/296 ST	1	121	194
	F	284/296 ST	2	484	784
	K	DST/5_30/82	1	1 420	1 420
	S	DSI 30 N	1	2 132	2 132
	S	DST 30 W	2	5 851	5 851
DST/5_30/82_S/3S	Suma		11 342	11 714	
	F	140/296 ST	3	360	580
	F	284/296 ST	1	242	392
	K	DST/5_30/82	1	1 420	1 420
	S	DSI 30 N	3	6 395	6 395
	S	DST 30 W	1	2 927	2 927
DST/5_30/82_S/S	Suma		9 940	10 314	
	F	140/296 ST	1	121	194
	F	570/296 ST	1	487	787
	K	DST/5_30/82	1	1 420	1 420
	S	DSI 30 N	2	4 264	4 264
	S	DST 30 W	1	2 927	2 927
DST/5_45/82_2S/S	Suma		10 792	11 358	
	F	140/446 ST	1	181	292
	F	284/446 ST	2	730	1 184
	K	DST/5_45/82	1	1 555	1 555
	S	DSI 45 N	1	2 218	2 218
	S	DST 45 W	2	6 110	6 110
DST/5_45/82_S/3S	Suma		12 167	12 730	
	F	140/446 ST	3	541	875
	F	284/446 ST	1	364	592
	K	DST/5_45/82	1	1 555	1 555
	S	DSI 45 N	3	6 652	6 652
	S	DST 45 W	1	3 055	3 055

DST/5_45/82_S/S	Suma		11 791	12 360
	F	140/446 ST	1	181
	F	570/446 ST	1	732
	K	DST/5_45/82	1	1 555
	S	DSI 45 N	1	2 218
	S	DST 45 W	2	6 110
DST/5_60/82_2S/S	Suma		11 475	12 230
	F	140/596 ST	1	240
	F	284/596 ST	2	977
	K	DST/5_60/82	1	1 664
	S	DSI 60 N	1	2 332
	S	DST 60 W	2	6 264
DST/5_60/82_S/3S	Suma		13 002	13 748
	F	140/596 ST	3	722
	F	284/596 ST	1	490
	K	DST/5_60/82	1	1 664
	S	DSI 60 N	3	6 997
	S	DST 60 W	1	3 131
DST/5_60/82_S/S	Suma		12 587	13 344
	F	140/596 ST	1	240
	F	570/596 ST	1	980
	K	DST/5_60/82	1	1 664
	S	DSI 60 N	1	2 332
	S	DST 60 W	2	6 264
DST/5_90/82_2S/S	Suma		13 790	14 924
	F	140/896 ST	1	362
	F	284/896 ST	2	1 467
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	1	2 675
	S	DST 90 W	2	7 290
DST/5_90/82_2SV/S	Suma		13 790	14 924
	F	140/896 ST	1	362
	F	284/896 STV	2	1 467
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	1	2 675
	S	DST 90 W	2	7 290
DST/5_90/82_S/3S	Suma		15 484	16 608
	F	140/896 ST	3	1 082
	F	284/896 ST	1	732
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	3	8 021
	S	DST 90 W	1	3 644
DST/5_90/82_SV/3S	Suma		15 484	16 608
	F	140/896 ST	3	1 082
	F	284/896 STV	1	732
	K	DST/5_90/82	1	2 001
	S	DSI 90 N	3	8 021
	S	DST 90 W	1	3 644
DSI/5_30/82_2S/S	Suma		10 871	11 244
	F	140/296 ST	1	121
	F	284/296 SI	2	484
	K	DST/5_30/82	1	1 420
	S	DSI 30 N	1	2 132
	S	DSI 30 W	2	5 730
DSI/5_30/82_S/3S	Suma		11 772	12 147
	F	140/296 ST	3	360
	F	284/296 SI	1	242
	K	DST/5_30/82	1	1 420
	S	DSI 30 N	3	6 395
	S	DSI 30 W	1	2 864
DSI/5_30/82_S/S	Suma		10 834	11 211
	F	140/296 ST	1	121
	F	570/296 SI	1	487
	S	DSWI 30 N	1	1 190
	S	DSI 30 N	2	4 264
	S	DSI 30 W	1	2 864
	K	DST/5_30/82	1	1 420
	S	BOXCOVER DSI W	1	491

DSI/5_45/82_2S/S	Suma		11 584	12 150	
	F	140/446_ST	1	181	292
	F	284/446_SI	2	730	1 184
	K	DST/5_45/82	1	1 555	1 555
	S	DSI 45_N	1	2 218	2 218
	S	DSI 45_W	2	5 918	5 918
	S	BOXCOVER_DSI_W	2	984	984
DSI/5_45/82_S/3S	Suma		12 564	13 124	
	F	140/446_ST	3	541	875
	F	284/446_SI	1	364	592
	K	DST/5_45/82	1	1 555	1 555
	S	DSI 45_N	3	6 652	6 652
	S	DSI 45_W	1	2 960	2 960
	S	BOXCOVER_DSI_W	1	491	491
DSI/5_45/82_S/S	Suma		13 445	14 011	
	F	140/446_ST	1	181	292
	F	570/446_SI	1	732	1 187
	K	DST/5_45/82	1	1 555	1 555
	S	DSI 45_N	1	2 218	2 218
	S	DSI 45_W	2	5 918	5 918
	S	DSWI 45_W	1	1 858	1 858
S	BOXCOVER_DSI_W	2	984	984	
DSI/5_60/82_2S/S	Suma		12 290	13 044	
	F	140/596_ST	1	240	391
	F	284/596_SI	2	977	1 581
	K	DST/5_60/82	1	1 664	1 664
	S	DSI 60_N	1	2 332	2 332
	S	DSI 60_W	2	6 092	6 092
	S	BOXCOVER_DSI_W	2	984	984
DSI/5_60/82_S/3S	Suma		13 410	14 155	
	F	140/596_ST	3	722	1 168
	F	284/596_SI	1	490	790
	K	DST/5_60/82	1	1 664	1 664
	S	DSI 60_N	3	6 997	6 997
	S	DSI 60_W	1	3 045	3 045
	S	BOXCOVER_DSI_W	1	491	491
DSI/5_60/82_S/S	Suma		14 275	15 030	
	F	140/596_ST	1	240	391
	F	570/596_SI	1	980	1 585
	K	DST/5_60/82	1	1 664	1 664
	S	DSI 60_N	1	2 332	2 332
	S	DSI 60_W	2	6 092	6 092
	S	DSWI 60_W	1	1 982	1 982
S	BOXCOVER_DSI_W	2	984	984	
DSI/5_90/82_2S/S	Suma		14 480	15 612	
	F	140/896_ST	1	362	585
	F	284/896_SI	2	1 467	2 374
	K	DST/5_90/82	1	2 001	2 001
	S	DSI 90_N	1	2 675	2 675
	S	DSI 90_W	2	6 997	6 997
	S	BOXCOVER_DSI_W	2	984	984
DSI/5_90/82_2SV/S	Suma		14 480	15 612	
	F	140/896_ST	1	362	585
	F	284/896_SIV	2	1 467	2 374
	K	DST/5_90/82	1	2 001	2 001
	S	DSI 90_N	1	2 675	2 675
	S	DSI 90_W	2	6 997	6 997
	S	BOXCOVER_DSI_W	2	984	984
DSI/5_90/82_S/3S	Suma		15 828	16 954	
	F	140/896_ST	3	1 082	1 757
	F	284/896_SI	1	732	1 187
	K	DST/5_90/82	1	2 001	2 001
	S	DSI 90_N	3	8 021	8 021
	S	DSI 90_W	1	3 500	3 500
	S	BOXCOVER_DSI_W	1	491	491
DSI/5_90/82_SV/3S	Suma		15 828	16 954	
	F	140/896_ST	3	1 082	1 757
	F	284/896_SIV	1	732	1 187
	K	DST/5_90/82	1	2 001	2 001
	S	DSI 90_N	3	8 021	8 021
	S	DSI 90_W	1	3 500	3 500
	S	BOXCOVER_DSI_W	1	491	491
DSWT/5_45/207_L/L	Suma		27 704	29 264	
	F	1247/446_LSW	1	1 601	2 594
	F	713/446_LSW	1	917	1 484
	K	DSWT/5_45/207	1	5 587	5 587
	S	DST 45_S	1	2 625	2 625
	S	DSI 45_W	4	12 221	12 221
	S	DSWT 45_S	1	764	764
S	DSWT 45_W	4	3 987	3 987	

DSWI/5_45/207_L/L	Suma		34 647	36 208
	F 1247/446_LSW	1	1 601	2 594
	F 713/446_LSW	1	917	1 484
	K DSWT/5_45/207	1	5 587	5 587
	S DSL 45 W	5	14 794	14 794
	S DSWI 45 W	5	9 290	9 290
	S BOXCOVER DSI W	5	2 460	2 460
G_30/57_L	Suma		1 492	1 792
	F 570/296 (-L)	1	487	787
	K G 30/57	1	1 005	1 005
G_30/72_L	Suma		1 827	2 202
	F 713/296 (-L)	1	608	984
	K G 30/72	1	1 218	1 218
G_30/95_L	Suma		2 310	2 807
	F 943/296 (-L)	1	805	1 302
	K G 30/95	1	1 505	1 505
G_40/72_L	Suma		2 177	2 680
	F 713/396 (-L)	1	812	1 317
	K G 40/72	1	1 362	1 362
G_40/95_L	Suma		2 760	3 427
	F 943/396 (-L)	1	1 075	1 741
	K G 40/95	1	1 684	1 684
G_45/57_L	Suma		1 915	2 368
	F 570/446 (-L)	1	732	1 187
	K G 45/57	1	1 184	1 184
G_45/72_L	Suma		2 444	3 012
	F 713/446 (-L)	1	917	1 484
	K G 45/72	1	1 527	1 527
G_45/72_LV	Suma		2 444	3 012
	F 713/446 V (-LV)	1	917	1 484
	K G 45/72	1	1 527	1 527
G_45/95_L	Suma		3 035	3 787
	F 943/446 (-L)	1	1 212	1 961
	K G 45/95	1	1 824	1 824
G_45/95_LFF	Suma		3 035	3 787
	F 943/446 (-LFF)	1	1 212	1 961
	K G 45/95	1	1 824	1 824
G_45/95_LFV	Suma		3 035	3 787
	F 943/446 (-LFV)	1	1 212	1 961
	K G 45/95	1	1 824	1 824
G_45/95_LV	Suma		3 035	3 787
	F 943/446 V (-LFV)	1	1 212	1 961
	K G 45/95	1	1 824	1 824
G_60/57_L	Suma		2 457	3 064
	F 570/596 (-L)	1	980	1 585
	K G 60/57	1	1 480	1 480
G_60/57_L/P	Suma		2 625	3 227
	F 570/296 (-L)	1	487	787
	F 570/296 (-P)	1	487	787
	K ZAWIASY_107ST+B_Pf	1	175	175
	K G 60/57	1	1 480	1 480
G_60/72_L	Suma		3 007	3 764
	F 713/596 (-L)	1	1 222	1 982
	K G 60/72	1	1 782	1 782
G_60/72_LV	Suma		3 007	3 764
	F 713/596 V (-LV)	1	1 222	1 982
	K G 60/72	1	1 782	1 782
G_60/72_L/P	Suma		3 172	3 924
	F 713/296 (-L)	1	608	984
	F 713/296 (-P)	1	608	984
	K ZAWIASY_107ST+B_Pf	1	175	175
	K G 60/72	1	1 782	1 782
G_60/95_L	Suma		3 825	4 830
	F 943/596 (-L)	1	1 620	2 622
	K G 60/95	1	2 208	2 208
G_60/95_LFF	Suma		3 825	4 830
	F 943/596 (-LFF)	1	1 620	2 622
	K G 60/95	1	2 208	2 208
G_60/95_LFV	Suma		3 825	4 830
	F 943/596 (-LFV)	1	1 620	2 622
	K G 60/95	1	2 208	2 208
G_60/95_LV	Suma		3 825	4 830
	F 943/596 V (-LFV)	1	1 620	2 622
	K G 60/95	1	2 208	2 208
G_60/95_L/P	Suma		3 990	4 988
	F 943/296 (-L)	1	805	1 302
	F 943/296 (-PFF)	1	805	1 302
	K ZAWIASY_107ST+B_Pf	1	175	175
	K G 60/95	1	2 208	2 208
G_80/72_L/P	Suma		3 732	4 741
	F 713/396 (-L)	1	812	1 317
	F 713/396 (-P)	1	812	1 317
	K G 80/72	1	2 107	2 107
G_80/95_L/P	Suma		4 750	6 084
	F 943/396 (-L)	1	1 075	1 741
	F 943/396 (-PFF)	1	1 075	1 741
	K G 80/95	1	2 600	2 600
G_90/72_L/P	Suma		4 105	5 241
	F 713/446 (-L)	1	917	1 484
	F 713/446 (-P)	1	917	1 484
	K G 90/72	1	2 275	2 275
G_90/95_L/P	Suma		5 231	6 732
	F 943/446 (-L)	1	1 212	1 961
	F 943/446 (-PFF)	1	1 212	1 961
	K G 90/95	1	2 807	2 807
GB/5_90/72_L/P/B	Suma		4 272	5 482
	F 140/896_E	1	362	585
	F 620/446_LGE	1	798	1 290
	F 620/446_PGE	1	798	1 290
	K GB/5_90/72	1	2 320	2 320
GB/5_90/72_LV/PV/B	Suma		4 272	5 482
	F 140/896_E	1	362	585
	F 620/446_LVE	1	798	1 290
	F 620/446_PVE	1	798	1 290
	K GB/5_90/72	1	2 320	2 320

GC_45/72_L	Suma		1 935	2 504
	F 713/446 (-L)	1	917	1 484
	K GC 45/72	1	1 021	1 021
GC_45/95_L	Suma		2 574	3 325
	F 943/446 (-L)	1	1 212	1 961
	K GC 45/95	1	1 362	1 362
GC_60/72_L	Suma		2 431	3 191
	F 713/596 (-L)	1	1 222	1 982
	K GC 60/72	1	1 207	1 207
GC_60/72_L/P	Suma		2 600	3 351
	F 713/296 (-L)	1	608	984
	F 713/296 (-P)	1	608	984
	K ZAWIASY_107ST+B_Pf	1	175	175
	K GC 60/72	1	1 207	1 207
GC_60/95_L	Suma		3 248	4 248
	F 943/596 (-L)	1	1 620	2 622
	K GC 60/95	1	1 627	1 627
GC_60/95_L/P	Suma		3 411	4 407
	F 943/296 (-L)	1	805	1 302
	F 943/296 (-P)	1	805	1 302
	K ZAWIASY_107ST+B_Pf	1	175	175
	K GC 60/95	1	1 627	1 627
GC_80/72_L/P	Suma		2 924	3 932
	F 713/396 (-L)	1	812	1 317
	F 713/396 (-P)	1	812	1 317
	K GC 80/72	1	1 298	1 298
GC_80/95_L/P	Suma		3 945	5 278
	F 943/396 (-L)	1	1 075	1 741
	F 943/396 (-P)	1	1 075	1 741
	K GC 80/95	1	1 792	1 792
GC_90/72_L/P	Suma		3 201	4 337
	F 713/446 (-L)	1	917	1 484
	F 713/446 (-P)	1	917	1 484
	K GC 90/72	1	1 371	1 371
GC_90/95_L/P	Suma		4 417	5 921
	F 943/446 (-L)	1	1 212	1 961
	F 943/446 (-P)	1	1 212	1 961
	K GC 90/95	1	1 995	1 995
GI_5/72_B	Suma		1 260	1 604
	F 713/50_I	1	574	920
	K GI 5/72	1	685	685
GI_5/95_B	Suma		1 458	1 814
	F 943/50_I	1	595	951
	K GI 5/95	1	865	865
GL_30/72/95_L	Suma		2 247	2 745
	F 943/296_LE	1	805	1 302
	K GL 30/72/95	1	1 442	1 442
GNW_60/72_L/L	Suma		4 270	4 974
	F 713/278_278-N (-LN)	1	0	0
	F 713/280_280-LN	1	1 137	1 842
	K GNW 60/72	1	3 134	3 134
GNW_60/95_L/L	Suma		5 381	6 315
	F 943/278_278-N (-LN)	1	0	0
	F 943/280_280-LN	1	1 505	2 437
	K GNW 60/95	1	3 878	3 878
GNWU_60/72_L	Suma		3 895	4 400
	F 713/396 (-L)	1	812	1 317
	K GNWU 60/72	1	3 082	3 082
GNWU_60/72_LV	Suma		3 895	4 400
	F 713/396_V (-LV)	1	812	1 317
	K GNWU 60/72	1	3 082	3 082
GNWU_60/95_L	Suma		4 960	5 625
	F 943/396 (-L)	1	1 075	1 741
	K GNWU 60/95	1	3 882	3 882
GNWU_60/95_LFF	Suma		4 960	5 625
	F 943/396 (-LFF)	1	1 075	1 741
	K GNWU 60/95	1	3 882	3 882
GNWU_60/95_LFV	Suma		4 960	5 625
	F 943/396 (-LFV)	1	1 075	1 741
	K GNWU 60/95	1	3 882	3 882
GNWU_60/95_LV	Suma		4 960	5 625
	F 943/396_V (-LV)	1	1 075	1 741
	K GNWU 60/95	1	3 882	3 882
GNZRF_30/72_LRV	Suma		4 451	5 240
	F 713/300_RV (-LRV)	1	3 294	4 082
	K GNZRF 30/72	1	1 155	1 155
GNZUF_30/72_LV	Suma		2 381	2 928
	F 713/430_V (-LV)	1	882	1 430
	K GNZUF 30/72	1	1 500	1 500
GNZUF_30/95_LV	Suma		2 940	3 662
	F 943/430_V (-LV)	1	1 168	1 891
	K GNZUF 30/95	1	1 772	1 772
GO_45/36_O	Suma		1 842	2 125
	F 355/446_O	1	455	738
	K GO 45/36	1	805	805
	K Y00-05-HKXS	1	580	580

GO_45/36_OV	Suma		1 842	2 125
	F 355/446_VO	1	455	738
	K GO_45/36	1	805	805
	K Y00-05-HKXS	1	580	580
GO_50/36_O	Suma		1 935	2 250
	F 355/496_O	1	507	821
	K GO_50/36	1	850	850
	K Y00-05-HKXS	1	580	580
GO_60/36_O	Suma		2 112	2 488
	F 355/596_O	1	611	987
	K GO_60/36	1	922	922
	K Y00-05-HKXS	1	580	580
GO_60/36_OV	Suma		2 112	2 488
	F 355/596_VO	1	611	987
	K GO_60/36	1	922	922
	K Y00-05-HKXS	1	580	580
GOO_60/50_O	Suma		3 162	3 694
	F 500/596_O	1	857	1 391
	K GOO_60/50	1	1 142	1 142
	K Y00-05-HKXS	2	1 161	1 161
GS_30/14_2S	Suma		1 047	1 120
	F 140/146_S	2	118	191
	K GS_30/14	1	930	930
GS_45/14_3S	Suma		1 502	1 611
	F 140/146_S	3	178	287
	K GS_45/14	1	1 327	1 327
TI_5/121_B	Suma		1 572	1 941
	F 1198/50_I	1	614	981
	K TI_5/121	1	961	961
TSM/5_45/121_S/LV	Suma		4 142	5 094
	F 1055/446_V (-LV)	1	1 355	2 195
	F 140/446_SM	1	181	292
	K TSMST/5_45/121	1	1 957	1 957
	S SM_140/446/270	1	185	185
	S SM_320M2700	1	462	462
TSM/5_60/121_S/LV	Suma		5 017	6 287
	F 1055/596_V (-LV)	1	1 811	2 934
	F 140/596_SM	1	240	391
	K TSMST/5_60/121	1	2 241	2 241
	S SM_140/596/270	1	258	258
	S SM_320M2700	1	462	462
TST/5_45/121_S/LV	Suma		5 934	6 885
	F 1055/446_V (-LV)	1	1 355	2 195
	F 140/446_ST	1	181	292
	K TSMST/5_45/121	1	1 957	1 957
	S TST_45_N	1	2 441	2 441
TST/5_60/121_S/LV	Suma		6 808	8 078
	F 1055/596_V (-LV)	1	1 811	2 934
	F 140/596_ST	1	240	391
	K TSMST/5_60/121	1	2 241	2 241
	S TST_60_N	1	2 514	2 514
TSI/5_45/121_S/LV	Suma		5 934	6 885
	F 1055/446_LV	1	1 355	2 195
	F 140/446_ST	1	181	292
	K TSMST/5_45/121	1	1 957	1 957
	S TSI_45_N	1	2 441	2 441
TSI/5_60/121_S/LV	Suma		6 808	8 078
	F 1055/596_LV	1	1 811	2 934
	F 140/596_ST	1	240	391
	K TSMST/5_60/121	1	2 241	2 241
	S TSI_60_N	1	2 514	2 514
DM_45/57	Suma		732	1 187
	F 570/446_M	1	732	1 187
DM_45/71	Suma		917	1 484
	F 713/446_M	1	917	1 484
DM_60/57	Suma		980	1 585
	F 570/596_M	1	980	1 585
DM_60/71	Suma		1 222	1 982
	F 713/596_M	1	1 222	1 982
BLENDĄ NAROŻNA WEWN.	Suma		210	284
	F 713/40	1	210	284
KORONA_150/14	Suma		655	1 047
	F 1500/140_K	1	655	1 047
FRONT NIETYPOWY	Suma		3 312	5 367
	F NTP	1	3 312	5 367

pilastry 75 mm - viz Systém v kostce FRONTY str. 88

element	sklo	rozpis	mn.	typ A (piramida) patyna	typ B (koperta) bez patyny	typ B (koperta) patyna	typ C (classic) bez patyny	typ C (classic) patyna	typ F (kaboszon) patyna	typ G (prostokąt) patyna
DI_7_5/72_B		Suma		2 040	1 877	2 040	1 877	2 040	2 040	2 040
		F 713/75 I	1	1 080	914	1 080	914	1 080	1 080	1 080
		K BOK DI /72	1	601	601	601	601	601	601	601
		K DI 7.5/72	1	360	360	360	360	360	360	360
DI_7_5/82_B		Suma		2 240	2 055	2 240	2 055	2 240	2 240	2 240
		F 713/75 I+H100	1	1 124	940	1 124	940	1 124	1 124	1 124
		K BOK DI /82	1	707	707	707	707	707	707	707
		K DI 7.5/82	1	411	411	411	411	411	411	411
DI_7_5/87_B		Suma		2 340	2 148	2 340	2 148	2 340	2 340	2 340
		F 713/75 I+H150	1	1 191	997	1 191	997	1 191	1 191	1 191
		K BOK DI /87	1	742	742	742	742	742	742	742
		K DI 7.5/87	1	405	405	405	405	405	405	405
DI_7_5/197_B/B		Suma		5 018	4 594	5 018	4 594	5 018	5 018	5 018
		F 713/75 I	1	1 080	914	1 080	914	1 080	1 080	1 080
		F 1250/75 IG	1	1 365	1 104	1 365	1 104	1 365	1 365	1 365
		K BOK DI /197	1	1 635	1 635	1 635	1 635	1 635	1 635	1 635
		K DI 7.5/197	1	940	940	940	940	940	940	940
DI_7_5/207_B/B		Suma		5 171	4 725	5 171	4 725	5 171	5 171	5 171
		F 713/75 I+H100	1	1 124	940	1 124	940	1 124	1 124	1 124
		F 1250/75 IG	1	1 365	1 104	1 365	1 104	1 365	1 365	1 365
		K BOK DI /207	1	1 715	1 715	1 715	1 715	1 715	1 715	1 715
		K DI 7.5/207	1	968	968	968	968	968	968	968
DI_7_5/212_B/B		Suma		5 297	4 842	5 297	4 842	5 297	5 297	5 297
		F 713/75 I+H150	1	1 191	997	1 191	997	1 191	1 191	1 191
		F 1250/75 IG	1	1 365	1 104	1 365	1 104	1 365	1 365	1 365
		K BOK DI /212	1	1 757	1 757	1 757	1 757	1 757	1 757	1 757
		K DI 7.5/212	1	984	984	984	984	984	984	984
DI_7_5/220_B/B		Suma		4 998	4 668	4 998	4 668	4 998	4 998	4 998
		F 713/75 I	1	1 080	914	1 080	914	1 080	1 080	1 080
		F 1480/75 IG	1	1 080	914	1 080	914	1 080	1 080	1 080
		K BOK DI /220	1	1 827	1 827	1 827	1 827	1 827	1 827	1 827
		K DI 7.5/220	1	1 012	1 012	1 012	1 012	1 012	1 012	1 012
DI_7_5/230_B/B		Suma		5 698	5 205	5 698	5 205	5 698	5 698	5 698
		F 713/75 I+H100	1	1 124	940	1 124	940	1 124	1 124	1 124
		F 1480/75 IG	1	1 630	1 321	1 630	1 321	1 630	1 630	1 630
		K BOK DI /230	1	1 905	1 905	1 905	1 905	1 905	1 905	1 905
		K DI 7.5/230	1	1 038	1 038	1 038	1 038	1 038	1 038	1 038
DI_7_5/235_B/B		Suma		5 820	5 320	5 820	5 320	5 820	5 820	5 820
		F 713/75 I+H150	1	1 191	997	1 191	997	1 191	1 191	1 191
		F 1480/75 IG	1	1 630	1 321	1 630	1 321	1 630	1 630	1 630
		K BOK DI /235	1	1 947	1 947	1 947	1 947	1 947	1 947	1 947
		K DI 7.5/235	1	1 054	1 054	1 054	1 054	1 054	1 054	1 054
GI_7_5/57_B		Suma		1 677	1 540	1 677	1 540	1 677	1 677	1 677
		F 570/75 I	1	974	840	974	840	974	974	974
		K BOK GI /57	1	268	268	268	268	268	268	268
		K GI 7.5/57	1	432	432	432	432	432	432	432
GI_7_5/72_B		Suma		1 910	1 747	1 910	1 747	1 910	1 910	1 910
		F 713/75 I	1	1 080	914	1 080	914	1 080	1 080	1 080
		K BOK GI /72	1	334	334	334	334	334	334	334
		K GI 7.5/72	1	497	497	497	497	497	497	497
GI_7_5/95_B		Suma		2 278	2 065	2 278	2 065	2 278	2 278	2 278
		F 943/75 I	1	1 235	1 025	1 235	1 025	1 235	1 235	1 235
		K BOK GI /95	1	440	440	440	440	440	440	440
		K GI 7.5/95	1	602	602	602	602	602	602	602


pilastry 75 mm – boky v barvách dřevěk - viz Systém v kostce FRONTY str. 99

boky v barvách dřevěk					
typ boku	index	mj	rozpis	PVC	PVC + patyna
DI 7 5/72	K04-FORMATKA-***-BOK_DI_/72-FRN01	szl.	BOK_DI_/72	1 835	3 222
DI 7 5/82	K04-FORMATKA-***-BOK_DI_/82-FRN01	szl.	BOK_DI_/82	2 075	3 644
DI 7 5/87	K04-FORMATKA-***-BOK_DI_/87-FRN01	szl.	BOK_DI_/87	2 200	3 867
DI 7 5/197	K04-FORMATKA-***-BOK_DI_/197-FRN01	szl.	BOK_DI_/197	4 982	8 768
DI 7 5/207	K04-FORMATKA-***-BOK_DI_/207-FRN01	szl.	BOK_DI_/207	5 224	9 191
DI 7 5/212	K04-FORMATKA-***-BOK_DI_/212-FRN01	szl.	BOK_DI_/212	5 348	9 414
DI 7 5/220	K04-FORMATKA-***-BOK_DI_/220-FRN01	szl.	BOK_DI_/220	5 562	9 792
DI 7 5/230	K04-FORMATKA-***-BOK_DI_/230-FRN01	szl.	BOK_DI_/230	5 804	10 215
DI 7 5/235	K04-FORMATKA-***-BOK_DI_/235-FRN01	szl.	BOK_DI_/235	5 928	10 438
GI 7 5/57	K04-FORMATKA-***-BOK_GI_/57-FRN01	szl.	BOK_GI_/57	792	1 384
GI 7 5/72	K04-FORMATKA-***-BOK_GI_/72-FRN01	szl.	BOK_GI_/72	987	1 722
GI 7 5/95	K04-FORMATKA-***-BOK_GI_/95-FRN01	szl.	BOK_GI_/95	1 298	2 272
BOK NIETYPOWY	K04-FORMATKA-***-BOK_NT-FRN01	m2	BOK_NT	5 231	9 150

*** kod barvy dle vzorníku folii PVC

boky v barvách dřevěk - ozdobné					
typ boku	index	mj	rozpis	PVC	PVC + patyna
DI 7 5/72	K04-FORMATKA-***-BOK_OZD_DI_/72-FRN01	szl.	BOK_OZD_DI_/72	1 835	3 222
DI 7 5/82	K04-FORMATKA-***-BOK_OZD_DI_/82-FRN01	szl.	BOK_OZD_DI_/82	2 075	3 644
DI 7 5/87	K04-FORMATKA-***-BOK_OZD_DI_/87-FRN01	szl.	BOK_OZD_DI_/87	2 200	3 867
DI 7 5/197	K04-FORMATKA-***-BOK_OZD_DI_/197-FRN01	szl.	BOK_OZD_DI_/197	4 982	8 768
DI 7 5/207	K04-FORMATKA-***-BOK_OZD_DI_/207-FRN01	szl.	BOK_OZD_DI_/207	5 224	9 191
DI 7 5/212	K04-FORMATKA-***-BOK_OZD_DI_/212-FRN01	szl.	BOK_OZD_DI_/212	5 348	9 414
DI 7 5/220	K04-FORMATKA-***-BOK_OZD_DI_/220-FRN01	szl.	BOK_OZD_DI_/220	5 562	9 792
DI 7 5/230	K04-FORMATKA-***-BOK_OZD_DI_/230-FRN01	szl.	BOK_OZD_DI_/230	5 804	10 215
DI 7 5/235	K04-FORMATKA-***-BOK_OZD_DI_/235-FRN01	szl.	BOK_OZD_DI_/235	5 928	10 438
GI 7 5/57	K04-FORMATKA-***-BOK_OZD_GI_/57-FRN01	szl.	BOK_OZD_GI_/57	792	1 384
GI 7 5/72	K04-FORMATKA-***-BOK_OZD_GI_/72-FRN01	szl.	BOK_OZD_GI_/72	987	1 722
GI 7 5/95	K04-FORMATKA-***-BOK_OZD_GI_/95-FRN01	szl.	BOK_OZD_GI_/95	1 298	2 272
BOK NIETYPOWY	K04-FORMATKA-***-BOK_OZD_NT-FRN01	m2	BOK_OZD_NT	5 231	9 150

*** kod barvy dle vzorníku folii PVC



skřínky bez dvířek				
skřínka		rozpis	mn	
D_15/82		Suma		1 324
		K D_15/82	1	1 324
DBNW45_4/82		Suma		95
		K DBNW45_4/82	1	95
DBNW60_5/82		Suma		170
		K DBNW60_5/82	1	170
DBZ_5/82		Suma		128
		K DBZ_5/82	1	128
DBZ_56/82		Suma		515
		K DBZ_56/82	1	515
DNZ_30/82		Suma		1 705
		K DNZ_30/82	1	1 705
DNZR_30/82		Suma		1 705
		K DNZR_30/82	1	1 705
G_15/72		Suma		895
		K G_15/72	1	895
G_15/95		Suma		1 132
		K G_15/95	1	1 132
GNZ_30/72		Suma		1 075
		K GNZ_30/72	1	1 075
GNZ_30/95		Suma		1 384
		K GNZ_30/95	1	1 384
GNZR_30/72		Suma		1 075
		K GNZR_30/72	1	1 075
GNZR_30/95		Suma		1 384
		K GNZR_30/95	1	1 384
GP35_60/43		Suma		1 062
		K GP35_60/43	1	1 062
TNZ_30/121		Suma		1 661
		K TNZ_30/121	1	1 661
TNZR_30/121		Suma		1 674
		K TNZR_30/121	1	1 674
TROL5-60/121-ALU		Suma		19 512
		K TROL5_60/121_ALU	1	19 512
TROL5-60/121/56-ALU		Suma		20 670
		K TROL5_60/121/56_ALU	1	20 670
TROL5-60/121-SZKLO	BI	Suma		31 938
		K TROL5_60/121_SZKLO	1	31 938
	ML	Suma		31 938
		K TROL5_60/121_SZKLO	1	31 938
TROL5-60/121/56-SZKLO	BI	Suma		33 097
		K TROL5_60/121/56_SZK	1	33 097
	ML	Suma		33 097
		K TROL5_60/121/56_SZK	1	33 097
	CA	Suma		33 097
		K TROL5_60/121/56_SZK	1	33 097
KORPUS NIETYPOWY		Suma		2 952
		K NT	1	2 952
DREG_45/82/32		Suma		1 454
		K DREG_45/82/32	1	1 454
DREG_60/82/32		Suma		1 625
		K DREG_60/82/32	1	1 625
DREG_60/207/32		Suma		3 602
		K DREG_60/207/32	1	3 602
DREGTE_60/207/32		Suma		3 885
		K DREGTE_60/207/32	1	3 885
DNZREG_30/207		Suma		3 367
		K DNZREG_30/207	1	3 367
DNZREGTE_30/207		Suma		3 662
		K DNZREGTE_30/207	1	3 662

POZOR! Ceny atypů (netypowy) jsou uvedeny za m2